

Fraterworks Ltd.
P. O. Box 46009
Lower Hutt, 5011 New Zealand +64 4 889 3800
info@frater.com

SAFETY DATA SHEET

Printed on 14 Jul 2023

GHS: According to 2015/830/EU

Code Number FRW-50107

Version 1 Revised 7/14/2023 12:37:18 PM

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier

Product Name OLIBANUM CNC 251848

Code Number FRW-50107

Alternative Name

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Fraterworks

P. O. Box 46009 Park Avenue Lower Hutt 5044 New Zealand

Telephone Number Tel No. +6448893800 Email Address info@fraterworks.com

1.4 Emergency Tel No Emergency No. +6448893800

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

AH 1 Aspiration hazard, category 1
SCI 2 Skin corrosion/irritation, category 2
SS 1B Skin sensitisation, category 1B
EDI 2A Eye damage/irritation, category 2A
EH A2 Aquatic hazard, acute, category 2

EH C2 Aquatic hazard, chronic, category 2

2.2 Label elements

ATO 5

Acute toxicity, oral, category 5

Printed on 14 Jul 2023

GHS: According to 2015/830/EU

Code Number FRW-50107

Version 1 Revised 7/14/2023 12:37:18 PM

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.

P501 Dispose of contents and container to local.

2.3 Other Hazards

Contains Benzyl Alcohol, Benzyl Benzoate, Benzyl Salicylate, Citral, Coumarin, Eugenol, Farnesol, Geraniol, Hydroxycitronellal, Isoeugenol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

This document is generated by calculation based on the ingredients present in the formula. The information contained herein is, to the best of our knowledge, true and accurate at the date of issue. It is provided to the customer for information and internal use only. It is not a confirmation of compliance and it is customer responsibility to perform his own evaluation on the product, including with respect to end-use application.

Page 2 of 11

Printed on 14 Jul 2023

GHS: According to 2015/830/EU

Code Number FRW-50107 Version 1 Revised 7/14/2023 12:37:18 PM

3.2 Mixtures

Complex mixture of fragrance ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 107-75-5 EINECS 203-518-7 REACH	Hydroxycitronellal (Laurine, Hydronal, Phixia, Laurinal) SS 1B;EDI 2A H317,H319	>=10%,<25%
CAS 97952-72-2 EINECS 308-366-6 REACH	Olibanum oil (Frankincense) FL 3;AH 1;SCI 2;SS 1;EH A2,C2 H226,H304,H315,H317,H401,H411	>=10%,<25%
CAS 91-64-5 EINECS 202-086-7 REACH	1-Benzopyran-2-one (Coumarin) ATO 4(500); SS 1B; EH A3 H302, H317, H402	>=10%,<25%
CAS 1335-46-2 EINECS 215-635-0 REACH	Methylionone (mixture of isomers) SCI 2;EDI 2B;EH A2,C2 H315,H320,H401,H411	>=10%,<25%
CAS 89957-98-2 EINECS 289-620-2 REACH	Olibanum resin (Frankincense resin) SCI 3;SS 1;EH A2,C2 H316,H317,H401,H411	>=5%,<10%
CAS 93-08-3 EINECS 202-216-2 REACH	Oranger crystals (Methyl-beta-naphthyl ketone) (2-Acetonaphthone) ATO 4(1985); EH A2 H302, H401	>=3%,<5%
CAS 100-51-6 EINECS 202-859-9 REACH	Benzyl alcohol (Phenylmethyl alcohol) ATO 4(1620);ATD 5(2500);EDI 2A;ATI 4 H302,H313,H319,H332	>=1%,<3%
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate (Phenylmethyl benzoate) ATO 4(1500);ATD 5(4000);EH A1,C2 H302,H313,H400,H411	>=1%,<3%
CAS 84776-64-7 EINECS 283-993-5 REACH	Jasmin absolute FL 4; SCI 2; SS 1; EH A1, C2 H227, H315, H317, H400, H411	>=0.1%,<1%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 4;AH 1;SCI 2;SS 1B;EH A1,C1 H227,H304,H315,H317,H400,H410	>=0.1%,<1%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 4;ATO 5(3500);AH 1;SCI 2;SS 1B;EH A1,C1 H227,H303,H304,H315,H317,H400,H410	>=0.1%,<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Printed on 14 Jul 2023

GHS: According to 2015/830/EU

Code Number FRW-50107

Version 1 Revised 7/14/2023 12:37:18 PM

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air. Contact a doctor if necessary.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush with plenty of water and seek medical advice if necessary.

After ingestion

Wash mouth with plenty of water and obtain medical advice immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further information available at this time
- 4.3 Indication of immediate medical attention and special treatment needed No further information available at this time

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear protective clothing and avoid inhalation of vapours. Keep containers cool with water spray

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition.

Avoid inhalation, skin and eye contact.

Ensure proper ventilation.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

This document is generated by calculation based on the ingredients present in the formula. The information contained herein is, to the best of our knowledge, true and accurate at the date of issue. It is provided to the customer for information and internal use only. It is not a confirmation of compliance and it is customer responsibility to perform his own evaluation on the product, including with respect to end-use application.

Page 4 of 11

Printed on 14 Jul 2023

GHS: According to 2015/830/EU

Code Number FRW-50107

Version 1 Revised 7/14/2023 12:37:18 PM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

7.3 Specific end use(s)

No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No information

8.2 Exposure controls

Engineering controls

No information

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Wear safety goggles.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Printed on 14 Jul 2023

GHS: According to 2015/830/EU

Code Number FRW-50107

Version 1 Revised 7/14/2023 12:37:18 PM

Thermal hazards

No information

Environmental exposure controls

No information

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

140

FLASH POINT (°C)

9.2 Other information

No further information available

Section 10. Stability and reactivity

10.1 Reactivity

Not determined

10.2 Chemical Stability

Not determined

10.3 Possibility of hazardous reactions

Not determined

10.4 Conditions to avoid

Extreme temperatures

10.5 Incompatible materials

Highly reactive chemicals which may produce unknown reaction products and so cause additional hazards.

10.6 Hazardous decomposition products

Not determined

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

1-Benzopyran-2-one (Coumarin) (CAS: 91-64-5)

Oral route: LD50 = 500 mg/kg

Benzyl alcohol (Phenylmethyl alcohol) (CAS: 100-51-6)

Oral route: LD50 = 1620 mg/kg Dermal route: LD50 = 2500 mg/kg Inhalation route: Data not available

This document is generated by calculation based on the ingredients present in the formula. The information contained herein is, to the best of our knowledge, true and accurate at the date of issue. It is provided to the customer for information and internal use only. It is not a confirmation of compliance and it is customer responsibility to perform his own evaluation on the product, including with respect to end-use application.

Page 6 of 11

Printed on 14 Jul 2023

GHS: According to 2015/830/EU

Code Number FRW-50107

Version 1 Revised 7/14/2023 12:37:18 PM

Benzyl benzoate (Phenylmethyl benzoate) (CAS: 120-51-4)

Oral route: LD50 = 1500 mg/kg Dermal route: LD50 = 4000 mg/kg

Orange blossom oil (Neroli oil) (CAS: 8016-38-4)

Oral route: LD50 = 4550 mg/kg

Oranger crystals (Methyl-beta-naphthyl ketone) (2-Acetonapht (CAS: 93-08-3)

Oral route: LD50 = 1985 mg/kg

Ylang-ylang oil extra super (CAS: 8006-81-3)

Oral route: LD50 = 4300 mg/kg

Skin corrosion / irritation

No data

Serious eye damage / irritation

No data

Respiratory or skin sensitisation

No data

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Printed on 14 Jul 2023

GHS: According to 2015/830/EU

Code Number FRW-50107

Version 1 Revised 7/14/2023 12:37:18 PM

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

No data

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

No data available

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADR 3082 IATA 3082 IMDG 3082

14.2 UN proper shipping name

ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL

This document is generated by calculation based on the ingredients present in the formula. The information contained herein is, to the best of our knowledge, true and accurate at the date of issue. It is provided to the customer for information and internal use only. It is not a confirmation of compliance and it is customer responsibility to perform his own evaluation on the product, including with respect to end-use application.

Page 8 of 11

Printed on 14 Jul 2023

GHS: According to 2015/830/EU

Code Number FRW-50107

Version 1 Revised 7/14/2023 12:37:18 PM

BENZOATE)

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL

BENZOATE)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL

BENZOATE)

14.3 Transport hazard class(es)

ADR 9
IATA 9
IMDG 9

14.4 Packing group

ADR III
IATA III
IMDG III
Tunnel Code (E)

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

No relevant information available

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No relevant information available at this time

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Printed on 14 Jul 2023

GHS: According to 2015/830/EU

Code Number FRW-50107

Version 1 Revised 7/14/2023 12:37:18 PM

Section 16. Other information

Full list of precautionary phrases

P280 Wear protective gloves and eye	

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice.
P337+P313 If eye irritation persists: Get medical attention.
P501 Dispose of contents and container to local.

Wording of any hazard classes listed in section 3

FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EDI 2B	Eye damage/irritation, category 2B
ATI 4	Acute toxicity, inhalation, category 4
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2

Wording of any hazard statements listed in section 3

H226	Flammable liquid and vapour

H227 Combustible liquid H302 Harmful if swallowed

H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

This document is generated by calculation based on the ingredients present in the formula. The information contained herein is, to the best of our knowledge, true and accurate at the date of issue. It is provided to the customer for information and internal use only. It is not a confirmation of compliance and it is customer responsibility to perform his own evaluation on the product, including with respect to end-use application.

Page 10 of 11

Printed on 14 Jul 2023

GHS: According to 2015/830/EU

Code Number FRW-50107

Version 1 Revised 7/14/2023 12:37:18 PM

H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H332	Harmful if inhaled
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects