

Fraterworks Ltd.
P. O. Box 46009
Lower Hutt, 5011 New Zealand +64 4 889 3800
info@frater.com

Printed on 31 Oct 2023

SAFETY DATA SHEET

GHS: According to 2015/830/EU

Code Number NAT-12295

Version O Revised

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier

Product Name ORANGE OIL DECOLOURISED

Code Number NAT-12295

Alternative Name

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Fraterworks

P. O. Box 46009 Park Avenue Lower Hutt 5044 New Zealand

Telephone Number Tel No. +6448893800 Email Address info@fraterworks.com

1.4 Emergency Tel No Emergency No. +6448893800

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 3 Flammable liquid, category 3
AH 1 Aspiration hazard, category 1

SCI 2 Skin corrosion/irritation, category 2

SS 1 Skin sensitisation, category 1
EH A1 Aquatic hazard, acute, category 1
EH C1 Aquatic hazard, chronic, category 1

2.2 Label elements

Printed on 31 Oct 2023

GHS: According to 2015/830/EU

Code Number NAT-12295

Version O Revised

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H226 Flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P241 Use explosion-proof equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the

workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call %.

P302+P352 IF ON SKIN: Wash with %.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with waterRemove

This document is generated by calculation based on the ingredients present in the formula. The information contained herein is, to the best of our knowledge, true and accurate at the date of issue. It is provided to the customer for information and internal use only. It is not a confirmation of compliance and it is customer responsitly to perform his own evaluation on the product, including with respect to end-use application.

Page 2 of 10

Printed on 31 Oct 2023

GHS: According to 2015/830/EU

Code Number NAT-12295

Version O Revised

P321 Specific treatment (see % on this label).

P331 Do NOT induce vomiting.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P362 Take off contaminated clothing.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents and container to .

2.3 Other Hazards

Contains Citral and Limonene which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.1 Substances

Description ORANGE OIL DECOLOURISED

EC/EINECS 232-433-8
CAS Number 8028-48-6
USCAS Number 8008-57-9

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 4;AH 1;SCI 2;SS 1B;EH A1,C1 H227,H304,H315,H317,H400,H410	95.0000
CAS 123-35-3 EINECS 204-622-5 REACH	beta-Myrcene FL 3;AH 1;SCI 2;EDI 2A H226,H304,H315,H319	2.0000
CAS 112-31-2 EINECS 203-957-4 REACH	Decanal FL 4; SCI 3; EDI 2A; EH A2, C3 H227, H316, H319, H401, H412	0.2500

This document is generated by calculation based on the ingredients present in the formula. The information contained herein is, to the best of our knowledge, true and accurate at the date of issue. It is provided to the customer for information and internal use only. It is not a confirmation of compliance and it is customer responsibility to perform his own evaluation on the product, including with respect to end-use application.

Page 3 of 10

Printed on 31 Oct 2023

GHS: According to 2015/830/EU

Code Number

NAT-12295

Version O Revised

CAS 124-13-0 EINECS 204-683-8 REACH	Octanal FL 4; SCI 2; EDI 2A; EH A2, C2 H227, H315, H319, H401, H411	0.2500
CAS 5392-40-5 EINECS 226-394-6 REACH	Citral ATD 5(2250); SCI 2; SS 1B; EDI 2A; EH A2 H313, H315, H317, H319, H401	0.1500

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air. Contact a doctor if necessary.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush with plenty of water and seek medical advice if necessary.

After ingestion

Wash mouth with plenty of water and obtain medical advice immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further information available at this time
- 4.3 Indication of immediate medical attention and special treatment needed No further information available at this time

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear protective clothing and avoid inhalation of vapours.

Printed on 31 Oct 2023

GHS: According to 2015/830/EU

Code Number NAT-12295

Version O Revised

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition.

Avoid inhalation, skin and eye contact.

Ensure proper ventilation.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

7.3 Specific end use(s)

No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No information

8.2 Exposure controls

Engineering controls

No information

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Wear safety goggles.

Printed on 31 Oct 2023

GHS: According to 2015/830/EU

Code Number NAT-12295

Version O Revised

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information

Environmental exposure controls

No information

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties FLASH POINT (°C)

9.2 Other information

No further information available

Section 10. Stability and reactivity

10.1 Reactivity

Not determined

10.2 Chemical Stability

Not determined

10.3 Possibility of hazardous reactions

Not determined

10.4 Conditions to avoid

Extreme temperatures

10.5 Incompatible materials

Highly reactive chemicals which may produce unknown reaction products and so cause additional hazards.

10.6 Hazardous decomposition products

Not determined

Printed on 31 Oct 2023

GHS: According to 2015/830/EU

Code Number NAT-12295

Version O Revised

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not Applicable

Skin corrosion / irritation

No data

Serious eye damage / irritation

No data

Respiratory or skin sensitisation

No data

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Printed on 31 Oct 2023

GHS: According to 2015/830/EU

Code Number NAT-12295

Version O Revised

Other information

No data

Section 12. Ecological information

12.1 Toxicity

No data available; avoid soil, surface water and water-bearing stratum contamination.

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

No data

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

No data

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number 1169

14.2 UN proper shipping name

14.3 Transport hazard class(es) 3

14.4 Packing group III

Tunnel Code (D/E)

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

No relevant information available

This document is generated by calculation based on the ingredients present in the formula. The information contained herein is, to the best of our knowledge, true and accurate at the date of issue. It is provided to the customer for information and internal use only. It is not a confirmation of compliance and it is customer responsibility to perform his own evaluation on the product, including with respect to end-use application.

Page 8 of 10

Printed on 31 Oct 2023

GHS: According to 2015/830/EU

Code Number NAT-12295

Version O Revised

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No relevant information available at this time

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of	precautionary	phrases
--------------	---------------	---------

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call %.
P302+P352	IF ON SKIN: Wash with %.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with waterRemove
P321	Specific treatment (see % on this label).
P331	Do NOT induce vomiting.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362	Take off contaminated clothing.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

This document is generated by calculation based on the ingredients present in the formula. The information contained herein is, to the best of our knowledge, true and accurate at the date of issue. It is provided to the customer for information and internal use only. It is not a confirmation of compliance and it is customer responsibility to perform his own evaluation on the product, including with respect to end-use application.

Page 9 of 10

Printed on 31 Oct 2023

GHS: According to 2015/830/EU

Code Number NAT-12295

Version O Revised

P405	Store locked up.
P501	Dispose of contents and container to .
Wording of any haza	ard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	ard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects