

**OLIBANUM OIL EXTRA****1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY****1.1. Product identifier****Denomination : OLIBANUM OIL EXTRA****Reference : E2360**

CAS#: 8016-36-2

REACH#: Exempted &lt; 1t

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Aromatic ingredient - for industrial use only, do not consume as such

**1.3. Details of the supplier of the safety data sheet**PAYAN BERTRAND  
28 Avenue Jean XXIII - BP 61057  
06131 GRASSE cedex - FRANCE  
Tel. +33 (4) 93 40 14 14 ( 8:15-12:00 / 12:45-16:00 )  
Web. [www.payanbertrand.com](http://www.payanbertrand.com)  
Email. [regulatory@payanbertrand.com](mailto:regulatory@payanbertrand.com)**1.4. Emergency telephone number**

+33 613 35 57 58 (24h / 24h)

**2. HAZARDS IDENTIFICATION****2.1. Classification of the substance or mixture****GHS Classification :****RegulationCLP**AH1 Asp. Tox. 1 Aspiration hazard 1  
ATO4 Acute Tox. 4 (Oral) Acute oral toxicity 4  
EHA1 Aquatic Acute 1 Acute aquatic toxicity 1  
EHC1 Aquatic Chronic 1 Chronic aquatic toxicity 1  
FL3 Flam. Liq. 3 Flammable liquids 3  
REP2 Repr. 2 Reproductive toxicity 2  
SCI2 Skin Irrit. 2 Skin corrosion/irritation 2  
SS1 Skin Sens. 1 Skin sensitisation 1H226 - Flammable liquid and vapour.  
H302 - Harmful if swallowed.  
H304 - May be fatal if swallowed and enters airways.  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H361 - Suspected of damaging fertility or the unborn child.  
H410 - Very toxic to aquatic life with long lasting effects.


Refer to the section 16 for the all hazard statements.

## OLIBANUM OIL EXTRA

### 2.2. Label elements

#### GHS Classification :

RegulationCLP



Warning statement : DANGER

AH1 Asp. Tox. 1 Aspiration hazard 1  
 ATO4 Acute Tox. 4 (Oral) Acute oral toxicity 4  
 EHA1 Aquatic Acute 1 Acute aquatic toxicity 1  
 EHC1 Aquatic Chronic 1 Chronic aquatic toxicity 1  
 FL3 Flam. Liq. 3 Flammable liquids 3  
 REP2 Repr. 2 Reproductive toxicity 2  
 SCI2 Skin Irrit. 2 Skin corrosion/irritation 2  
 SS1 Skin Sens. 1 Skin sensitisation 1

H226 - Flammable liquid and vapour.  
 H302 - Harmful if swallowed.  
 H304 - May be fatal if swallowed and enters airways.  
 H315 - Causes skin irritation.  
 H317 - May cause an allergic skin reaction.  
 H361 - Suspected of damaging fertility or the unborn child.  
 H410 - Very toxic to aquatic life with long lasting effects.

P201 - Obtain special instructions before use.  
 P202 - Do not handle until all safety precautions have been read and understood.  
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233 - Keep container tightly closed.  
 P241 - Use explosion-proof electrical/ventilating/lighting equipment.  
 P242 - Use non-sparking tools.

Contains Pin-2(3)-ene, (R)-p-mentha-1,8-diène, 7-methyl-3-methyleneocta-1,6-diene, p-cymene

### 2.3. Other hazards

Not concerned

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

INCI Name : BOSWELLIA CARTERII GUM OIL

### 3.1. Substances

Identification number	Substance	Hazard classes & H-phrases	LCS / M-factors / ATE	%
CAS# 80-56-8 EINECS# 201-291-9	Pin-2(3)-ene	Asp. Tox. 1, Acute Tox. 4 (Oral), Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B H304, H302, H400, H410, H226, H315, H317	ATE (Orale) : 500mg/kg	42.000
CAS# 5989-27-5 EINECS# 227-813-5 INDEX# 601-096-00-2	(R)-p-mentha-1,8-diene	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 3, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B H304, H400, H412, H226, H315, H317		20.000

## OLIBANUM OIL EXTRA

CAS# 123-35-3 EINECS# 204-622-5	7-methyl-3-methyleneocta-1,6-diene	Asp. Tox. 1, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 2, Flam. Liq. 3, Skin Irrit. 2 H304, H319, H400, H411, H226, H315	8.000
------------------------------------	------------------------------------	--	-------

## OLIBANUM OIL EXTRA

CAS# 99-87-6 EINECS# 202-796-7 INDEX# 601-094-00-1	p-cymene	Asp. Tox. 1, Acute Tox. 3 (Inhala, Aquatic Chronic 2, Flam. Liq. 3, Repr. 2 H304, H331, H411, H226, H361	ATE (Inhalation) : 3mg/L	4.000
CAS# 3387-41-5 EINECS# 222-212-4	Thuj-4(10)-ene	Asp. Tox. 1 H304		3.000
CAS# 87-44-5 EINECS# 201-746-1	Caryophyllene	Asp. Tox. 1, Skin Sens. 1B H304, H317		2.500
CAS# 13466-78-9 EINECS# 236-719-3	3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene	Asp. Tox. 1, Acute Tox. 4 (Inhala, Aquatic Chronic 2, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1 H304, H332, H411, H226, H315, H317	SS1 (M=1) SS1 - H317 : C >= 1 % ATE (Inhalation) : 11.25mg/L	2.000
CAS# 2867-05-2 EINECS# 220-686-7	5-Isopropyl-2-methylbicyclo[3.1.0]hex-2-ene	Asp. Tox. 1 H304		2.000
CAS# 127-91-3 EINECS# 204-872-5	Pin-2(10)-ene	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B H304, H400, H410, H226, H315, H317		1.500
CAS# 1139-30-6 EINECS# 214-519-7	Caryophyllene oxide	Aquatic Chronic 2 H411		1.300
CAS# 4221-98-1 EINECS# 224-167-6	(R)-5-isopropyl-2-methylcyclohexa-1,3-diene	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3 H304, H400, H410, H226		1.200
CAS# 562-74-3 EINECS# 209-235-5	p-menth-1-en-4-ol	Acute Tox. 3 (Inhala, Acute Tox. 4 (Oral), Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1, Stot Se 3Ne H331, H302, H319, H315, H317, H336	SS1 (M=1) SS1 - H317 : C >= 1 % ATE (Orale) : 1300mg/kg ATE (Inhalation) : 3mg/L	1.000
CAS# 79-92-5 EINECS# 201-234-8	Camphene	Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3 H319, H400, H410, H226		0.700
CAS# 99-49-0 EINECS# 218-827-2 INDEX# 606-148-00-8	Carvone	Skin Sens. 1B H317		0.400
CAS# 78-70-6 EINECS# 201-134-4 INDEX# 603-235-00-2	Linalool	Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1B H319, H315, H317		0.200
CAS# 99-85-4 EINECS# 202-794-6	p-mentha-1,4-diene	Asp. Tox. 1, Aquatic Chronic 2, Flam. Liq. 3, Repr. 2 H304, H411, H226, H361		0.200
CAS# 499-75-2 EINECS# 207-889-6	Carvacrol	Acute Tox. 4 (Oral), Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1B H302, H319, H315, H317	ATE (Orale) : 810mg/kg	0.100
CAS# 99-86-5 EINECS# 202-795-1 INDEX# 601-095-00-7	p-mentha-1,3-diene	Asp. Tox. 1, Acute Tox. 4 (Oral), Eye Irrit. 2, Aquatic Chronic 2, Flam. Liq. 3, Skin Sens. 1 H304, H302, H319, H411, H226, H317	SS1 (M=1) SS1 - H317 : C >= 1 % ATE (Orale) : 1680mg/kg	0.100
CAS# 586-62-9 EINECS# 209-578-0	p-mentha-1,4(8)-diene	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Skin Sens. 1B H304, H400, H410, H317		0.100

Not concerned

EINECS/ELINCS : 289-620-2

REACH : Exempted < 1t

CAS : 8016-36-2

Product type : Essential oil

### 3.2. Mixtures

No concerned

## 4. FIRST AID MEASURES

## OLIBANUM OIL EXTRA

### 4.1. Description of first aid measures

Skin contact : Remove any contaminated clothing or shoes. Wash affected areas thoroughly with soap and water for at least 15 minutes. Contact a physician if necessary.

Eye Contact : Flush immediately with clean water for at least 10 minutes. Contact a physician if necessary.

Ingestion : Rinse the mouth. Contact a physician immediately.

Excessive inhalation : Remove to fresh air. If breathing has stopped, administer artificial respiration and oxygen if available. Contact a physician if necessary.

### 4.2. Most important symptoms and effects, both acute and delayed

Take into account hazard and safety statements.

### 4.3. Indication of any immediate medical attention and special treatment needed

None.

## 5. FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Recommended : Carbondioxide, dry chemical or foam.

Not recommended : Direct water.

### 5.2. Special hazards arising from the substance or mixture

Cool down other threatened recipients with pulverized water.

Do not inhale fire fumes or gases (CO, CO<sub>2</sub>, organic products).

Flammability class : *The product is not easily flammable*

### 5.3. Advice for firefighters

Never use a direct stream of water.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, clothes.

Provide adequate ventilation.

### 6.2. Environmental precautions

Prevent contamination of soil, ground and surface water.

### 6.3. Methods and material for containment and cleaning up

Gross spillages should be contained by use of sand or inert powder and disposed off in accordance with local laws and regulations.

**OLIBANUM OIL EXTRA****6.4. Reference to other sections**

No concerned

**7. HANDLING AND STORAGE****7.1. Precautions for safe handling**

Keep away all ignition sources.  
Provide adequate ventilation.  
Do not eat, drink, smoke in the working areas.  
Wash hands after use.

**7.2. Conditions for safe storage, including any incompatibilities**

Store the product in a cool, dry and ventilated area away from heat sources, and protected from light in tightly closed original container. Keep air contact to a minimum.

Packing material :

- not recommended : naked iron.

**7.3. Specific end use(s)**

Not applicable.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****8.1. Control parameters**

No concerned

**8.2. Exposure controls**

To avoid eye and mucous membrane projection and according to the working area organization wearing eye glasses and gloves is recommended.

Avoid excessive inhalation of concentrated vapors.

Do not re-use empty containers : Quickly get clear of sponges, wovens, ... etc, used to sponge the product. Keep away from food and drink.

Hygien and safety at work : adapted personal protective equipment is advised.

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

Vapour pressure (mmHg) : 2.2  
Aspect : Liquid  
Colour : [Light yellow ; Yellow]

## OLIBANUM OIL EXTRA

Odour :	Characteristic
Specific gravity (20°C) :	[0.855 ; 0.900]
Refractive index (20°C) :	[1.4690 ; 1.4830]
Optical rotation (20°C) :	[-20 ; 0]
Flash point (°C) :	39

### 9.2. Other information

Solubility : ethanol / oil / solvents.

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

This product presents no significant reactivity hazard.

### 10.2. Chemical stability

This product is stable and will not react violently with water.

### 10.3. Possibility of hazardous reactions

Hazardous reaction will not occur if using conditions and prescriptions are followed.

### 10.4. Conditions to avoid

Avoid contact or contamination with strong acids, alkalis, or oxidizing agents.

### 10.5. Incompatible materials

Not relevant.

### 10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided: Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun.

No decomposition product if storage and handling conditions are followed.

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:

- Oral : 1,162.41 (Determined)
- Inhalation : Not classified
- Dermal : Not classified

Skin corrosion/irritation: No data available

Serious eye damage/irritation: No data available

Respiratory or skin sensitisation: No data available

Germ cell mutagenicity: No data available

Carcinogenicity: No data available

## OLIBANUM OIL EXTRA

Reproductive toxicity: No data available

STOT-single exposure: No data available

STOT-repeated exposure: No data available

Aspiration hazard: No data available

### 11.2. Information on other hazards

Not applicable

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

No data available.

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Endocrine disrupting properties

Not applicable

### 12.7. Other adverse effects

No data available.

Avoid contamination of soil, ground and surface water.

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Release to atmosphere : avoid.

Release to surface water : avoid.

Release into natural environment : avoid.

Destruction of waste : incineration.

Treatment of empty containers : re-use inadvisable.

Waste Disposal Methods : Place material and absorbent into sealed containers and dispose off in accordance with current applicable laws and regulations.



## OLIBANUM OIL EXTRA

### 14. TRANSPORT INFORMATION

ADR/ADN/RID:



IMDG:



IATA:



#### 14.1. UN number or ID number

ADR/ADN/RID : UN1197 ( Tunnel code(D/E) )  
IMDG:UN1197  
IATA :UN1197

#### 14.2. UN proper shipping name

ADR/ADN/RID : EXTRACTS, LIQUID  
IMDG:EXTRACTS, LIQUID  
IATA :EXTRACTS, LIQUID

#### 14.3. Transport hazard class(es)

ADR/ADN/RID : 3  
IMDG:3  
IATA :3

#### 14.4. Packing group

ADR/ADN/RID : III  
IMDG:III  
IATA :III

#### 14.5. Environmental hazards

IMDG : marine pollutant type material

#### 14.6. Special precautions for user

Not regulated

#### 14.7. Maritime transport in bulk according to IMO instruments

Not regulated

### 15. REGULATORY INFORMATION

## OLIBANUM OIL EXTRA

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**General rules of preventing chemical risks** - labor code art R4411-1 to R4412-164 related to the reinforced medical surveillance of employees exposed to agents classified CMR and to exposures controls of agents classified CMR.

**General rules on ICPE (France) - Manufacturing and/or use and/or stock**

Heading 1171,1172 and 1173

Heading 1432 and 1433

Water contamination class (Germany): WGK

### 15.2. Chemical safety assessment

Not applicable.

## 16. OTHER INFORMATION

### Full list of relevant phrases quoted in section 3 according to Regulation No. (EC) 1272/2008:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

The information given in this MSDS was obtained from current and reliable sources. However, these data are provided without any warranty, expressed or implied, regarding their correctness or accuracy. Since the conditions of use, handling, storage, and disposal of this product are beyond P&B control, it is the responsibility of the user both to determine safe conditions for use as well as to assume liability for loss, damage, and expenses arising out of improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this SDS.

#### Acronyms :

REACH: Regulation, Evaluation, Authorization of CHemicals

CSR: Chemical Safety Report

IFRA: International Fragrance Association

IOFI: International Organization of the Flavor Industry

ATE: Acute Toxicity Estimation

ES: Exposure Scenario

Bibliography, data sources: IFRA IOFI Labelling Manual 2022.

Classification of the mixture and evaluation methods according to regulation (CE) n° 1272/2008 :

H224-H225-H226 : Measured

Other hazard statements : Calculated

Classification of substance and evaluation methods according to regulation (CE) n° 1272/2008 : Measured or Calculated

**This product is for an industrial use only and not personal use.**

Modified points : 2.2 3.1

## OLIBANUM OIL EXTRA