

1683902

Reviewed on: 20.12.2022  
Printing date: 20.12.2022

### SECTION 01: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Trade name:  
YLANG COMOROS COMPLETE OIL
- Article number:  
F3255
- CAS Number:  
8006-81-3
- EC Number:  
281-092-1
- Registration number  
01-2120768616-42-0000

1.2 Relevant identified uses of the substance or mixture and uses advised against  
Application of the substance / the preparation  
Only for industrial use  
For detailed identified uses please refer to the annex of this safety data sheet

1.3 Details of the supplier of the safety data sheet  
Manufacturer/Supplier:  
BIOLANDES, BP2                      TEL: +33(0)5.58.51.00.00  
2760 Route de Bélis                email: fds@biolandes.com  
40420 LE SEN  
FRANCE

1.4 Emergency telephone number:  
FR-ORFILA (INRS):+33(0)1 45 42 59 59

### SECTION 02: Hazards identification

#### 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008



GHS08

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 - H315 Causes skin irritation.  
Skin Sens. 1B - H317 May cause an allergic skin reaction.  
Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms



GHS08      GHS07

- Signal word  
Danger

- Hazard-determining components of labelling:  
benzyl salicylate / p-Methylanisole / Farnesol / isoeugenol / geraniol / Anethole (isomer unspecified)
- Hazard statements  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements

*(continued on page 2)*

1683902

Reviewed on: 20.12.2022  
Printing date: 20.12.2022

**PRODUCT : YLANG COMOROS COMPLETE OIL**

*(continued of page 1)*

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
  - PBT:  
Not applicable.
  - vPvB:  
Not applicable.
- Determination of endocrine-disrupting properties  
None of the ingredients is listed.

**SECTION 03: Composition/information on ingredients**

- 3.2 Mixtures
- Description:  
Mixture

- Dangerous components:

| CAS Number |  | %           |
|------------|--|-------------|
| 120-51-4   | <b>Benzyl benzoate</b><br>EC number: 204-402-9<br>⚠ Acute Tox. 4 - H302; ⚠ Aquatic<br>Acute 1 - H400, Aquatic Chronic 2 - H411 | 5,001-10,00 |
| 140-11-4   | <b>benzyl acetate</b><br>EC number: 205-399-7<br>Aquatic Chronic 3 - H412  | 5,001-10,00 |
| 118-58-1   | <b>benzyl salicylate</b><br>EC number: 204-262-9<br>⚠ Skin Sens. 1 - H317; Aquatic Chronic 3<br>- H412                         | 1,001- 5,00 |
| 78-70-6    | <b>Linalool</b><br>EC number: 201-134-4<br>⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 -<br>H319, Skin Sens. 1B - H317                | 1,001- 5,00 |
| 104-93-8   | <b>p-Methylanisole</b><br>EC number: 203-253-7<br>⚠ Acute Tox. 4 - H302, Skin Irrit. 2 -<br>H315; ⚠ Repr. 2 - H361             | 1,001- 5,00 |
| 4602-84-0  | <b>Farnesol</b><br>EC number: 225-004-1<br>⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 -<br>H319, Skin Sens. 1B - H317                | 1,001- 5,00 |
| 105-87-3   | <b>Geranyl acetate</b><br>EC number: 203-341-5<br>⚠ Skin Irrit. 2 - H315, Skin Sens. 1B -<br>H317; Aquatic Chronic 3 - H412    | 1,001- 5,00 |
| 18794-84-8 | <b>beta-Farnesene</b><br>EC number: 242-582-0<br>⚠ Asp. Tox. 1 - H304  | 1,001- 5,00 |
| 87-44-5    | <b>beta-Caryophyllene</b><br>EC number: 201-746-1  | 1,001- 5,00 |

*(continued on page 3)*

1683902

Reviewed on: 20.12.2022  
Printing date: 20.12.2022

| <b>PRODUCT : YLANG COMOROS COMPLETE OIL</b>   |   |             |
|---|---|-------------|
| <i>(continued of page 2)</i>  |   |             |
| 93-58-3   | <p>⚠ Asp. Tox. 1 - H304; ⚠ Skin Sens. 1B - H317<br/>methyl benzoate<br/>EC number: 202-259-7</p>  | 1,001- 5,00 |
| 97-54-1   | <p>⚠ Acute Tox. 4 - H302<br/>isoeugenol<br/>EC number: 202-590-7</p>  | 1,001- 5,00 |
| 106-24-1  | <p>⚠ Acute Tox. 4 - H302, Acute Tox. 4 - H312, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1A - H317; Skin Sens. 1A; H317: C &gt;= 0,01 %<br/>geraniol<br/>EC number: 203-377-1</p> | 0,101-1,00  |
| 104-46-1  | <p>⚠ Eye Dam. 1 - H318; ⚠ Skin Irrit. 2 - H315, Skin Sens. 1 - H317<br/>Anethole (isomer unspecified)<br/>EC number: 203-205-5</p>  | 0,101-1,00  |
| <p>⚠ Skin Sens. 1B - H317</p> <ul style="list-style-type: none"> <li>• Additional information:<br/>For the wording of the listed risk phrases refer to section 16.</li> </ul> |   |             |

#### SECTION 04: First aid measures

##### 4.1 Description of first aid measures

- General information:  
Seek immediate medical advice.
- After inhalation:  
Supply fresh air and to be sure call for a doctor.
- After skin contact:  
If skin irritation continues, consult a doctor.  
Immediately wash with water and soap and rinse thoroughly.
- After eye contact:  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:  
Seek immediate medical advice.
- Information for doctor:

##### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

##### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 05: Firefighting measures

##### 5.1 Extinguishing media

- Suitable extinguishing agents:  
CO2, sand, extinguishing powder. Do not use water.  
Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents:  
Water with full jet

##### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

##### 5.3 Advice for firefighters

- Protective equipment:  
Do not inhale explosion gases or combustion gases.
- Additional information

*(continued on page 4)*

1683902

Reviewed on: 20.12.2022  
Printing date: 20.12.2022

**PRODUCT : YLANG COMOROS COMPLETE OIL**

Cool endangered receptacles with water spray.

*(continued of page 3)*

### SECTION 06: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Keep away from ignition sources.

#### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.

#### 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 07: Handling and storage

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Handle with care. Avoid jolting, friction and impact.

- Information about fire - and explosion protection:  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage:

- Requirements to be met by storerooms and receptacles:  
Store only in the original receptacle.  
Prevent any seepage into the ground.  
Use only receptacles specifically permitted for this substance/ product.
- Information about storage in one common storage facility:  
Not required.
- Further information about storage conditions:  
Keep container tightly sealed.  
Protect from heat and direct sunlight  
Store receptacle in a well ventilated area.

#### 7.3 Specific end use(s)

No further relevant information available.

### SECTION 08: Exposure controls/personal protection

#### 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- DNELs

#### **YLANG COMOROS COMPLETE OIL**

Inhalative, DNEL(ShortTerm): 22,24 mg/m<sup>3</sup>  
Dermal, DNEL(long term): 21,12 mg/kg

- Additional information:  
The lists valid during the making were used as basis.

#### 8.2 Exposure controls

*(continued on page 5)*

1683902

Reviewed on: 20.12.2022  
Printing date: 20.12.2022

**PRODUCT : YLANG COMOROS COMPLETE OIL**

*(continued of page 4)*

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:  
The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Do not inhale dust / smoke / mist.  
Avoid contact with the skin.
- Respiratory protection:  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:  
Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection  
Safety glasses

**SECTION 09: Physical and chemical properties**

| 9.1 Information on basic physical and chemical properties       |  |
|---|--|
| <b>General Information</b>                                      |  |
| <b>Physical state</b>   | Fluid  |
| <b>Colour:</b>  | colourless to light yellow                   |
| <b>Odour:</b>   | floral                                       |
| <b>Odour threshold:</b>   | Not determined.                              |
| <b>Melting point/freezing point:</b>                            | < -80,0 °C                                   |
| <b>Boiling point or initial boiling point and boiling range</b> | Not determined.                              |
| <b>Flammability</b>   | Not determined.                              |
| <b>Lower and upper explosion limit</b>                          |  |
| <b>Lower:</b>   | Not determined.                              |
| <b>Upper:</b>   | Not determined.                              |
| <b>Flash point:</b>   | 88,0 °C    NFT 60-103 CC                     |
| <b>Decomposition temperature:</b>                               | Not determined.                              |
| <b>pH</b>   | Not determined.                              |
| <b>Viscosity:</b>   |  |
| <b>Kinematic viscosity</b>                                      | Not determined.                              |
| <b>Dynamic:</b>   | Not determined.                              |
| <b>Solubility</b>   |  |
| <b>water:</b>   | Not determined.                              |
| <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.                              |
| <b>Vapour pressure:</b>   | at 25,00 °C                      0,2223 mbar |
| <b>Density and/or relative density</b>                          |  |
| <b>Density:</b>   | Not determined.                              |
| <b>Relative density</b>   | 0,9060 0,9650 (D20/20)                       |
| <b>Vapour density</b>   | Not determined.                              |
| <b>9.2 Other information</b>                                    | No further relevant information available.   |

*(continued on page 6)*

1683902

Reviewed on: 20.12.2022  
Printing date: 20.12.2022

**PRODUCT : YLANG COMOROS COMPLETE OIL**

*(continued of page 5)*

|  |                 |
|--|-----------------|
| <b>Appearance:</b>   |                 |
| <b>Form:</b>   | fluid           |
| <b>Important information on protection of health and environment, and on safety.</b> |                 |
| <b>Auto-ignition temperature:</b>  | 240 °C          |
| <b>Explosive properties:</b>   | Not determined. |
| <b>Solvent content:</b>  |                 |
| <b>Solids content:</b>   | 0,00 %          |
| <b>Change in condition</b>   |                 |
| <b>Evaporation rate</b>  | Not determined. |
| <b>Information with regard to physical hazard classes</b>                            |                 |
| <b>Explosives</b>  | not applicable  |
| <b>Flammable gases</b>   | not applicable  |
| <b>Aerosols</b>  | not applicable  |
| <b>Oxidising gases</b>   | not applicable  |
| <b>Gases under pressure</b>  | not applicable  |
| <b>Flammable liquids</b>   | not applicable  |
| <b>Flammable solids</b>  | not applicable  |
| <b>Self-reactive substances and mixtures</b>   | not applicable  |
| <b>Pyrophoric liquids</b>  | not applicable  |
| <b>Pyrophoric solids</b>   | not applicable  |
| <b>Self-heating substances and mixtures</b>  | not applicable  |
| <b>Substances and mixtures, which emit flammable gases in contact with water</b>     | not applicable  |
| <b>Oxidising liquids</b>   | not applicable  |
| <b>Oxidising solids</b>  | not applicable  |
| <b>Organic peroxides</b>   | not applicable  |
| <b>Corrosive to metals</b>   | not applicable  |
| <b>Desensitised explosives</b>   | not applicable  |

**SECTION 10: Stability and reactivity**

- 10.1 Reactivity  
No further relevant information available.
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions  
No dangerous reactions known.
- 10.4 Conditions to avoid  
No further relevant information available.
- 10.5 Incompatible materials:  
No further relevant information available.
- 10.6 Hazardous decomposition products:  
Not determined.

**SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity
- LD/LC50 values relevant for classification:

**ISO LD/LC**

**YLANG COMOROS COMPLETE OIL**

Oral, LD50: >5000 mg/kg (rat) (similar OECD 401 1973)

*(continued on page 7)*

1683902

Reviewed on: 20.12.2022  
Printing date: 20.12.2022

**PRODUCT : YLANG COMOROS COMPLETE OIL**

*(continued of page 6)*

Dermal, LD50: >5000 mg/kg (Rabbit) (similar OECD 402 1973)

- Primary irritant effect:
  - Skin corrosion/irritation  
Irritant to skin and mucous membranes.  
Causes skin irritation.
  - Serious eye damage/irritation  
No irritating effect.
- Respiratory or skin sensitisation

- 120-51-4 Benzyl benzoate**  
Sensitisation, NESIL: 59000 ug/cm<sup>2</sup> (human being) (Standard IFRA)
- Germ cell mutagenicity

**YLANG COMOROS COMPLETE OIL**

- OECD 471 AMES: NEGATIVE (in vitro) (2017)  
OECD 490 MLA: NEGATIVE (in vitro) (L5178Y, 2017)
- Carcinogenicity

**YLANG COMOROS COMPLETE OIL**

- Micronoyau: NEGATIVE (in vitro) (2017)
- Reproductive toxicity  
Not determined.
  - STOT-single exposure  
Not determined.
  - STOT-repeated exposure  
Not determined.
  - Aspiration hazard  
May be fatal if swallowed and enters airways.  
May be fatal if swallowed and enters airways.
  - Subacute to chronic toxicity:

**YLANG COMOROS COMPLETE OIL**

- Oral, NOAEL: 718 mg/kg (rat) (OECD 422 2017)
- Additional toxicological information:  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Harmful  
Irritant  
Carcinogenic if inhaled.

**11.2 Information on other hazards**

- Endocrine disrupting properties  
None of the ingredients is listed.

**SECTION 12: Ecological information**

**12.1 Toxicity**

- Aquatic toxicity:
 

**YLANG COMOROS COMPLETE OIL**

 CE50/48h: 10,4 mg/l (daphnia) (OECD 202 2018)  
ErC50(0-72h): >100 mg/l (algae) (readcross OECD 201 2018)  
96h-LC50: 32 mg/l (fish) (readcross OECD 203 2018)

**12.2 Persistence and degradability**

- No further relevant information available.
- Behaviour in environmental systems:  
Not determined.

**12.3 Bioaccumulative potential**

No further relevant information available.

**12.4 Mobility in soil**

No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

- PBT:  
Not applicable.
- vPvB:  
Not applicable.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

*(continued on page 8)*

1683902

Reviewed on: 20.12.2022  
 Printing date: 20.12.2022

**PRODUCT : YLANG COMOROS COMPLETE OIL**

*(continued of page 7)*

**12.6 Other adverse effects**

No further relevant information available.

- Ecotoxicological effects:  
Not determined.
- Remark:  
Harmful to fish
- Additional ecological information:
- General notes:  
Harmful to aquatic organisms  
The product contains materials that are harmful to the environment.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

- Recommendation  
Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:  
Disposal must be made according to official regulations.

**SECTION 14: Transport information**

**14.1 UN number or ID number**

**ADR** Void  
**IMDG** Void  
**IATA** Void

**14.2 UN proper shipping name**

**ADR** Void  
**IMDG** Void  
**IATA** Void

**14.3 Transport hazard class(es)**

**ADR**  
**Class** Void  
**IMDG**  
**Class** Void  
**IATA**  
**Class** Void

**14.4 Packing group**

**ADR** Void  
**IMDG** Void  
**IATA** Void

**14.5 Environmental hazards:**

Not applicable.

**14.6 Special precautions for user**

Not applicable.

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

- Transport/Additional information:  
Not applicable.

EU

*(continued on page 9)*



1683902

Reviewed on: 20.12.2022  
Printing date: 20.12.2022

**PRODUCT : YLANG COMOROS COMPLETE OIL**

*(continued of page 8)*

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II  
None of the ingredients is listed.
  - REGULATION (EU) 2019/1148
  - Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))  
None of the ingredients is listed.
  - Annex II - REPORTABLE EXPLOSIVES PRECURSORS  
None of the ingredients is listed.
  - Regulation (EC) No 273/2004 on drug precursors  
108-88-3 toluene : 3
  - Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors  
108-88-3 toluene : 3
  
  - National regulations:
  
  - Technical instructions (air):
  - Class Share in %  
I  
III
  
  - Waterhazard class:  
Water hazard class 2 (Self-assessment): hazardous for water.

15.2 Chemical safety assessment:  
A Chemical Safety Assessment has been carried out.

### SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases
 

|      |  |
|------|--|
| H302 | Harmful if swallowed.                                |
| H304 | May be fatal if swallowed and enters airways.        |
| H312 | Harmful in contact with skin.                        |
| H315 | Causes skin irritation.                              |
| H317 | May cause an allergic skin reaction.                 |
| H318 | Causes serious eye damage.                           |
| H319 | Causes serious eye irritation.                       |
| H361 | Suspected of damaging fertility or the unborn child. |
| H400 | Very toxic to aquatic life.                          |
| H411 | Toxic to aquatic life with long lasting effects.     |
| H412 | Harmful to aquatic life with long lasting effects.   |
  
- Training hints  
Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.
  
- Abbreviations and acronyms:  
IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

*(continued on page 10)*

1683902

Reviewed on: 20.12.2022  
Printing date: 20.12.2022**PRODUCT : YLANG COMOROS COMPLETE OIL***(continued of page 9)*

IMDG: International Maritime Code for Dangerous Goods IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation DOT: US Department of Transportation  
IATA: International Air Transport Association IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation ICAO: International Civil Aviation Organisation  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society) CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH) DNEL: Derived No-Effect Level (REACH)  
LC50: Lethal concentration, 50 percent LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative  
CE50: effective concentration at 50% ErC50: concentration of test substance which results in a 50 percent reduction in either growth rate (ErC50) relative to the control within 72hrs exposure.

- Sources  
IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information
- \* Data compared to the previous version altered.