



### Lic.02-ISM-(HR)

# Interstellar Testing Centre Pvt. Ltd. (The Drugs and Cosmetics Act 1940 and the Rules thereunder)

**ORIGINAL** 

## **Test Report**

Page 1 of 2

Issued To	Sample Reg. No.	:	A01-2311070016
Deep Ayurveda Healthcare Pvt. Ltd.	Sample Reg. Date.	:	07/11/2023
Plot No.D-27, Industrial Area, Phase-I, Mohali (Punjab)	Report Date.	:	17/11/2023
	Report No.	:	ICA-2311170056
Mohali,160055	Customer Ref. No.	:	Letter
Punjab,India	Letter Dated	:	Letter

			Sample Particula	ars				
Name of Sample <sup>#</sup> : Vajayu Prash								
Submitted By : Deep Ayurveda Healthcare Pvt. Ltd.								
Batch No.#	: VL113	: VL113			: #	Not Specified		
Manufactured By <sup>#</sup>	: Not Spe	: Not Specified			No.# :	NA		
Supplied By <sup>#</sup>	: Not Spe	: Not Specified						
Date of Manufacture <sup>#</sup>	: 10/2023	: 10/2023 <b>Date of Expiry</b> # :				09/2026		
Sample Qty <sup>#</sup>	: 1 Pack				ondition :	: Good		
Grade <sup>#</sup>	: Not Spe				ne <sup>#</sup> :	NA		
Official Seal	: Not App	: Not Applicable Official Signature		gnature :	Not Applicable			
Packaging Details	: Packed	: Packed in glass container Declared values(if any)			values(if any) :	Not Specified		
Any Other Information	: Not Spe	cified		•				
Test Report as per	: Inhouse	: Inhouse Method With Amendent No.(s)			ndent No.(s) :	: Not Specified		
			T . D . V					
			Test Results					
Analysis started on	: 08/11/20	: 08/11/2023 <b>Analysis completed on</b> : 15/11/2023						
Description	: Brown co	olor semisolid mas	S					
S. No. Parar	neter	Unit	Instrument	Method	Requirements	Result		
Discipline : Che	emical	•	•	•		•		
Group : Ay	ush Products							
1 Heavy Metals								
(a) Arsenic(as As)		ppm	ICPMS	ITC/STP/AY/001	NMT-3.0	BLQ(LOQ: 0.10)		
(b) Cadmium(as Cd)		ppm	ICPMS	ITC/STP/AY/001	NMT-0.3	BLQ(LOQ: 0.10)		
(c) Mercury(as Hg)		ppm	ICPMS	ITC/STP/AY/001	NMT-1.0	BLQ(LOQ: 0.10)		
(c)   Mercury(as Hg)		1 * *						
(d) Lead		ppm	ICPMS	ITC/STP/AY/001	NMT-10	0.13		

17/11/2023

Aditi Vyas Reviewer

Chemically

Chemically

Chemically

Chemically

Chemically

Muffle Furnace

% w/w

%w/w

%w/w

%w/w

% W/W

%w/w



Dr. Roopak Kumar [Person In charge of Testing/Authorized Signatory]

1.41

0.11

48.51

46.62

31.33

24.52

#### **Interstellar Testing Centre PVT. LTD.**

86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)

Panchkula-134109 (Haryana) Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com

Visit us :www.itclabs.com

Total ash

value

Total Sugar

Loss on drying

Acid Insoluble Ash

Alcohol Soluble extractive

Water soluble extrative value

(a)

(b)

(c)

(d)

(e)

(f)

#### **Disclaimer:**

• The report is only for the sample tested.

API

API

API

API

API

API

- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- · Samples not drawn by us unless otherwise stated.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Test report in full or parts shall not be used for promotional or publicity purposes.





### Lic.02-ISM-(HR)

# Interstellar Testing Centre Pvt. Ltd. (The Drugs and Cosmetics Act 1940 and the Rules thereunder)

**ORIGINAL** 

### **Test Report**

Page 2 of 2

**Issued To** Sample Reg. No. : A01-2311070016

Deep Ayurveda Healthcare Pvt. Ltd. **Sample Reg. Date.** : 07/11/2023 Plot No.D-27, Industrial Area, Phase-I, Mohali (Punjab) Report Date. : 17/11/2023

> Report No. : ICA-2311170056

Mohali,160055 Customer Ref. No.: Letter Punjab, India

**Letter Dated** : Letter

(g)	рН	NA	pH Meter	Inhouse Method	_	4.28		
3	Aflatoxins							
(a)	B1	ppm	HPLC	STP/ITC/AY/003	NMT-0.5	BDL(DL:0.0005 mg/kg)		
(b)	B2	ppm	HPLC	STP/ITC/AY/003	NMT-0.1	BDL(DL:0.0005 mg/kg)		
(c)	G1	ppm	HPLC	STP/ITC/AY/003	NMT-0.5	BDL(DL:0.0005 mg/kg)		
(d)	G2	ppm	HPLC	STP/ITC/AY/003	NMT-0.1	BDL(DL:0.0005 mg/kg)		
	Discipline : Biological							
4	Microbiological Tests							
(a)	Total fungal count	cfu/ g	Microbiological	API	NMT-1000	<10 cfu/g		
(b)	Total Viable Count	cfu/ g	Microbiological	API	NMT-100000	<10 cfu/g		
(c)	Pseudomonas aeruginosa	/ g	Microbiological	API	Absent	Absent/g		
(d)	S.aureus	/ g	Microbiological	API	Absent	Absent/g		
(e)	E.coli	/ g	Microbiological	API	Absent	Absent/g		

<sup>#</sup> represents Customer Defined Fields

Note: BLQ- Below Limit Of Quantification, LOQ- Limit Of Quantification, BDL- Below Detection Limit, DL- Detection Limit

**Remarks:** Party asked for the above tests only.

\*\*\*\*\*End of Report\*\*\*\*

17/11/2023

Aditi Vyas Reviewer

Dr. Roopak Kumar [Person In charge of Testing/Authorized Signatory]

#### **Interstellar Testing Centre PVT. LTD.**

86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)

Panchkula-134109 (Haryana) Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com

Visit us :www.itclabs.com

## **Disclaimer:**

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- · Samples not drawn by us unless otherwise stated.
- · Legal disputes are subjected to Panchkula Jurisdiction only.
- Test report in full or parts shall not be used for promotional or publicity purposes.