



TEST CERTIFICATE

Submitted By : Green Gold Pharmaceuticals
Works at 59-60, Sec .8A, Sidcul Haridwar-249403 249403

Report No. : SSF230503215
Received on : 03/05/2023
Mfg. Lic. No. : UK.AY.L-403/2018

Sample : Triphla Powder

Ref. No. : NS

Manufactured By : Green Gold Pharmaceuticals

Supplied By : Green Gold Pharmaceuticals

Batch No. 221107P
Mfg.Date 11/2022

Exp.Date 10/2024

Ref. Date : 02/05/2023
Batch Size NS
Sample Qty.: 20 gm

Analysis Started Date : 03/05/2023

Analysis Completed Date : 09/05/2023

TEST RESULTS

(AS ON RECEIVED BASIS)

Reference : AS PER SPECIFICATION

S.No.	PARAMETERS/TEST	RESULTS	LIMIT
1	Description	Yellowish brown colour fine powder	
2	Identification (By TLC)	Passes the test.	
3	Foreign matter	0.032%	NMT 2%
4	Loss on drying (at 105°C)	5.10%	NMT 7%
5	Total ash	4.89%	NMT 10%
6	Acid insoluble ash	1.25%	NMT 3%
7	Water soluble extractive	41.18%	NLT 20%
8	Alcohol soluble extractive	39.20%	NLT 20%
9	Heavy metals	-	
10	Lead	Less than 10ppm	NMT 10ppm
11	Cadmium	Less than 0.3ppm	NMT 0.3ppm
12	Arsenic	Less than 3ppm	NMT 3ppm
13	Mercury	Less than 1ppm	NMT 1ppm
14	Microbiological Parameters	-	
15	Total bacterial count	1055cfu/gm	NMT 100000 cfu/ gm
16	Fungal count	20cfu/gm	NMT 1000 cfu/ gm
17	E.coli	Absent	
18	Salmonella	Absent	
19	S. aureus	Absent	
20	P. aeruginosa	Absent	
21	Total pesticide residue	-	
22	Aflatoxins	-	
23	B1	Not Detected	NMT 2ppb



Shree Sai Test House Pvt. Ltd.

GOVERNMENT APPROVED LABORATORY

(AN ISO 9001:2008 CERTIFIED COMPANY)

C-165, 2nd Floor, Mayapuri Industrial Area, Phase-II, New Delhi-110064

SS
SHREE SAI

TEST CERTIFICATE

Submitted By : Green Gold Pharmaceuticals
Works at 59-60, Sec .8A, Sidcul Haridwar-249403 249403

Report No. : SSF230503215
Received on : 03/05/2023
Mfg. Lic. No. : UK.AY.L-403/2018

Sample : Triphla Powder

Ref. No. : NS

Manufactured By : Green Gold Pharmaceuticals
Supplied By : Green Gold Pharmaceuticals

Ref. Date : 02/05/2023
Batch Size : NS
Sample Qty.: 20 gm

Batch No. : 221107P
Mfg.Date : 11/2022

Exp.Date : 10/2024

Analysis Started Date : 03/05/2023

Analysis Completed Date : 09/05/2023

TEST RESULTS

(AS ON RECEIVED BASIS)

Reference : AS PER SPECIFICATION

S.No.	PARAMETERS/TEST	RESULTS	LIMIT
24	B1 B2+ G1 G2	Not Detected	NMT 5ppb

Report : In the Opinion of the undersigned, The Sample referred to above is of standard quality as defined in the act and the rules made there under for the reason given: Complies in above respects.

End of Report

09/05/2023

Page : 2 of 2

PERSON-INCHARGE OF TESTING /DIRECTOR