PROJE®

Safety Data Sheet

Fusion Tire Dressing

Section 1: Identification

Product identifier

Fusion Tire Dressing

Relevant identified uses of the substance or mixture and uses advised against

Vehicle Exterior Cleaning

Details of the supplier of the safety data sheet

Proje Premium Car Care 13871 Mica St. Santa Fe Springs, CA 90670

info@projeproducts.com www.projeproducts.com

Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

Section 2: Hazard(s) Identification

Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Health Environmental	Category	
Eye Effects	Cat 2B (Mild Irritation)	
Acute Toxicity	Cat 5	

Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms



- Hazard statements

H303 May be harmful if swallowed

H320 Causes eye irritation

Precautionary statements

P101 If medical advice is needed, have product or label at hand.

P102 Keep out of reach of children

P103 Read label before use.

Section 3: Composition/information on ingredients

Name of substance	Identifier	Wt%
Polydimethyl Siloxane	CAS No 63148-62-9	39 – 49
Glycerin	CAS No 56-81-5	5 – 15
Polymer Blend	CAS No 9003-01-4	≤ 1
Polyethylene Glycol Trimethylnonyl Ether	CAS No 60828-78-6	≤ 5



Fusion Tire Dressing

Preservative	CAS No 4080-31-3	≤1
Fragrance	Proprietary Mixture	≤1
Colorant	Proprietary Mixture	<1

Exact percentage of ingredients is withheld as a trade secret.

Section 4: First-aid measures

Eye Contact

Flush immediately with large amounts of clean water for at least 15 minutes, Eyelids should be held away from the eyeball to ensure thorough rinsing. If any irritation persists, seek medical attention.

Skin Contact:

Rinse area with soap and water. Seek medical attention if any redness or irritation persists

Inhalation:

If breathing is difficult or irritating, move to fresh air immediately. If symptoms persist, get medical attention.

Ingestion:

Get immediate medical attention. Do not induce vomiting unless directed by medical personnel.

Section 5: Fire Fighting Measures

Suitable Extinguishing Media:

Use dry chemical, foam, or carbon dioxide to extinguish fire. Water may be ineffective but should be used to cool fire-exposed containers, structures and to protect personnel. Use water to dilute spills and to flush them away from sources of ignition.

Fire Fighting Procedures:

No special protective action for fire fighters are anticipated.

Unusual Fire and Explosion:

N/A

Combustion Products:

N/A

Section 6: Accidental release measures

Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in chemical waste containers. Flush residual spill area with large amounts of water. Dispose of all clean up materials in accordance with all applicable federal, state, and local health and environmental regulations.

Section 7: Handling and storage

Handling:

Do not get in eyes, on skin or on clothing. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use. Keep operating temperatures below ignition temperatures at all times. Chemical resistant splash goggles and chemical resistant gloves are always recommended when using chemicals.

Storage:

Keep container tightly closed in a cool, dry, well-ventilated area away from heat, source of ignition and incompatibles. Do not store below 32 degrees F or above 100 degrees F. Do not store in direct sunlight. Keep away from children.

Section 8: Exposure controls/personal protection

Exposure Limits:

No occupational exposure limit values exist for any of the components list in section 3 of this SDS.

Engineering Controls:

No engineering control recommendations.

Personal Protective Equipment (PPE):

Eye Protection:

Wear chemical safety goggles and face shield. Have eye-wash stations available where eye contact can occur.



Fusion Tire Dressing

Skin Protection:

Avoid prolonged skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron.

Respiratory Protection:

N/A

Section 9: Physical and chemical properties

Safety Parameters, information on basic physical, and chemical properties appearance

Flash Point	None	
Auto-Ignition Temperature	Will not auto ignite	
Boiling Point	≥ 95°C	
Melting Point	N/A	
Vapor Pressure	N/A	
Vapor Density (Air=1)	N/A	
Solubility	Negligible	
Pour Point	N/A	
Molecular Formula	Mixture	
Odor/Appearance	White Cream with fruit scent	
Lower Flammability Limit	N/A	
Upper Flammability Limit	N/A	
Volatile Organic Compound	.1% weight [CARB]	
Volatile Organic Compound	1 g/l [SCAQMD 443.1	
Evaporation Rate (Water=1)	N/A	
Viscosity	900 -1500 cSt	
PH	10 ± .5	
Molecular Weight	Mixture	
Spec. Grav. / Density	Grav. / Density 8.901 lbs. /gal.	

Section 10: Stability and reactivity

Reactivity:

Noe

Chemical Stability:

Stable

Possibility of hazardous reactions:

Hazardous polymers will not occur.

Conditions to avoid:

None known

Incompatible materials:

Strong acids and oxidizers.

Hazardous Decomposition:

None Known

Section 11: Toxicological information

Signs and Systems of Exposure:

Based on the test data and/or information on the components, this material may produce the following health effects: **Inhalation Respiratory Tract Irritation:**

N/A

Skin Contact: Mild Skin Irritation:

Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact: Moderate Eye Irritation:

Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion: Gastrointestinal Irritation:



Fusion Tire Dressing

Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Target Organ Effects:

Allergic Skin Reaction (non-photo induced) in sensitive people. Signs/symptoms may include redness, swelling, blistering, and itching.

Toxicological Data:

If a component is disclosed in section 3 but does not appear in a table below, either no data is available for that endpoint or the data is not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Polydimethyl siloxane	Oral	Rat	LD 50 >5000 mg/kg
Polydimethyl siloxane	Inhalation	-	N/A
Polydimethyl siloxane	Dermal	Rat	LD 50 >2008 mg/kg
Glycerin	Oral	Rat	LD 50: 12,600 mg/kg
Glycerin	Inhalation	Rat	LC 50 >570 mg/m3, 1h
Glycerin	Dermal	Rabbit	LD 50 > 10g/kg
Polyethylene Glycol Trim	Oral	Rat	LD 50 3,300 mg/kg
Polyethylene Glycol Trim	Inhalation	-	N/A
Polyethylene Glycol Trim	Dermal	Rabbit	LD 50 : 8,874 mg/kg

Skin Corrosion/Irritation

Skin Corrosion	/irritation		
Name	Route	Species	Value
Serious Eye Da	mage/Irritation		
Name	Route	Species	Value
Skin Sensitizat	ion		
Name	Route	Species	Value
Respiratory Se	nsitization		
Name	Route	Species	Value
Germ Cell Muta	agenicity		
Name	Route	Species	Value
Carcinogenicit	у		
Name	Route	Species	Value
Reproductive 1	oxicity		
Reproductive a	nd/or Developm	ental Effects	
Name	Route	Species	Value
Target Organ (s)		
Specific Target Organ Toxicity – Single Exposure			
Name	Route	Species	Value
Specific Target Organ Toxicity – repeated exposure			
Name	Route	Species	Value
Aspiration Haz	ard		
Name	Route	Species	Value

Section 12: Ecological information

Acute Toxicity

Acute and Prolonged Toxicity to Fish:

No data available

Acute Toxicity to Aquatic Invertebrates:

No data available

Environmental Fate and pathways

No data available

Section 13: Disposal considerations

Dispose of in accordance with local, state, and federal regulations.



Fusion Tire Dressing

Because this is produced and shipped in several different sizes as well as domestically and internationally, please consult your transportation specialist for the proper shipping name and class.

Section 15: Regulatory information

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312 No SARA Hazards

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313 Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103

This material does not contain any components with a CERCLA RQ

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

United States TSCA Inventory (TSCA) All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16: Other information, including date of preparation or last revision

Revision Indicator:

SDS Revision #8 / Issued 2/23/2023

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.



Fusion Tire Dressing