
# 2024 Industrial Footwear



**POWER AHEAD®** 







POWER AHEAD

STYLE# DESCRIPTION PAGE STYLE# DESCRIPTION PAGE

#### DIEHARD / SAFETY

DH10715 / SOLSTICE / GREY / COMP	9
DH20100 / SOLSTICE / BLACK / COMP	9
DH20122 / BONNEVILLE / BLACK / COMP	10
DH30104 / SUNBIRD/BLACK/COMP	9
DH30205 / SUNBIRD/BROWN/COMP	9
DH50115 / SQUIRE/BLACK/ COMP	7
DH50124 / POLARA/BLACK/COMP	8
DH50200 / SQUIRE/BROWN/COMP	7
DH50500 / LEMANS / GREY / COMP	8
DH60100 / VENTURA / BLACK / COMP	8
DH60216 / COMET/OLIVE/COMP	7
DH60260 / CRUSADER/BURGUNDY/COMP	6
DH60440 / MALIBU 6"/RUST/COMP	5
DH60460 / MONTE / DARK BROWN/ COMP	6
DH60880 / CHARGER / WHEAT / COMP	10
DH80440 / MALIBU 8"/RUST/COMP	5


DH82997/PILLAR/BLACK/COMP.....10

#### DIEHARD / SOFT

DH30100/TORRENT/BLACK/SOFT	13
DH50245 / COLT/RUST/SOFT	12
DH60112 / MONTE/DISTRESSED BROWN/SOFT	12
DH60155 / VENTURA/BLACK/SOFT	14
DH60157/SHADOW/BLACK/SOFT	13
DH60420 / MALIBU 6"/RUST/SOFT	11
DH60885/CHARGER/BROWN/SOFT	16
DH80420 / MALIBU 8"/RUST/SOFT	11
DH90250 / STRATUS/BROWN/SOFT	11

## Index

DIEHARD BRAND	1
LEGACY COLLECTION (SAFETY TOE)	E
TALLADEGA COLLECTION (SAFETY TOE)	7
BREAKTHROUGH COLLECTION (SAFETY TOE)	9
LEGACY COLLECTION (SOFT TOE)	
BREAKTHROUGH COLLECTION (SOFT TOE)	13
HOSS BOOTS / INDUSTRIAL FOOTWEAR	17
HEAVY DUTY	21
WESTERN BOOTS	
OBLIQUE TOE	31
HIKERS	33
XRD MET GUARDS	39
XRD-SD MET GUARDS	41
STATIC DISSIPATIVE	42
ATHLETIC WORK	43
INSULATED	45
WOMEN'S	47
MOXIE TRADES	53



## **CONTACT US**

888-990-4677

HOURS: MONDAY-FRIDAY 8AM-5PM EST

**DIEHARDFOOTWEAR.COM** 

HOSSBOOTS.COM

EMAIL ORDERS: CSORDERS@HOSSBOOTCO.COM

PG. 1



#### This is our mantra. Powerful, durable, authentic, innovative... That's DieHard®

A brand that gives you the confidence to perform. If you're motivated by the powerful craving for new experiences, pushing boundaries and working until the job is done, then you are DieHard.

A footwear brand trusted to deliver quality, reliability, and unrivaled performance when and where it's needed. DieHard footwear is built to exceed expectations and provide confidence to handle any situation. Driven by a new look and attitude, the DieHard brand has been recharged with better materials, new looks and more comfort than ever.

#### **BRAND LEGACY**

Americans have trusted DieHard® to deliver exceptional performance and reliable products for over 50 years. Since its inception, DieHard has been at the forefront of innovation. The core of the brand's legacy is unrivaled performance in automotive batteries, which revolutionized the industry. Then in 1975, DieHard footwear was launched with the hard working customer in mind.

DieHard is growing to deliver products that reach new frontiers while still delivering the ultimate performance and dependable power customers have relied on since 1967.



DieHard.

#### **SAFETY FEATURES**



Composite toes contain non-metallic safety toe caps and are light. They are ideal for those working in electrical environments. They do not conduct heat or cold and are good for work in extreme high or low temperatures.



Some of our boots are made without a protective toe cap. These soft toe boots still may have other features such as, Electrical Hazard or Slip Resistance in the sole.



Our outsoles marked slip resistant have been tested and meet or surpass industrial standards. Slip resistance has many variables. These tests are to be used as a guide to help make your decision. Test results are available upon request.



WATERPROOF

DieHard® uses membrane technology from HyDry® and others. Our boots are designed to resist water in wet situations as high as the membrane goes. Wear these with confidence that your feet will stay dry and comfortable.



Some of our boots include a memory foam insole that are constructed from soft polyurethane base with gel pressure point pads and a top layer of memory foam for all day comfort.



Electrical Hazard (EH) boots must be able to withstand 18000 volts of electricity at 60 hertz for a whole minute without leakage of more than one milliampere under dry conditions. DieHard® EH boots have been tested and pass this standard.



USA sourced leather.



New style introduduction.



Some of our boots include a memory foam insole that are constructed from soft polyurethane base with a top layer of memory foam for all day comfort.





PG. 3 **PG. 4** 

## Safety Toe

#### **LEGACY COLLECTION**

#### MALIBU 6"









#### **DH60440 RUST**

TOE TYPE: CompositeToe

UPPER: Premium Tumbled USA Leather With

Genuine Hand Sewn One Piece Moc

LINING: Leather

FOOTBED: Removable Full Cushioned

MIDSOLE: Soft Cushion P/U OUTSOLE: Long Wearing P/U

CONSTRUCTION: Genuine Good Year Leather

Welt

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 7-12, 13, 14 D(M) 2E(W)



#### MALIBU 8"











#### **DH80440 RUST**

TOE TYPE: CompositeToe

UPPER: Premium Tumbled USA Leather With

Genuine Hand Sewn One Piece Moc

LINING: Leather

FOOTBED: Removable Full Cushioned MIDSOLE: Soft Cushion P/U

OUTSOLE: Long Wearing P/U

CONSTRUCTION: Genuine Good Year Leather

Welt

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 7-12, 13, 14 D(M) 2E(W)



## Safety Toe

#### **LEGACY COLLECTION**

#### **MONTE**













#### DH60460 DARK BROWN

TOE TYPE: Composite Toe **UPPER:** Premium Oiled Leather LINING: Waterproof Membrane FOOTBED: Removable Full Cushioned OUTSOLE: Long Wearing P/U CONSTRUCTION: Genuine Good Year Leather Welt SHANK: Composite ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH



#### **CRUSADER**

#### **DH60260 BURGUNDY**

SIZING: 7-12, 13, 14 D(M) 2E(W)

TOE TYPE: Composite Toe **UPPER: Premium Tumbled USA** Leather

LINING: Leather

FOOTBED: Removable Full Cushioned

MIDSOLE: Soft P/U

OUTSOLE: Long Wearing Rubber CONSTRUCTION: Good Year Welt

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 7-12, 13, 14 D(M) 2E(W)

















**PG.** 5 **PG.** 6

## Safety Toe

#### **TALLADEGA COLLECTION**

# COMET DH60216 OLIVE

TOE TYPE: Composite Toe
UPPER: Oiled Nu-buck Leather
LINING: Waterproof Membrane
FOOTBED: Removable Full Cushioned
MIDSOLE: Soft Density EVA
OUTSOLE: Slip-Resistant Rubber
CONSTRUCTION: Cement
SHANK: Composite
ASTM F3445-21 Slip-resistant
RATING: ASTM F2413-18 M/I/C EH

SIZING: 7-12, 13, 14 D(M) 2E(W)





#### **SQUIRE**

#### **DH50200 BROWN**

SIZING: 7-12, 13, 14 D(M) 2E(W)

#### **DH50115 BLACK**

SIZING: 7-12, 13, 14 D(M)

TOE TYPE: Composite Toe UPPER: Crazy Horse Leather LINING: Waterproof Membrane

100% Non-Metallic

FOOTBED: Removable Full Cushioned MIDSOLE: Soft Density EVA OUTSOLE: Slip-Resistant Rubber

CONSTRUCTION: Cement SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH



## Safety Toe

#### **LEMANS**

#### **DH50500 GREY**

TOE TYPE: Composite Toe UPPER: Matrix Leather & Nylon LINING: Waterproof Hydry Membrane FOOTBED: Removable Full Cushioned MIDSOLE: Ultra Light Cushion Rebound P/U

OUTSOLE: Slip-Resistant Rubber CONSTRUCTION: Cement SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 7-12, 13, 14 D(M) 2E(W)

#### **TALLADEGA COLLECTION**













#### **VENTURA**

#### **DH60100 BLACK**

TOE TYPE: Composite Toe UPPER: Soft Full-Grain Leather LINING: Waterproof Hydry Membrane FOOTBED: Removable Full Cushioned MIDSOLE: Ultra-Light Cushion Rebound P/U OUTSOLE: Slip-Resistant Rubber

CONSTRUCTION: Cement SHANK: Composite ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 8-12, 13, 14 D(M) 2E(W)



WATERPROOF



ELECTRICAL HAZARD





#### **POLARA**

#### **DH50124 BLACK**

TOE TYPE: Composite Toe
UPPER: Full-Grain Oiled Leather
LINING: Breathable Mesh
FOOTBED: Removable Full Cushioned
OUTSOLE: Slip-Resistant 2 Density P/U
CONSTRUCTION: Direct Attach
SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 7-12, 13, 14 D(M) 2E(W)





PG. 7

## Safety Toe

#### **BREAKTHROUGH COLLECTION**

#### SOLSTICE

#### **DH10715 GREY**

TOE TYPE: Composite Toe UPPER: Suede and Fabric LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned MIDSOLE: Lightweight EVA

OUTSOLE: Slip-Resistant Rubber CONSTRUCTION: Cement

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH

SIZING: 6-12, 13 D(M) SIZING: 8-12, 13 2E(W)

#### SOLSTICE

#### **DH20100 BLACK**

TOE TYPE: Composite Toe UPPER: Suede and Fabric LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned

MIDSOLE: Lightweight EVA OUTSOLE: Slip-Resistant Rubber CONSTRUCTION: Cement

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH

SIZING: 6-12, 13 D(M) SIZING: 8-12, 13 2E(W)



























#### **SUNBIRD**

#### **DH30135 BLACK**

#### **DH30205 BROWN**

TOE TYPE: Composite Toe **UPPER: Full-Grain Tumbled Leather** LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned MIDSOLE: Cushion Rebound EVA **OUTSOLE: Slip-Resistant Rubber CONSTRUCTION:** Cement

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 6-12, 13, 14 D(M) 2E(W)

















## Safety Toe

**DH20122 BLACK** 

**BONNEVILLE** 





**BREAKTHROUGH COLLECTION** 



#### TOE TYPE: Composite Toe **UPPER:** Nylon with TPU Overlay LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned MIDSOLE: Cushion Rebound EVA **OUTSOLE: Slip-Resistant Rubber CONSTRUCTION:** Cement SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 5-13,14 D(M)

7-12,13 2E(W)





#### **PILLAR**

#### **DH82997 BLACK**

TOE TYPE: Steel Toe

UPPER: Full grain tumbled leather LINING: Moisture Wicking Mesh FOOTBED: Removable two density EVA

MIDSOLE: EVA **OUTSOLE**: Rubber CONSTRUCTION: Cement SHANK: Composite

RATING: ASTM F2413-17 M/I/C

SIZING: 6-12,13 D(M) SIZING: 7.5-11,12,13 2E(W)







#### CHARGER

#### **DH60880 WHEAT**

TOE TYPE: Composite Toe

**UPPER: Nubuck** 

LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned

MIDSOLE: EVA

OUTSOLE: Slip-Resistant P/U CONSTRUCTION: Cement

SHANK: Composite

RATING: ASTM F2413-17 M/I/C EH

SIZING: 6-12, 13 D(M) SIZING: 8-12, 13 2E(W)





STEEL TOE MEMORY









PG. 9 PG. 10 Soft Toe **LEGACY COLLECTION** 

#### MALIBU 6"

## **DH60420 RUST**

TOE TYPE: Soft Toe

UPPER: Premium Tumbled USA Leather With Genuine Hand Sewn One Piece Moc

LINING: Leather

FOOTBED: Removable Full Cushioned

MIDSOLE: Soft P/U

OUTSOLE: Long Wearing P/U CONSTRUCTION: Genuine Good Year

Leather Welt

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH SIZING: 6-12, 13, 14 D(M) 8-12, 13, 14 2E(W)





#### MALIBU 8"

#### **DH80420 RUST**

TOE TYPE: Soft Toe

**UPPER: Premium Tumbled USA Leather** With Genuine Hand Sewn One Piece Moc

LINING: Leather

FOOTBED: Removable Full Cushioned

MIDSOLE: Soft P/U

OUTSOLE: Long Wearing P/U

CONSTRUCTION: Genuine Good Year

Leather Welt

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH SIZING: 7-12, 13, 14, D(M)

8-12, 13, 14 2E(W)



#### **STRATUS**













#### **DH90250 BROWN**

TOE TYPE: Soft Toe

UPPER: Crazy Horse Leather with Nylon

LINING: Waterproof Membrane

FOOTBED: Removable Full Cushioned

MIDSOLE: Soft P/U

**OUTSOLE: Long Wearing Rubber** 

CONSTRUCTION: Good Year Welt

SHANK: Composite

RATING: ASTM F2892-18 EH SIZING: 7-12, 13, 14 D(M)

8-12 2E(W)





## Soft Toe

#### LEGACY COLLECTION

#### COLT



#### DH50245 DEER TAN

TOE TYPE: Soft Toe

**UPPER: Premium Tumbled Leather** 

LINING: Leather

FOOTBED: Removable Full Cushioned OUTSOLE: Long Wearing P/U CONSTRUCTION: Good Year Welt

SHANK: Composite

RATING: ASTM F2892-18 EH SIZING: 7-12, 13, 14 D(M)







#### MONTE













#### DH60112 DISTRESSED BROWN

TOE TYPE: Soft Toe

**UPPER: Distressed Leather** 

LINING: Waterproof Membrane FOOTBED: Removable Full Cushioned OUTSOLE: Long Wearing P/U

CONSTRUCTION: Good Year Welt SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH SIZING: 7-12, 13, 14 D(M) 2E(W)







PG. 12 PG. 11

## Soft Toe

#### BREAKTHROUGH COLLECTION

#### **TORRENT**

#### **DH30100 BLACK**

TOE TYPE: Soft Toe

UPPER: Nu-buck with Matrix Leather

LINING: Breathable Mesh

FOOTBED: Removable Full Cushioned MIDSOLE: Ultra-Light Cushion Re-

bound P/U

**OUTSOLE**: Slip-Resistant Rubber **CONSTRUCTION:** Cement

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH

SIZING: 8-12, 13, 14 D(M) 2E(W)





#### **SHADOW**













#### **DH60157 BLACK**

TOE TYPE: Soft Toe

UPPER: Heavy Duty Nylon/TPU Overlay LINING: Waterproof Membrane FOOTBED: Removable Full Cushioned MIDSOLE: Light Weight EVA OUTSOLE: Slip-Resistant Rubber

CONSTRUCTION: Cement SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH SIZING: 6-12, 13, 14 D(M)



## Soft Toe

#### **BREAKTHROUGH COLLECTION**

#### **VENTURA**











#### **DH60155 BLACK**

TOE TYPE: Soft Toe

UPPER: Soft Full-Grain Leather

LINING: Waterproof Membrane with

Moisture Wicking Mesh

FOOTBED: Removable Full Cushioned MIDSOLE: Ultra-Light Cushion Rebound

P/U

**OUTSOLE**: Slip-Resistant Rubber **CONSTRUCTION:** Cement

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH SIZING: 8-12, 13, 14 D(M) 2E(W)



#### **CHARGER**











#### **DH60885 BROWN**

TOE TYPE: Soft Toe **UPPER: Nubuck** 

LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned OUTSOLE: Slip-Resistant P/U

CONSTRUCTION: Cement

SHANK: Composite

RATING: ASTM F2413-18 M/I/C EH

SIZING: 6-12, 13 D(M) SIZING: 8-12, 13 2E(W)



PG. 13 PG. 14

## **Outsoles**

#### **CRUSADER STRATUS**



Soft P/U midsole rubber outsole with 90 degree defined heel.

**MALIBU** 



Soft P/U Long-wearing P/U dual density wedge.

COLT

Single density

P/U wedge.

**MONTE** 



Long-wearing P/U.

#### SQUIRE



Soft EVA midsole & high slip-resistance rubber outsole.

#### **POLARA**



Direct attach dual density P/U outsole for flexibility and durability.

#### COMET



Soft EVA midsole with aggressive slip- resistant rubber outsole.

#### **PILLAR**





**EVA Midsole.** 

#### **CHARGER**



Slip-Resistant P/U.

#### **SHADOW**



Soft lightweight **EVA** midsole and rubber outsole with high slipresistance.

#### SOLSTICE



**EVA** midsole with slip-resistance rubber outsole.

**LEMANS VENTURA TORRENT** 



ETPU midsole with a durable rubber outsole.

#### SUNBIRD **BONNEVILLE**



Lightweight slip-and oil-resistant outsole with EVA midsole.

#### **VALIANT**



**Tough heavy** duty rubber outsole with a light weight EVA midsole.



## POINT OF PURCHASE DISPLAYS



## POINT OF PURCHASE BRANDING



PG. 15 PG. 16



HOSS BOOTS / INDUSTRIAL FOOTWEAR19
HEAVY DUTY21
60108/RANGE 6"/BLACK/COMP22
60113/CARSON 6"/BLACK/COMP21
60145/BRONC 6"/BLACK/COMP24
60215/SCOUT/BROWN/STEEL23
60413/CARSON 6"/BROWN/COMP21
60414/CARSON 6"/BROWN/SOFT21
60690/HOG/BROWN/COMP26
60892/HOG/WHEAT/COMP26
61110/RANGE 6"/BROWN/COMP22
61172/RANGE 6"/BROWN/SOFT22
62705/K-TOUGH 6"/BROWN/COMP22
80114/CROSS CUT 8" KILTIE/BLACK/COMP25
80715/CROSS CUT 8" KILTIE/BROWN/COMP25
90211/BUFORD LOGGER PULL ON/BROWN/COMP25
90215/CARTWRIGHT II WELLINGTON/BROWN/COMP23
90216/CARTWRIGHT II WELLINGTON/BROWN/SOFT23
90260/RANGER PULL ON/GOLDEN BROWN/COMP26
90416/BUCK PULL ON/BROWN/STEEL23
90690/RANGER PULL ON/BROWN/COMP26
94010/WILDFIRE/BROWN/COMP24
WESTERN BOOTS27
91065 / RUSHMORE/ CHARCOAL / COMP28
92029 / LANDON / DARK GREEN / STEEL
92030 / HUNCH/NAVY/COMP30
92042 / SHOWDOWN / BROWN / COMP30
92045 / LANDON / COGNAC RED/STEEL29
92046 / LANDON / DARK BROWN / SOFT29
92048 / LANDON / COGNAC RED/SOFT
92060 / RUSHMORE / BROWN / SOFT28
92065 / RUSHMORE / BROWN / COMP28
94021 / WE THE PEOPLE/BROWN/COMP27
94022 / WE THE PEOPLE/BROWN/COMP27

OBLIQUE TOE	31
50138/ERIC LO/BLACK/STEEL	31
50230/ERIC LO/BROWN/SOFT	31
50238/ERIC LO/BROWN/STEEL	31
50239/ERIC HI/BROWN/STEEL	32
50250/ERIC HI/BROWN/SOFT	32
60203/STOMP 6"/BROWN/STEEL	32
HIKERS	33
50172 / WATCHMAN/BLACK/COMP	38
50251 /TRACKER/BROWN/COMP	37
50406 / FRONTIER / BROWN	38
53023 / TRAIL / GREY / COMP	37
60117 / LORNE 6"/BLACK/COMP	33
60122 / ADAM 6"/BLACK/STEEL	34
60130 / RIDGE / BLACK / COMP	37
60160 / CARTER/BLACK/COMP	34
60177 / TIKABOO / BLACK / COMP	35
60230 / RIDGE / BROWN / COMP	37
60260/TRAVERSE/BROWN/COMP	38
60267 / TICKER/BROWN/COMP	36
60406 / TIKABOO / BROWN / COMP	35
60416 / LORNE 6"/BROWN/COMP	33
60421 / ADAM 6"/BROWN/STEEL	34
60473 / LORNE 6"/BROWN/SOFT	33
60542 / CARTER/BROWN/COMP	34
60877 / TICKER/WHEAT/COMP	36

## Index

XRD MET GUARDS	39	INSULATED	45
30402/WORKER SLIP ON MET/BROWN/COMP	40	60100/CHILLER/BLACK/COMP	46
30404/LACER MET/BROWN/COMP	40	60150/BLIZZARD/BROWN/SOFT	45
60140/PROWL MET / BLACK/COMP	40	60242/BLAST/BROWN/COMP	45
90691/SLAG MET/BROWN/COMP	39	60466/HUDSON/BROWN/COMP	45
94030/FRACKER MET/BROWN/COMP	39	60700/CHILLER/NAVY/COMP	46
V			
XRD-SD MET GUARDS		WOMEN'S	
30240/STEPPER MET/BROWN/COMP	41	20230/RENO II/BLACK/COMP	
60240/TIKABOO MET/BROWN/COMP	41	24533/EXPRESS/BLACK/FUSCHIA/COMP	47
		70120/LACY/BLACK/COMP	48
STATIC DISSIPATIVE	42	70419/LACY/BROWN/COMP	48
10167/SPARKS SD/BLACK/COMP	42	70423/LILY/BROWN/STEEL	48
53010/CHASER SD/GREY/COMP	42	93025/ADAH/TAN BROWN/SOFT	49
		93050/RUSHMORE/BLACK/SOFT	49
ATHLETIC WORK	43	93060/RUSHMORE/BROWN/SOFT	49
10229/RENO II/BLACK/COMP	43		
13032/EXPRESS/GREY/COMP	43	INSOLE GUIDE	50
14431/EXPRESS/BLACK/BLUE/COMP	43		
30155/METEORITE/BLACK/COMP	43	OUTSOLES	51
50147/FULL COURT/BLACK/COMP	44		
50148/FULL COURT/NAVY/COMP	44	POINT OF PURCHASE	52
50152/RIM FLY/BLACK/RED/COMP	44		



PG. 17

## **ABOUT US**

About Us

HOSS Boot Company was founded with the belief that hard working men and women want more choices when it comes to selecting footwear for work. Our carefully crafted work boots and work shoes use the best materials possible to keep you safe while on the job.

HOSS has recently expanded its family of brands by acquiring the licensing for DieHard footwear. Moxie Trades women's work brand completes the group. We are excited for the future of these brands.

We continue to source globally with leathers from Argentina, Brazil and the USA as well as other countries. We have also diversified manufacturing to include India and Brazil. This allows us to never again have the sourcing crunch everyone experienced over the past two years.

The HOSS team has decades of experience at all levels from customer service to warehouse sourcing, sales and operations. We are here to help solve your business needs and mutually grow together.

Our goal is to build long term relationships with our retail partners resulting in brands that the customer comes back for over and over.

#### **CONTACT US**

888-990-4677 HOURS: MONDAY-FRIDAY 8AM-5PM EST **DIEHARDFOOTWEAR.COM** HOSSBOOTS.COM

EMAIL ORDERS: CSORDERS@HOSSBOOTCO.COM



#### HOSSBOOTS.COM #THISISMYHOSS

#### **HOSS ICON GUIDE**

#### ALL SAFETY FOOTWEAR PRODUCED BY HOSS BOOT COMPANY MEETS OR EXCEEDS ASTM F2413-18 STANDARDS



Composite toes contain non-metallic safety toe caps and are light. They are ideal for those working years. Steel toes in electrical environments. They do not conduct heat or cold and are good for work in extreme high or low temperatures.



Steel safety toes are the industry standard and have been for provide protection from falling objects and equipment.



Aluminum toes are made of lightweight materials and tend to be about 30 to 50 percent lighter than steel. Toe boxes provide the same level of safety as steel offer a bit more room than composite since aluminum is thinner than composite.



Lighter than traditional safety toe protection, the Carbon Nano toes guard your feet against impact and compression hazards



Some of our boots are made without a protective toe cap. These soft toe boots still may have other features such as. Electrical Hazard or Static Dissipation ratings and puncture plates in the sole.



HOSS uses membrane technology from HyDry® and others. Our boots are designed to resist water in wet situations as high as the membrane goes. Wear these with confidence that your feet will stay dry and comfortable.



Some of our boots include a memory foam insole that are constructed from soft polyurethane base and a top layer of memory foam for all day comfort.



Our outsoles marked slip resistant have been tested and meet or surpass industrial standards. Slip resistance has many variables. These tests are to be used as a guide to help make your decision. Test results are available upon request.



Flectrical Hazard (EH) boots must be able to withstand 18000 volts of electricity at 60 hertz for a whole minute without leakage of more than one milliampere under dry conditions. HOSS EH boots have been tested and pass this standard.



Our Static Dissapating (SD) feature allows electric current to flow between you and the ground. HOSS SD boots meet all ASTM requirements.



Our flexible puncture resistant plate allows full sole coverage, as well as greater movement. This midsole plate is designed to reduce the hazards of puncture wounds caused by sharp objects penetrating the outsole.



MetGuard™ is a shield made with XRD® Impact Protection technology. It overlays the toe box and runs to the top of the instep, providing armor-like protection for the foot.



HOSS uses 3M Thinsulate® insulation. Insulation can come in 200 grams and up. This is used in cold temperatures. Whether working outdoors or in a freezer, 3M Thinsulate helps keep vour feet warm.



Sizes larger than 15 or widths from 4E to 6E



New style introduced

PG. 19 PG. 20

# **HEAVY DUTY**

#### **CARSON**

#### **60413 BROWN**

- Composite safety toe
- Full-grain tumbled leather
- Suede tongue and padded comfort collar
- Ergonomic insole with contoured fast rebound foam
- Direct attach welt with slip and oilresistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-13, 14, 15, 16, 17, 18 D(M), 2E(W), 4E(XW) and 6E(XXW)
- (12.5 Available)

## 60414 BROWN (SOFT TOE)

- Soft toe
- ASTM F2892-18 EH
- Sizes 7-13, 14, 15, 16, 17, 18 D(M), 2E(W), 4E(XW) and 6E(XXW)

## **CARSON**

## **60113 BLACK**

- Composite safety toe
- Full-grain tumbled leather
- Suede tongue and padded comfort collar
- Ergonomic insole with contoured fast rebound foam
- Direct attach welt with slip and oil-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14, 15, 16, 17, 18 D(M), 2E(W), 4E(XW) and 6E(XXW)















# K-TOUGH

## **62705 BROWN**

- Composite safety toe
- Full-grain leather
- HyDry® waterproof membrane
- Aramid fiber vamp that is abrasion, cut and chemical resistant designed to keep you safe in tough environments
- Ergonomic insole with contoured fast rebound foam
- High-abrasion TPU molded toe and kick off heel
- Puncture-resistant midsole
- Direct attach welt with slip and oil-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 M/I/C EH, PR**
- Sizes 7-12, 13, 14, 15, 16, 17 D(M), 2E(W), 4E (XW) and 6E(XXW)















## **RANGE**

## 61110 BROWN

- Composite safety toe
- Full-grain leather
- HyDry® waterproof membrane
- Ergonomic insole with contoured fast rebound foam
- Ankle-busting protection with foambacked rubber to absorb impact
- High-abrasion TPU molded toe and kick off heel
- Puncture-resistant midsole
- Direct attach welt with slip and oil-resistant rubber outsole
- Composite shank

Soft toe

- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH, PR

61172 BROWN (SOFT TOE)

Sizes 7-13, 14, 15, 16, 17 D(M) and 2E(W)

• Sizes 7-13, 14, 15, 16, 17, 18 D(M) and 2E(W) (12.5 Available)

**ASTM F2892-18 EH, PR** 



























PG. 21 PG. 22

#### **CARTWRIGHT II WELLINGTON**













- Composite safety toe
- Full-grain success leather 10" Shaft height for wide calf
- HyDry® waterproof membrane
- Ergonomic insole with contoured soft-rebound foam
- High-abrasion TPU molded toe and heel kick
- Puncture-resistant midsole
- Direct attach welted and slip- and oil-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
  ASTM F2413-18 M/I/C EH, PR
- Sizes 7-12, 13, 14, 15, 16, 17, 18 D(M), 2E(W), 4E(XW) and 6E(XXW)



- ASTM F2892-18 EH, PR
- Sizes 7-12, 13, 14, 15, 16, 17, 18 D(M), 2E(W), 4E(XW) and 6E(XXW)













#### SCOUT

## **60215 BROWN**

- Steel Safety Toe
- Full-grain leather and tough nylon
- Padded suede collar for comfort
- Premium P/U cushion insole
- Goodvear welted construction P/U outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- Meets ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17, 18 D(M) & 2E(W)



#### **BUCK WELLINGTON**

HOSS

#### **90416 BROWN**

- Steel safety Toe
- Full-grain leather and tough 11" nylon shaft
- Moisture wicking mesh lining
  Pull handles for easy fit
  Premium P/U insole

- Goodyear welted construction with slip resistant P/U outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17, 18 D(M) & 2E(W)











## **60145 BLACK**



- Full-grain leather
- 100% non-metalic
- Suede tongue with padded collar
- HyDry® waterproof membrane
- Ergonomic insole with contoured soft rebound foam
- Reflective side panel
- TPU toe bumper
- Lenzi® puncture-resistant midsole
- Goodyear® 4x4 high abrasion outsole
- ASTM F2413-18 M/I/C EH, PR
- Sizes 8-12, 13, 14 D(M), 2E(W), 6E(XXW)











## **WILDFIRE WELLINGTON**











## 94010 BROWN

- Composite safety toe
- Full-grain leather
- Pull handles for easy fit
- Waterproof membrane
- Premium P/U cushion insole
- Puncture-resistant midsole
- **EVA** midsole
- Slip-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 M/I/C EH PR**
- Sizes 7-12, 13, 14 D(M) and 2E(W)



PG. 23 PG. 24

#### **CROSS CUT LOGGER**











#### **80715 BROWN**

- Composite safety toe
- Crazy horse leather
- Waterproof membrane
- Contoured cushion insole
- Non-metallic hardware
- Triple ridge steel shank
- Puncture-resistant midsole **Goodyear Welt Construction**
- HOSS logger high abrasion rubber outsole
- ASTM F2413-18 M/I/C EH, PR
- Sizes 7-12, 13, 14, 15 D(M) and 2E(W)



#### **80114 BLACK**

- Composite safety toe
- Crazy horse leather
- Non-metallic hardware
- Waterproof membrane
- Contoured cushion insole
- Triple ridge steel shank
- Puncture-resistant midsole
- **Goodyear Welt Construction**
- HOSS logger high abrasion rubber outsole
- **ASTM F2413-18 M/I/C EH, PR**
- Sizes 7-12, 13, 14, 15 D(M) and 2E(W)



#### **BUFORD LOGGER PULL ON**











## **90211 BROWN**

- Composite safety toe
- Full-grain leather
- Contoured cushion insole
- Waterproof membrane
- Pull on handle for easy fit
- Triple ridge steel shank
- Puncture-resistant midsole
- **Goodyear Welt Construction**
- HOSS rubber logger high abrasion outsole
- ASTM F2413-18 M/I/C EH, PR
- Sizes 7-12, 13, 14, 15 D(M) and 2E(W)



## HOG **60892 WHEAT**

- Composite safety toe
- Full-grain nubuck leather and suede
- Suede gusset & collar
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- High-abrasion TPU molded toe and heel kick
- Direct attach welted
- **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- Meets ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) & 2E(W)

- Composite safety toe
- Full-grain oiled leather and suede
- Suede gusset & collar
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- High-abrasion TPU molded toe and heel kick
- Direct attach welted
- **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- Meets ASTM F2413-18 M/I/C EH Sizes 8-12, 13, 14 D(M) & 2E(W)



COMPOSITE WATERROOF MEMORY FOAM RESISTANT ELECTRICAL HAZARD

## **RANGER WELLINGTON**

## 90690 BROWN

- Composite safety toe
- Full-grain leather with nylon shaft
- Internal ankle padded lock support
- HyDry® waterproof membrane
- Premium P/U memory foam insole Bumper toe for tough jobs
- Pull handles for easy fitting
- 10.5" shaft height
- Direct attach welted
- **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- Meets ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) and 2E(W)

## 90260 GOLDEN BROWN

- Composite safety toe
- Full-grain oiled caramel leather
- HyDry® waterproof membrane
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant Meets ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) and 2E(W)





PG.25 PG. 26

# **WESTERN BOOTS**

#### WE THE PEOPLE

## 94021 BROWN (COMP TOE)

- Composite safety toe
- Premium crazy horse leather
- Pull handles for easy fit
- Waterproof membrane with moisture wicking mesh
- Premium P/U memory foam insole
- Combination welt construction with phylon midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14 D(M) and 2E(W)





#### WE THE PEOPLE

## 94022 BROWN (SOFT TOE)

- Soft toe
- Premium crazy horse leather
- Pull handles for easy fit
- Waterproof membrane with moisture wicking mesh
- Premium P/U memory foam insole
- Combination welt construction with phylon midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 EH**
- Sizes 7-12, 13, 14 D(M) and 2E(W)















## RUSHMORE **92065 BROWN**

- Composite safety toe
- Full-grain cow rancher vamp with leather shaft
- Pull handles for easy fit
- Waterproof membrane with moisture wicking mesh
- Premium P/U memory foam insole
- Puncture resistant plate
- Goodvear welted construction with **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 M/I/C EH PR**
- Sizes 7-12,13,14,15,16,17,18 D(M) and 2E(W)





## **RUSHMORE (SOFT TOE) 92060 BROWN**

- **ASTM F2892-18 EH PR**
- Sizes 7-12.13.14.15.16.17.18 D(M) and 2E(W)















BIG

HOSS SIZES

## **RUSHMORE** 91065 CHARCOAL

- Composite safety toe
- Full-grain cow rancher vamp with leather shaft
- Pull handles for easy fit
- Waterproof membrane with moisture wicking mesh
- Premium P/U memory foam insole
- Puncture resistant plate
- Goodyear welted construction with **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR
- Sizes 7-12,13,14,15,16,17,18 D(M) and 2E(W)

















PG. 27 PG. 28

#### **LANDON**

#### 92045 COGNAC/RED

- Steel safety toe
- Full-grain cow cognac vamp
- Honcho red 11" leather shaft
- Moisture wicking mesh lining
- Premium P/U memory foam insole
- Cemented construction with **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12,13,14,15,16,17 D(M) and 2E(W)











# **LANDON (SOFT TOE)**

- 92048 COGNAC/RED
- Soft toe
- ASTM F2892-18 EH
- Sizes 7-12,13,14,15,16,17 D(M) and 2E(W)





## LANDON (SOFT TOE)

#### **92046 BROWN**

- Soft toe
- Full-grain dark brown leather vamp
- Honcho red 11" leather shaft
- Moisture Wicking Mesh Lining
- Pull handles for easy fit
- Premium P/U memory foam insole
- Cemented welted construction with **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2892-18 EH
- Sizes 7-12,13,14,15,16,17 D(M) and 2E(W)















#### **SHOWDOWN**

## **92042 BROWN**

- Composite safety toe
- Full-grain cow vamp
- 11" leather shaft
- Waterproof membrane with moisture wicking mesh
- Premium P/U memory foam insole
- Goodyear welted construction with **EVA** midsole
- Slip-resistant rubber outsole
- Puncture resistant plate
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR
- Sizes 7-12,13,14,15,16,17 D(M) and 2E(W)













#### HUNCH









#### 92030 GREY/NAVY

- Composite safety toe
- Full-grain cow grey vamp
- 11" leather shaft
- Moisture wicking mesh lining
- Premium P/U memory foam insole
- Cemented construction with EVA midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12,13,14 D(M) and 2E(W)



PG.29 **PG.30** 

# **OBLIQUE TOE**

MADE FOR THE WIDE FOOT GUY

## **ERIC LO 50238 BROWN**

- Oblique aluminum safety toe
- Full-grain leather and nylon upper with high-abrasion toe
- Fast rebound super cushion insole
- Unique rebound compound sole to give bounce in step
- Cement construction wedge for support
- Slip-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17 2E(W), 4E(XW) and 6E(XXW)



SOFT RESISTANT RESISTANT

#### **ERIC LO SOFT TOE**

### **50230 BROWN**

- Soft toe
- **ASTM F2892-18 EH**
- Sizes 7-12, 13, 14, 15, 16, 17 4E(XW) and 6E(XXW)

## **ERIC LO**

## **50138 BLACK**

- Oblique aluminum safety toe
- Full-grain leather and nylon upper with high-abrasion toe
- Fast rebound super cushion
- Unique rebound compound sole to give bounce in step
- Cement construction wedge for support
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- Composite shank
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17 4E(XW) and 6E (XXW)





#### **ERIC HI**

#### **50239 BROWN**

- Oblique aluminum safety toe
- Full-grain crazy horse leather and nylon upper with high-abrasion toe
- Fast rebound super cushion insole
- Unique rebound compound sole to give bounce in step
- Cement construction wedge for support
- Composite shank
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17 2E(W), 4E(XW) and 6E(XXW)



## **ERIC HI (SOFT TOE)**

#### **50250 BROWN**


- Soft toe
- **ASTM F2892-18 EH**
- Sizes 7-12, 13, 14, 15, 16, 17 4E(XW) and 6E(XXW)

#### **STOMP**

### **60203 BROWN**

- Oblique aluminum safety toe
- Full-grain leather with highabrasion toe
- HyDry® waterproof membrane
- Fast rebound super cushion insole
- Unique rebound compound sole to give bounce in step
- Cement construction wedge for support
- Composite shank
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17 2E(W), 4E(XW) and 6E(XXW)















# **HIKERS**

#### **LORNE**

# **60117 BLACK 60416 BROWN**

- Composite safety toe
- Full-grain tumbled success leather
- Reflective lace loops and side panel • Suede tongue and soft padded
- comfort collar
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- Puncture-resistant midsole
- Direct attach dual density slipresistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR
- Sizes 6-13, 14, 15 D(M) and 2E(W)
- (12.5 Available)















## LORNE (SOFT TOE)

#### **60473 BROWN**

- Soft toe
- Full-grain tumbled success leather Suede tongue and padded comfort
- HyDry® waterproof membrane Fast rebound super cushion insole
- Puncture-resistant midsole
- Direct attach dual density slip-resistant outsole well suited for environments with oil, water and various chemicals on the floor
  ASTM F3445-21 Slip-resistant
  ASTM F2892-18 EH PR

- Sizes 7-12, 13, 14 D(M) and 2E(W)













## **CARTER**

## **60542 BROWN 60160 BLACK**

- Steel safety toe
- Full-grain leather with tough nylon side panels
- Light weight, only 1 lb 6.6 oz per boot
- Fast rebound super cushion insole
- Direct attach dual density slip resistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14 D(M) and 2E(W)



#### **ADAM**

## **60122 BLACK**

## **60421 BROWN**

- Steel safety toe
- Full-grain crazy horse leather
- HyDry® waterproof membrane
- Fast rebound insole
- Direct attach dual density slipresistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-13, 14, 15 D(M) and 2E(W)
- (12.5 Available)



















PG.33 **PG.34** 

#### **TIKABOO**











# **60406 BROWN**

**60177 BLACK** 

- Composite safety toe
- Full-grain soft tumbled leather with nylon
- Suede tongue and padded comfort collar
- Waterproof membrane
- Premium P/U memory foam insole
- EVA midsole
- Slip-resistant rubber outsole
- 20 oz per boot
- Includes a free second pair of fast rebound super cushion insoles
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 6-12, 13, 14, 15 D(M) and 2E(W)









## **60267 BROWN**

- Composite safety toe
- Full-grain leather
- Suede tongue and padded comfort
- Waterproof membrane
- Premium P/U memory foam insole
- **EVA** midsole
- Slip-resistant rubber outsole
- 20 oz per boot
- Includes a free second pair of fast rebound super cushion insoles super cushion insoles
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 M/I/C EH**
- Sizes 6-12, 13, 14, 15 D(M) and 2E(W)

#### **60877 WHEAT**

- Composite safety toe
- Full-grain nubuck leather
- Suede tongue and padded comfort collar
- Waterproof membrane
- Premium P/U memory foam insole
- **EVA** midsole
- Slip-resistant rubber outsole
- 20 oz per boot
- Includes a free second pair of fast rebound super cushion insoles
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 M/I/C EH**
- Sizes 8-12, 13, 14, 15 D(M) and 2E(W)




















# TRAIL 53023 GREY

- Composite safety toe
- Action leather and mesh
- Waterproof membrane
- EVA midsole
- Rubber outsole with aggressive tread
- Fast rebound super cushion insole
- Composite shank
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14 D(M) and 2E(W)





#### **50251 BROWN**

- Composite safety toe
- 100% Non-metallic
- Full-grain crazy horse leather
- HyDry® waterproof membrane
- Rubber outsole with EVA mid sole
- Fast rebound super cushion insole
- TPU support system gives extra ridgidity for extra support
- Composite shank
- ASTM F2413-18 M/I/C EH
- Sizes 7-13, 14 D(M) and 2E(W)
- (12.5 Available)



#### **RIDGE**

## 60230 BROWN 60130 BLACK

- Composite safety toe
- Full-grain leather
- Non metallic eyelet hooks
- Waterproof membrane
- Premium P/U cushion insole
- Puncture-resistant midsole
- EVA midsole
- Slip-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR
- Sizes 7-12, 13 D(M) and 2E(W)



#### **FRONTIER**

#### **50406 BROWN**

- Composite safety toe
- Crazy horse leather
- HyDry® waterproof membrane
- EVA midsole
- Slip-resistant rubber outsole
- Fast rebound super cushion insole
- Composite shank
- ASTM F2413-18 M/I/C EH PR
- Sizes 5,6,7-12, 13, 14, 15 D(M)
- Sizes 7-12, 13, 14 2E(W)



## **TRAVERSE**

#### **60260 BROWN**

- Composite safety toe
- Full-grain tumbled leather
- Suede tongue and padded collar
- Triple stitched sand leather toe wrap
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- Puncture-resistant midsole
- Direct attach P/U midsole with cushioning heel system
- Slip resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR
   Sizes 7-12, 13, 14 D(M) 2E(W)





COMPOSITE WATERPROOF MEMORY FORM RESIDENT RESIDE



#### **WATCHMAN**

#### **50172 BLACK**

- Composite safety toe
- Leather and heavy duty nylon
- Suede collar and padded tongue
- Light weight, only 1lb 4.7 oz per boot
- Fast rebound super cushion insole
- YKK Side zipper
- Direct attach outsole for flexibility
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 6-12, 13, 14, 15
- D(M) and 2E(W)







PG.37 PG.38

# XRD MET GUARDS

#### **SLAG MET**













#### 90691 BROWN

- Composite safety toe
- Premium leather with heat resistant thread
- Internal XRD met guard for your protection
- Waterproof membrane
- Full cushioned P/U insole
- Puncture-resistant
- EVA midsole
- Long wearing rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR MT
- Sizes 7-12, 13 D(M) and 2E(W)



#### FRACKER MET















## 94030 BROWN

- Composite safety toe
- Premium leather
- Internal XRD met guard for your protection
- Waterproof membrane
- Premium P/U memory foam insole
- Puncture-resistant
- EVA midsole
- Good year welt
- Long wearing rubber outsole
- Composite shank
- ASTM F2413-18 M/I/C EH PR MT
- Sizes 7-12, 13, 14 D(M) and 2E(W)



# **PROWL MET**

## **60140 BLACK**

- Composite safety toe
- Full-grain leather
- 100% Non-metallic
- Internal XRD met guard
- HyDry® waterproof membrane
- Puncture-resistant plate
- Direct attach dual density slip-resistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR MT
- Sizes 8-12, 13, 14 D(M) and 2E(W) •••••





COMPOSITE MEMORY FOAM RESISTANT RESTANT

COMPOSITE WATERPROOF RESISTANT RESISTANT RESISTANT RESISTANT

#### **WORKER SLIP ON MET**

#### **30402 BROWN**

- Composite safety toe
- Full-grain tumbled leather
- Padded suede comfort collar
- Premium P/U memory foam insole
- Internal XRD met guard
- Direct attach dual density slipresistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH MT
- Dual Gender Sizing 4-12, 13, 14 D(M)







## LACER MET **30404 BROWN**

- Composite safety toe
- Full-grain tumbled leather
- Suede padded tongue and collar for comfort
- Premium P/U memory foam insole
- Internal XRD met guard
- Direct attach dual density slipresistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH MT
- Dual Gender Sizing 4-12, 13, 14 D(M)















**PG.39 PG.40** 

# **XRD-SD MET GUARDS**

# STATIC DISSIPATIVE

#### **TIKABOO MET**

#### **60240 BROWN**

- Composite safety toe
- Full-grain tumbled leather with nylon
- 17.5 oz per shoe
- Padded tongue and collar for comfort
- Premium P/U memory foam insole
- Internal XRD met guard
- Soft density EVA midsole
- Slip resistant rubber outsole
- ASTM F3445-21 Slip-resistant • ASTM F2413-18 M/I/C SD 35 MT
- Dual Gender Sizing 4-12, 13, 14

STEPPER MET

**30240 BROWN** 

• Composite safety toe

D(M) and 2E(W)


















Padded tongue and collar for comfort

• Full-grain tumbled leather with nylon

- Premium P/U memory foam insole
- Internal XRD met guard
- Soft density EVA midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C SD 35 MT
- Dual Gender Sizing 3-12, 13, 14
- D(M) and 2E(W)



## **SPARKS**

#### **10167 BLACK**

- Composite safety toe
- Mesh and microfiber
- 100% Non-metallic
- Fast rebound super cushion insole
- Lightweight slip-and oil-resistant outsole with EVA midsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C SD 35
- Sizes 7-12, 13, 14 D(M) and (2E)W



#### **CHASER**

#### **53010 GREY**

- Composite safety toe
- Grooved leather and microfiber
- 100% Non-metallic
- Fast rebound super cushion insole
- EVA midsole with TPU support system
- Rubber outsole
- ASTM F2413-18 M/I/C SD 35
- Sizes 7-12, 13, 14 D(M) and (2E)W



**PG.41 PG.42** 

# ATHLETIC WORK

## METEORITE 30155 BLACK

- Composite safety toe
- Microfiber and mesh
- Extremely light at 12.1 oz. per pair
- Fast rebound super cushion insole
- Composite shank
- Soft density EVA
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) & 2E(W)



#### **EXPRESS**

#### 13032 GREY

### 14431 BLACK BLUE

- Composite safety toe
- Microfiber leather and nylon mesh with printed overlay
- 100% Non-metallic cement construction
- Extremely light at 14.8oz. per pair
- Fast rebound super cushion insole
- Unique blend of compounds gives bounce in step and absorbs shock
- Composite shank
- Highly slip-resistant carbon rubber outsole
- ASTM F2413-18 M/I/C EH
- Extra matching laces in box
- Sizes 7-13, 14 D(M) & 2E(W)
- (12.5 Available)

## RENO II

## **10229 BLACK**

- Composite safety toe
- 100% Non-metallic
- Action leather and nylon mesh upper
- Waterproof membrane
- Fast rebound super cushion insole
- Cement construction
- Highly slip-resistant carbon rubber outsole
- Composite shank
- Mens ASTM F2413-18 M/I/C EH
- Women's ASTM F2413-18 F/I/C EH
- Men's Sizes 7-13, 14, 15 D(M) & 2E(W)
- (12.5 Available)



# FULL COURT 50148 NAVY

## **50147 BLACK**

- Composite safety toe
- Extremely light safety basketball style
- (Navy) Mesh and microfiber
- (Black) Mesh and black patent leather
- Weighing 2 lbs. per pair
- Form fitting neoprene internal construction
- Easy on lace/zipper combination
- Fast rebound super cushion insole
- Composite shank
- Slip-resistant rubber outsole
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15 D(M) & 2E(W)









#### RIM FLY

## 50152 BLACK RED

- Composite safety toe
- TPU overlay and poly fly knit
- Extremely light safety basketball style
- Weighing 2 lbs. per pair
- 100% Non-metallic cement construction
- Fast rebound super cushion insole
- Unique blend of compounds gives bounce in step and absorbs shock
- Composite shank
- Slip-resistant rubber outsole
- ASTM F2413-18 M/I/C EH
- Sizes 7-13, 14, 15 D(M) & 2E(W)
- (12.5 Available)



PG.43 PG.44

# INSULATED

#### **COLD STORAGE FOOTWEAR**

## **BLAST 60242 BROWN**

- Composite safety toe
- Full-grain leather
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- 400 gram Thinsulate®
- EVA midsole
- Slip-resistant rubber outsole with special ice gripping plugs for slip resistance on multiple surfaces
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14, 15 D(M) and



#### **BLIZZARD**

#### 60150 BROWN

- Soft toe
- Soft full-grain oily brown leather
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- 400 gram Thinsulate®
- Slip-resistant rubber outsole with special ice gripping plugs for slip
- resistance on multiple surfaces
- ASTM F3445-21 Slip-resistant
- ASTM-F2892-18 EH • Sizes 8-12, 13, 14, D(M) and 2E(W)



## **HUDSON**

#### **60466 BROWN**

- Composite safety toe
- Soft full-grain oily brown leather
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- 400 gram Thinsulate®
- Slip-resistant rubber outsole with P/U midsole
- Puncture-resistant midsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH, PR
- Sizes 8-12, 13, 14 D(M) and 2E(W)

















# **CHILLER**









COMPOSITE WATERPROOF MEMONY FOMM RESERVANT RESERVANT WATERPROOF





#### • Composite safety toe

- Nubuck leather with soft mesh tongue
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- 600 gram Thinsulate®
- Slip-resistant rubber outsole with special ice gripping plugs for slip resistance on multiple surfaces
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) and 2E(W)



## **CHILLER**

#### **60700 BLUE**

- Composite safety toe
- Nubuck leather with soft mesh tongue
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- 200 gram Thinsulate®
- **EVA** midsole
- Slip-resistant rubber outsole with special ice gripping plugs for slip resistance on multiple surfaces
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) and 2E(W)



**PG.45 PG.46** 

# WOMEN'S

### **EXPRESS**



- Composite safety toe
- 100% Non-metallic cement construction
- Microfiber leather and nylon mesh with printed overlay
- Extremely light at 14.8oz. per pair
- Fast rebound super cushion insole
- Unique blend of compounds gives bounce in step and absorbs shock
- Fiberglass shank for support
- Highly slip-resistant carbon rubber outsole
- ASTM F2413-18 F/I/C EH
- Sizes 3-10, 11 B(M) and D(W)
- Extra set of laces included









#### **RENO II**

#### **20230 BLACK**

- Composite safety toe
- 100% Non-metallic
- Action leather and nylon mesh
- Waterproof membrane
- Fast rebound super cushion insole
- Unique blend of compounds gives bounce in step and absorbs shock
- Fiberglass shank for support
- Cement construction
- Highly slip-resistant carbon rubber outsole
- ASTM F2413-18 F/I/C EH
- Sizes 3-10, 11 B(M) and D(W)













#### **LACY**












## **70419 BROWN**

#### **70120 BLACK**

- Composite safety toe
- Full-grain tumbled leather
- Suede tongue, feminine-touch reflective lace collar, reflective lace loops and side panel
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- Puncture-resistant midsole
- Direct attach dual density slipresistant outsole well suited for environments with oil. water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 F/I/C EH PR**
- Sizes 5-10, 11 B(M) & D(W)









#### LILY

### **70423 BROWN**

- Steel safety toe
- Full-grain tumbled leather
- Suede tongue and padded comfort
- HyDry® waterproof membrane
- Fast rebound insole
- Direct attach dual density slipresistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 F/I/C EH
- Sizes 5-10, 11 B(M) & D(W)













PG.47 **PG.48** 

## RUSHMORE / (SOFT TOE)









#### **93060 BROWN**

- Soft toe
- Full-grain cow rancher vamp with leather shaft
- Pull handles for easy fit
- Premium P/U memory foam insole
- Goodyear welted construction
- **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- **ASTM F2892-18 EH**
- Sizes 5-10,11 B(M)







## RUSHMORE / (SOFT TOE)









#### 93050 CHARCOAL

- Soft toe
- Full-grain cow rancher vamp with leather shaft
- Pull handles for easy fit
- Premium P/U memory foam insole
- Goodyear welted construction
- **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- **ASTM F2892-18 EH**
- Sizes 5-10,11 B(M)







## ADAH / (SOFT TOE)







## 93025 TAN BROWN

- Soft toe
- Full-grain aero tan printed vamp with aero tan 9" leather shaft
- Moisture wicking mesh lining
- Pull handles for easy fit
- Premium P/U memory foam insole
- Cemented construction with EVA midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2892-18 EH
- Sizes 5-10, 11 B(M)













## **HOSS INSOLE GUIDE**

UPGRADE YOUR WORK DAY WITH A HOSS INSOLE

SIZES	X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE	2X- LARGE	3X- LARGE	4X- LARGE
MEN'S	3 - 4 - 5	6 - 7	8 - 9	10 - 11	12 - 13	14 - 15	16 - 17	18 - 19
WOMEN'S	5-6-7	8 - 9	10 - 11					

#### **MEMORY FOAM INSOLE**

#### **STYLE 49946**

Get that "ahh..." feeling when you step into your shoes with this memory foam insole. Constructed from a soft polyurethane base with gel pressure point pads and a top layer of memory foam for all day comfort.



#### SUPPORT INSOLE

#### **STYLE 49950**

Get the support you need to withstand your work day. The TPU shell creates the support base of this insole with a Polyurethane heel shock pad. Our support insole features Popper foam at the forefoot and a blended cushion throughout with a soft foam top lining.





PG.49

# **OUTSOLES**



LACY **CARTER ADAM** LILY **PROWL LACER** 

WORKER



STOMP **ERIC LO ERIC HI** 



SCOUT



**TRAVERSE** 



WATCHMAN



RANGE K-TOUGH **CARTWRIGHT II** CARSON



TIKABOO **TIKABOO MET** STEPPER MET SPARKS SD **METEORITE** 



WE THE PEOPLE



**HUDSON** 

RANGER PULL ON

**FRONTIER** 



RUSHMORE SHOWDOWN HUNCH LANDON ADAH



WILDFIRE



**RIM FLY FULL COURT** 



CHILLER **BLAST** 





**CHASER SD** TRACKER



BRONC 6"

**EXPRESS** RENO II





## **POINT OF PURCHASE DISPLAY**





## POINT OF PURCHASE BRANDING

#### **HOSS SLAT WALL LOGO DISPLAY**

HOSS offers a metal slat wall logo display to highlight the HOSS boot area of your display wall. Please request one from your sales associate.

#### **HOSS SLAT WALL SHELF DISPLAY**

HOSS offers metal slat wall shelves to help display the your HOSS boots. Please request them from your sales associate.

#### HOSS **TABLE TOP DISPLAY**

HOSS offers a metal and wood table top display that is a boot stand. Place your HOSS boot right on top. Please request one from your sales associate.

# Minimum purchase required.

HOSS

**IRON** 

**BRANDING** 






#### HOSS offers branding irons in support of customer sales promotions. Please request them from your sales associate. There is limited supply.



PG. 51 PG. 52



# **INDEX**

MOXIE TRADES53	3
MT20120/EXHILARATOR/BLACK/COMP57	7
MT20320/EXHILARATOR/GREY/COMP57	7
MT20518/TINA/BLACK/COMP60	כ
MT21404/TRISHA/GREY/COMP58	3
MT21405/TRISHA/BLUE/COMP58	}
MT21406/TRISHA/PINK/COMP58	3
MT21407/TRISHA/TURQUOISE/COMP58	3
MT21408/TRISHA/PURPLE/COMP58	3
MT25058/ANGELINA/PINK/COMP59	9
MT26026/LACY 6"/OLIVE/COMP59	
MT26058/LACY 6"/PINK/COMP59	9
MT50161/ALICE 6"/TAN/STEEL60	כ
MT50162/ALICE 6"/PINK/STEEL60	)
MT50165/ANNE 8"/BLACK/STEEL60	)
MT50180/ZENA SLIP ON/BLACK/COMP6	1
MT50181/ZENA SLIP ON/GREY/COMP6	1
MT70127/ANGELINA/BLACK/COMP59	9



PG.53 PG.54

## **ABOUT US**

Founded in 2006, Moxie Trades began with the goal of providing home renovation services primarily by teams of women. Fate intervened as the brand grew and it's direction changed to suit the needs of the market. Through sheer grit and determination, Moxie Trades has evolved into the most recognized brand of safety footwear for women in Canada.

In 2018, Moxie Trades partnered with HOSS Boot Company to expand Moxie Trades' product offering and distribute our specialized women's work boots and shoes to retailers across the United States.

The Moxie Trades story is about making the best products with the best brand with the best customer service. Not only do we sell work boots but we share moxie with women everywhere. Moxie Trades is not about the work boots, it's about the women who wear them.

Moxie is the ability to face fear with spirit and courage.

Find Your MOXIE...We Dare YOU!

Marissa McTasney President, Moxie Trades





#### **MOXIE TRADES SYMBOL GUIDE**



Composite toes contain non-metallic safety toe caps and are light. They are ideal for those working in electrical environments. They do not conduct heat and cold and are good for work in extreme high or low temperatures.



Aluminum toes are made of lightweight materials and tend to be about 30 to 50 percent lighter than steel. Toe boxes provide the same level of safety as steel but offer a bit more room since aluminum is thinner than composite.



Steel safety toes are the industry standard and have been for years. Steel toes provide protection from falling objects and equipment.



Moxie uses membrane technology from Tri-tex® and others. Our boots are designed to resist water in wet situations as high as the membrane goes. Wear these with confidence that your feet will stay dry and comfortable.



Our outsoles marked slip resistant have been tested and meet or surpass industrial standards. Slip resistance has many variables. These tests are to be used as a guide to help make your decision. Test results available upon request.



Electrical Hazard (EH) boots must be able to withstand 18000 volts of electricity at 60 hertz for a whole minute without leakage of more than one milliampere under dry conditions. Moxie EH boots have been tested and pass this standard.



Our flexible puncture resistant plate allows full sole coverage, as well as greater movement. This midsole plate is designed to reduce the hazards of puncture wounds caused by sharp objects penetrating the outsole.



MetGuard™ is a thermal plastic urethane shield made with XRD® Impact Protection technology. It overlays the toe box and runs to the top of the instep, for armor-like protection of the bones of the foot.



This CSA symbol indicates that the product has sole puncture protection with a Grade 1 protective toe for a heavy work environment such as construction, machine shops, or where sharp objects are present.



This symbol indicates electric-shock protective footwear.



This symbol indicates metatarsal protection.

PG.55

## **EXHILARATOR**










## **TRISHA**











## MT20320 (GREY)

- Composite Safety Toe
- Breathable mesh with TPU printed overlay toe
- Molded heel counter
- Fast rebound cushion insole
- Injected EVA dual density midsole
- Slip-resistant rubber outsole
- Meets ASTM F2413-18 F/I/C EH
- Sizes 6-10, 11 B(M)





MT21405 (BLUE)

MT21406 (PINK)

- Composite Safety Toe
- Suede, printed leather and fabric
- Padded collar for comfort
- Fast rebound cushion insole
- Injected EVA dual density midsole
- Slip-resistant rubber outsole
- Meets ASTM F2413-18 F/I/C EH
- Sizes 6-10, 11 B(M)































PG. 57 PG. 58

### **ANGELINA**

## MT25058 (PINK) MT70127 (BLACK)

- Composite safety toe
- Pink full-grain nubuck leather
- Black full grain leather
- Soft cushion insole
- Puncture-resistant midsole
- Direct attach PU/PU slip-resistant outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 F/I/C EH PR
- CSA Approved Grade 1
- Sizes 6-10, 11 B(M)



## **LACY**

## MT26058 (PINK) MT26026 (OLIVE)

- Composite safety toe
- Full-grain nubuck leather, suede tongue, feminine-touch lace collar
- Reflective padded collar & lace loops
- Hydry waterproof membrane
- Dual-density rebound foam insole
- Puncture-resistant midsole
- Direct attach PU/PU slip-resistant outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 F/I/C EH PR
- CSA Approved Grade 1
- Sizes 5-10, 11 B(M) (5.5 Available)
- Additional colors in HOSS

















## TINA

## MT20518 (BLACK)

- Composite safety toeFull-grain leather with reflective padded collar
- Hydry waterproof membrane
  Dual-density rebound foam insole
  XRD internal metatarsal guard

- Puncture-resistant midsole Direct attach PU/PU slip-resistant
- ASTM F3445-21 Slip-resistant ASTM F2413-18 F/I/C EH MT PR
- CSA Approved Grade 1 Sizes 5-10, 11, 12, 13



### **ALICE**

## MT50162 (PINK) MT50161 (TAN)

- Steel safety toe
- Full-grain, soft nubuck leather
- Tri-tex® waterproof breathable lining
- Cushion foam insole
- Puncture-resisting midsole
- Direct attach PU/PU slip-resistant
- Extra black lace in box for pink and tan
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 F/I/C EH PR
- CSA Approved Grade 1
- Sizes 5, 6-10, 11



## **ANNE 8**"

#### MT50165 (BLACK)

- Steel safety toe
- Black leather
- Tri-tex® waterproof breathable lining
- Cushion foam insole
- Puncture-resistant midsole
- Direct attach PU/PU slip-resistant outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 F/I/C EH, PR
- CSA Approved Grade 1
- Sizes 5, 6-10, 11



PG. 60 PG. 59

## **ZENA SLIP ON**

## MT50180 (BLACK) MT50181 (GREY)

- Composite safety toe
- Rubber bumper toe for durability
- Knit fabric
- Memory foam insole
- Slip and oil-resisting outsole
- ASTM F2413-18 EH
- Sizes 5, 6-10, 11 D(W)















## **VEGAS HIKER**

#### MT50121 (BLACK)

- Aluminum safety toe
- Black leather
- Tri-tex® waterproof breathable
- Puncture-resistant plate
- Slip-and oil-resistant outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 EH PR
- CSA Approved Grade 1
- Sizes 5, 6-11 D(W) (10.5 Available)



# **OUTSOLES**

**TRISHA EXHILARATOR** 







ANNE 8"



**VEGAS HIKER** 



ALICE



ZENA



#### **CONTACT US**

888-990-4677 HOURS: MONDAY-FRIDAY 8AM-5PM EST **DIEHARDFOOTWEAR.COM** HOSSBOOTS.COM EMAIL ORDERS: CSORDERS@HOSSBOOTCO.COM



PG. 61 PG. 62

