



## HERE'S HOW TO USE YOUR ESTES CATALOG.


- 1) Name of the kit.
- 2 Skill Level number recommends the general skill and experience necessary for a rocketeer to successfully complete the kit. Skill Level 1 kits are suggested for beginners, Skill Level 2 for intermediate rocketeers, and so on to Skill Level 5, Expert Rocketeer.
- 3 Special features and additional kit information.
- Specifications including length, diameter, and weight, in both English and Metric Equivalents, plus shipping weight for the kit.
- 5 Recommended engines for flying the rocket. Engines are listed from least powerful to most powerful. Also, indicates which engine should be used for the first flight.
- 6 Catalog number for kit which should always be used when ordering.
- 7 Price of the kit.
- The background color on each page reflects the appropriate Skill Level color for the kits shown. (See chart below) All kits in this catalog are grouped by Skill Level.

## 

## SKILL LEVELS

All model rocket kits in this catalog require assembly unless otherwise indicated. Some of these flying model rockets can be put together and be ready to launch in minutes. Others with their sophisticated aerodynamics and wealth of detail are more challenging. The Skill Level numbers given in each kit description recommend the skills and experience necessary for a rocketeer to successfully complete the kit. Generally speaking, it is not wise to jump skill levels. Unless you are an extremely experienced modeler, you should complete a kit of Skill Level 1 before attempting Skill Level 2 . . . and you should build a Skill Level 2 rocket before moving on to Skill Level 3 . . . and so on. For further information, refer to the chart below.

Skill Level No.	Description	To Be Built By
1	Very Simple	Beginning Rocketeer
2	Fairly Easy	Intermediate Rocketeer
3	Average	Craftsman Rocketeer
4	Challenging	Advanced Rocketeer
5	Extremely Challenging	Expert Rocketeer



## "THIS IS WHERE TO BEGIN" **DELUXE MODEL ROCKETRY OUTFIT**

Virtually everything you need to get started in Estes Model Rocketry in a big way. Includes the "New" Big Red Max Rocket. . . the all "New" ultra advanced Big Foot Launch Control System. . . Engines. . . Launching Supplies. . .and the "Alpha Book of Model Rocketry.

At a moderate price you get practically everything needed for assembly, lift-off, and recovery. (Batteries, glue and finishing supplies are not included.) With this outfit you'll be well on your way to discovering the exciting "World of Model Rocketry". Experience the fun of building and the thrill of flying the Big Red Max rocket. This big bird, over two feet long, is easy to assemble with die-cut tralsa fins, quick-release engine mount, huge plastic nose cone, and "far-out" Red Max decal sheet. Excellent performance with giant 18" orange and white parachute.

"New" Big Foot Launch Control System (page 52) is capable of launching all the rockets in this catalog and is especially recommended for launching the Maxi-Brutes on pages 45, 46, 47, and 48. Futuristically designed launch platform features rugged plastic construction and enormous "two foot print" for maximum launch pad stability. Requires four inexpensive "D" cell batteries for power (not included). Launch pad includes blast deflector plate, 1/8"X36" two-piece launch rod, and adjustable swivel mount to compensate for

wind direction.

(BATTERIES, GLUE, AND FINISHING SUPPLIES NOT INCLUDED.)

## YOUR BIG FOOT LAUNCH CONTROL SYSTEM WILL LAUNCH EVERY ROCKET IN THIS GATALOG!



Launch control unit features quick assembly plus safety key, continuity check light, ignition button and 15 feet of launch cable.

Flight Pak is complete with three high performance, N.A.R. safety-certified engines (two "B" type and one "C" type engines) plus parachute recovery wadding and "Solar" rocket igniters for your first series of exciting flights.

Last, but not least, we have included the "Alpha Book of Model Rocketry" to help teach you the basic principles and techniques you should acquire before moving on to higher Skill Levels and more complex and exciting vehicles.

der Big Red Max Deluxe Model Rocketry Outfit

Cat. No. 1403 Ship wt. 3 lbs.



## THE ALPHA III STARTER KIT

Includes the Space-Age Designed PORTA-PAD and heavy duty SOLAR LAUNCH CONTROLLER!

If you intend to make a real hubby of Estes Model Rocketry, this ALPHA III Starter Kit gives you immediate flexibility, because you'll be able to use this launch system with a standard 1/8" launch rod for most rockets, and the 3/16" maxi-rod for the grant "D" powered flying model rockets like the unbelieveable Maxi-Brutes that stand

In addition, the PORTA-PAD tilts to your specifications giving you the option of distance as well as height. You have flexibility, too, with the SOLAR LAUNCH CONTROL system, in that it can be activated by only 4 alkaline AA batteries for power (not included). Advanced shape allows for perfect hand-held control, and unit is easily assembled in minutes.

IT INCLUDES:

1. ALPHA III Rocket with sugged bright plastic one-plece fin unit and nose cone.

2. Realistic Decal sheet with water soluble decals for easy application.

3. Brightly colored 12" Recovery Para-

chute with shroud lines and shock cord. 4. PORTA-PAD launch platform of heavy duty plastic with strong girden construction, yet easy to disassemble and extremely portable. Features

36" long x 1/8" diameter standard launch rod.

5. Blast Deflector Plate to protect the Perta Pad.

THIS KIT-If Sold Separately-Would Cost Approximately \$19.50. YOU SAVE \$5.55

6. SOLAR LAUNCH CONTROLLER, ex-tremely lightweight and futuristically designed, requiring only 4 alkaline AA batteries (not included) for

7. Parachute Recovery Wad-

8. Solar Igniters.

9. Three NAR Safety Certified Rocket Engines.

10. Alpha Book of Model Rocketry, the complete beginner's tech

Ship wt. 3 lbs. Cat. No. 1406

Only \$13.95

For full description of major items in this kit see: Alpha III (p. 15), Porta-Pad (p. 53), and Solar Launch Controller (p. 53).



Challenger-1
Flying Model Rocketry

This high performance Challenger-1 rocket is very easy-to-Features quick-finish decor with precolored body tube and realistic roll pattern decals. No painting required! This Challenger-1 rocket can be launched over and over again and can attain altitudes over 1,000 feet! Returns via 12" recovery parachute. You need only replace the rocket engine, igniter, and recovery wadding for each new flight.

Challenger-1 Launch Control System features futuristically designed hand-held launch controller with arming lamp, safety key, launch button, and 15 feet of launch cable with micro igniter clips. Plus sleekly designed launch pad with blast de-flector plate and 1/8"X36" two-piece launch rod. Entire system sets up quickly for launch and disassembles easily for compact storage.

Flight Pak includes three N.A.R. safety certified model rocket engines, parachute recovery wadding, and high reliability Solar Igniters for three exciting flights.

Special Bonus - New "Beginner's Tech Manual" filled with model rocketry data to get you started off right. (Ship, wt.

Starter Kit

ELAST-OFF

Recommended Engines: B6-4

Cat. No. 1416

OJESTES) Challenger. \$9.95

(Requires 6 or 12 volt lantern battery and glue-not included.



Assembles in less than 30 Minutes!

Challenger 1



## The Perfect Model Rocketry STARTER KIT

Complete with everything you need to lift-off in minutes. (less 6-volt lantern battery and glue).

Right out of the future! Here's power ... beauty... design - all fused into a neat, sleek starter kit that's easy to assemble, with no painting required.

While you'll want to use lower powered engines on your first flight, your STAR TREK rocket will take our higher powered engines, that will send it streaking skyward to over 1,000'. You'll almost hear Captain Kirk giving the orders while Spock scans the banks of instruments in preparation for return to Earth via the multi-colored 12" Recovery 'chute.

## KIT INCLUDES:

- 1. Star Trek rocket that requires no painting with easyto-assemble engine mount.
- 2. Fin unit of brightly colored plastic.
- 3. Decals of yellow and red for body and fins that simply press-on.
- 4. Nose Cone of rugged plastic.
- 5. Recovery Parachute Assembly that features spectacular 12" orange-andwhite striped 'chute, shroud lines and shock cord, plus all mounting materials.
- 6. STAR TREK Launch Control System, futuristically designed to include launch button, safety interlock key, special arming lamp for testing circuitry, lightweight launch cable and micro-igniter clips.
- 7. Launch Rod 36" tall x 1/8" diameter to guarantee a straight, true lift-off every time.
- 8. Mini-Blast Deflector to protect your launch system at blast-off.
- 9. Power Cap of highimpact plastic fits easily on 6 or 12-volt lantern battery to serve as combination power source and launch pad (6 or 12 volt lantern battery and glue not included with kitl. Shipping wt. 1 lb. 2 oz.

STAR TREK FLYING MODEL ROCKETRY STARTER KIT Cat. No. 1418 ONLY 51

10. Three NAR Safety-Certified Rocket Engines for your first three flights to send your STAR TREK rocket hundreds of teet into the sky. Later you can use more powerful engines to achieve heights over

11. Recovery Wadding to protect 'chute assembly

12. Astron igniters for re liable rocket ignition every time.

13. Beginners Tech Manual, chock full of modelrocketry information.

1,000 feet! from effects of rocket blast.

EASY-TO-**ASSEMBLE** 

Ready-To-Launch In Less Than **30 Minutes** 

Recommended Engines: 1/2A6-2 A8-3 (first flight) B4-4 B6-4 C6-5



Ready-to-launch

The perfect beginner's outfit for father and son, Be ready to launch your X-15 Rocket Plane in less than 15 minutes. Features all plastic snap-together construction for easy, quick assembly.


Ready-to-fly X-15 Rocket Plane comes with preassembled 10" parachute, authentic scale decor, and easy-lock engine mount. It looks like the real thing!

Portable futuristic launch control system is ruggedly designed to provide launch-after-launch enjoyment. Advanced launch controller is designed for easy-grip hand held control with safety interlock key and launch control button. Realistic launch pad features 24" two-piece launch rod, pre-soldered micro-clips, mini-blast deflector, and sturdy girder construction. The entire system is pre-wired. (Requires four AA size alkaline penlight batteries for operation.)

X-15 Flight Pack includes 3 NAR Safety Certified A3-4T mini engines, parachute recovery wadding, and Estes high reliability Solar Igniters.

Special Bonus: Model Rocketry Tech Manual is also provided to get you started off right. Ship. wt. 2 lbs. 8 oz. 









Copyright © 1977 Twentieth Century-Fox Film Corporation.
All Rights Reserved.

## Get the most out of model rocketry.... Join the ESTES AEROSPACE CLUB today!

The most exciting hobby on Earth is even more fun when you are a member of the most exciting rocket club on Earth — The Estes Aerospace Club.

As soon as you join, you'll receive your own special EAC membership kit which includes the following exciting items:

VIPER ROCKET – Special kit designed exclusively for members of the Estes Aerospace Club. Features sleek styling, parachute recovery, and Mini-Brute power for maximum high performance.

MEMBERSHIP CERTIFICATE - Handsome membership certificate suitable for

CLUB EMBLEM — Official iron-on patch with EAC insignia for tee shirt or jacket.

And as you progress to higher skill levels, you'll receive additional iron-on "thrust bars" signifying your achievements.

DECAL SHEET - Special EAC rocket decals to identify your models as part of the

RANGE BOX STICKERS — Bright, multipurpose stick-ons for your range equipment.

EAC STATIONERY - Distinctive rocketeer stationery for your most important notes and letters.

MODEL ROCKETRY TECHNICAL MANUAL.— Includes information on construction techniques, finishing, stability, tracking, recovery systems, multi-staging, and boost gliders, plus many other subjects.

cartoons, contests, construction hints, rocketest contributions, special projects, and much, much more.

EAC PRODUCTS BULLETIN — Special club flier featuring outstanding offers for EAC kits, parts and accessories, rocket plans and technical publications which are available ONLY to members.

Membership in the Estes Aerospace Club opens up a whole new world of exciting model rocket activities. Your EAC Membership Kit is just the beginning.

You'll be eligible to participate in special projects and exciting contests open only to EAC members — many of them involving valuable prizes. As an official EAC club member you will be eligible for exclusive kits and special product offers. You'll have the opportunity to be selected as a member of the EAC Advisory Board which will suggest new product ideas to Estes Industries.





Alpha III Skill Level 1

Another great first or second kit. Plastic nose cone and fin assembly make for easy, quick assembly. This rocket will deliver outstanding performance flight after flight. Roll pattern decal, quickrelease engine mount and 12" parachute are features. Specifications

Length 12.25" (31.1cm) Diameter 0.976" (24.8mm)

Weight 1.2 oz.(33,9 g) Shipping wt. 10 oz. **Recommended Engines** 1/2A6-2 A8-3 (First Flight) B4-4 B6-4 C6-5 Cat. No. 1256 \$3.00

An excellent kit for your second rocket.

Easy-to-build with 12" parachute recov-

12" (30,5cm) 0.765" (19.4mm)

0.7 oz. (20 g)

ery. Terrific performance flight after

flight.

Length

Weight

Diameter

Specifications

Shipping wt. 5 oz.

Recommended Engines

1/2A6-2 (First Flight) A8-3 B6-6 B4-4 C6-7

Cat. No. 1208 . . . . . . \$2.50

SCOUT Estes Industries' first model rocket

Originally developed in 1959, the Scout is still a super popular kit among rocketeers. Now our most historic rocket, it is sure to become a real collector's item. Teaches you elementary balance and design principles. Sleek lines and tumble recovery for really exciting flights. Pat. No. 3,114,317

Specifications Length 7" (17.8cm) Diameter 0.765" (19,4mm) Weight 0.3 oz. (9 g) Ship. wt. 2 oz.

Recommended Engines 1/2A6-2 (First Flight) A8-3 B6-4 C6-5

Cat. No. 1201 .... \$1.75

Sky Hook Skill Level 1

(Decals not included.)

Skill Level 1

Lightweight (1/8 oz. without engine) with windcheating design. Great for contests and records. Features simple feather-weight recovery,

Specifications

5.6" (14.2cm) 0.720" (18.3mm) Length Diameter Weight 0.1 oz. (3 a) Shipping wt. 4 oz. Recommended Engines 1/2A6-4 (First Flight) A8-5

B6-6 C6-7

Engines, Launch System, and Glue not included.

## SKILL LEVEL 1

## Mark II

1/2A6-2 (First flight)

A8-3 86-4 C6-5

Cat. No. 1202 . . \$2.50

Skill Level 1
Ideal for sport or demonstration flying. Designed for midbody ejection/separation system with streamer recovery, it's an excellent challenge for the novice rocketeer. Top-notch performance every time.

Specifications
Length 9.1" (23.1cm)
Diameter 0.765" (19.4mm)
Weight 0.7 oz. (20 g)
Shipping wt. 5 oz.
Recommended Engines



## X-RAY

Perfect for your first payloader or second kit. Features large see-through payload/cargo section. Perfect for research work of all kinds. The recommended single-stage payload vehicle for small biological projects. 12" parachute recovery.

Specifications
Length 16.75" (42.5cm)
Diameter 0.736" (18.7mm)
Payload Sec. Dia. 0.976" (24.8mm)
Weight 0.7 oz. (20 g)
Shipping wt. 5 oz.
Recommended Engines
1/2A6-2 A8-3 (First flight)
B6-4 B14-5 C6-5

Cat. No. 1218 .... \$4.00

QUASAR

Skill Level 1
Dramatic, easy-to-build model for beginners. Bright white plastic nose cone and fin assembly. Metallized-preprinted mylar wrap-on decal for the body tube. No painting required! Quick-release engine mount and recovery by 12" plastic parachute.

Specifications
Length 14" (35.6cm)
Diameter 0.976" (24.8mm)
Weight 1.5 oz. (42 g)
Shipping wt. 10 oz.
Recommended Engines
1/2A6-2 A8-3 (First
flight) A8-5 B4-4
B6-4 C6-5
Cat. No. 0650 \$4.00

ANTARES

Skill Level 1
Achieve flights over 1200 feet with this high performance sports model. Kit features include fin and roll pattern decals plus 10" parachute recovery. Easy assembly with plastic nose cone, die-cut balsa parts, and quick-release engine mount.

Specifications
Length 14.6" (37.1cm)
Diameter 0.976" (24.8mm)
Weight 0.77 oz. (22 g)
Shipping wt. 5 oz.
Recommended Engines
1/2A6-2 A8-3 (First
flight) A8-5 B4-4
B6-4 C6-5

Cat. No. 1276 \$3.50 SCAMP

Skill Level 1

Great sports flier with sleek, high performance design. Features 12" parachute recovery with roll pattern and fin decals. Easy-to-assemble with die-cut balsa parts, plastic nose cone and quick-release engine mount.

Specifications Length 13.75" (34.9cm) Diameter 0.976" (24.8mm) Weight 0.8 oz. (23.9) Shipping wt. 5 oz.

Recommended Engines 1/2A6-2 (First flight) A8-3 86-4 C6-5

Cat. No. 1286 \$3.50

## ICARUS

Skill Level 1
High altitude payload vehicle
with see-through cargo section.
Achieve flights of over 1,000
feet with lightweight payload.
Simulated sounding rocket
appearance with dual roll
pattern decor &
12" parachute
recovery. Plastic
nose cone, diecut balsa parts,
and quick-release
engine mount are

included for rapid assembly and easy operation.

Specifications
Length 20.8" (52.8cm)

Diameter 0.976" (24.8mm)
Weight 1.3 oz. (37 g)
Shipping wt. 5 oz.

Recommended Engines
1/2A6-2 A8-3 (First Hight) B4-4
B6-4 C6-5
Cat. No. 1277 \$4.00

Engines, Launch System, and Glue not included.

## SUPER mini-

## mini Bertha

Skill Level 1
A little sister to the famous
Big Bertha listed on page 14
Great performance with colorful 10" parachute recovery.
Two-color decal sheet, quickrelease engine mount, and
balsa and paper construction.

Specifications Length 11.25" (28.58cm) Diameter 0.736" (18.69mm) Weight 0.484 oz.

(13,72 g) Shipping wt, 6 oz. Recommended

Engines 1/2A3-2T (First flight) A3-4T

A10-3T Cat. No. 0803 \$2.50



## SKILL LEVEL 1

## MOSQUITO

Skill Level 1
This smallest of all Mini-Brutes combines
fantastic performance with feather weight
recovery. Balsa and paper construction
with simple spray paint decor makes for
quick and easy assembly.

## Screamer

Skill Level 1

Another super performer featuring spectacular streamer recovery. Screaming off the pad this bird is sure to catch the attention at your launch site. Specifications

Length 7.8" (19.81 cm)
Diameter 0.541" (13.74mm)
Weight 0.255 oz. (7.23 g)
Shipping wt. 6 oz.
Recommended Engines
1/4A3.2T (First flight)

Recommended Engine 1/4A3-2T (First flight) 1/4A3-4T 1/2A3-4T A3-6T A10-3T

Cat. No. 0802 . . . . . . . . . \$2,50

Can Attain Altitudes Over 1,000 Feet!

2 For The 2 Price Of 1 Super Flea & Javelin Only

## Super Flea

Skill Level 1
The "Flea" has a competition design for ultra-high performance. Reaches incredible altitudes with ogive nose cone and swept fins. Easy-to-build and features breakaway drag recovery.

Specifications
Length 7.34" (18,64cm)
Diameter 0.541" (13.74mm)
Weight 0.158 oz. (4.5 g)
Recommended Engines
1/4A3-2T (First flight) 1/2A3-2T
1/2A3-4T A3-4T A10-3T
JAVELIN & SUPER FLEA

COMBINATION
Shipping wt. 6 oz.
Cat. No. 0815 \$3.00

## Javelin

Skill Level 1
Super performance, easy-to-build competition design with streamer recovery. Scale-like sounding rocket appearance. Reaches altitudes over 1,000 feet.

Specifications

Length 12.4" (31.5cm)
Diameter 0.541" (13.74mm)
Weight 0.34 oz. (9.6 g)
Recommended Engines
1/4A3-2T (First flight)
1/2A3-2T A10-3T
A3-4T

## rogue

Skill Level 1
Scale-like sounding
research vehicle with
realistic decor. Excellent performance for
great sport flying, 10"
parachute recovery and
die-cut balsa parts.
Specifications
ength 11.7" (29.7cm)

Length 11.7" (29.7cm)
Diameter 0.736" (18.7mm)
Weight 0.75 oz. (21.26 g)
Shipping wt. 6 oz.

Recommended Engines 1/4A3-2T (First flight) 1/2A3-2T A3-4T A10-3T Cat. No. 0818 . . . . \$2,50


## LITTLE JOHN

Skill Level 1
Authentic appearance of a semi-scale surface-to-surface

military vehicle with U.S. Army decor. Die-cut fins, quickrelease engine mount and bright 10" parachute recovery,

Specifications Length 14.0" (35.6cm) Diameter 0.976" (24.81mm) Weight 0.875 oz. (21.2 g) Shipping wt. 6 oz. Recommended Engines

1/2A3-2T (First flight) A3-4T A10-3T Cat. No. 0819 \$3.00





SKILL LEVEL 3 Skill Level 3 Designed by Estes engineers as a futuristic orbital booster with recoverable shuttle for great looking decals, near-Earth missions, this exdie-cut balse fins, otic sports model will be an quick - release engine exciting addition to your model mount, and molded plasrocketry collection. Shuttle-like tic nose cone. parasite glider gives flights up to Specifications 90 sec, while realistic booster is Booster Length 18.25" (46.4cm) recovered via 12" parachute. Booster Diameter 0,976" (24.8mm) Economically mini-en-Weight (Booster w/Glider) gine powered, the 1.0 oz. (28.3 g) Glider Wing Span 5.0" (12.7cm) Condor features Recommended Engines 1/2A3-2T (First Flight) A3-2T A3-4T Cat. No. 0807 \$4.00 Skill Level 3 Futuristic Russian hypersonic interceptor designed for near-space missions. Ramjet nose cone and cockpit canopy 10" parachute recovery with two-color Russian decals. Specifications Length 11,25" (28.6cm) Diameter 0.976" (24.8mm) Weight 0.875 oz. (24.8 g) Shipping wt. 5 oz. Recommended Engines 1/2A3-2T (First Flight) A3-2T A3-4T A10-3T 

## BOMARC

Scale model of famous surface-to-air interceptor missile. Authentic Canadian Air Force decor-

Features die-cut fins, quick-release engine mount, and 10" parachute recovery. Recommended Engines Specifications 1/2A3-2T (First Flight)

11.75" (29.85cm) 0.736" (18.69mm) A3-4T 1.0 oz. (28.3 g) A10-3T 4.5" (11.43cm)

5 oz



## SKILL LEVEL 2

## **'D" POWERED BIRDS**

Using our mighty "D" engines these kits offer the ultimate in power and performance, Perfect for high altitude research and many payload experiments. All kits come complete ready-to-assemble with instructions. Engines not included.

## A-20 DEMON

Skill Level 2

Super performing payload carrier with sounding research vehicle appearance. Bright silver easy-track foil press-on decal for payload section. Allows for accurate in-flight tracking and recovery. Quick-release engine mount, sleek die-cut fins and 18" parachute.

Specifications

Length 26.5" (67.3cm) Diameter 1.325" (33.6mm) Weight 2,75 oz. (78 g) Shipping wt. 12.5 oz. Recommended Engines D12-7

Also:

Engines, Launch System, and Glue not included.

B6-4 B14-5 C6-5 (Using EM-2050 Adapter not included.) Cat. No. 1258 .... \$7.00

## CHEROKEE-D

Skill Level 2 Sleek and powerful "D" engine rocket that will practically sail out-of-sight. Big 13" 'chute brings it down safely flight after flight. Die-cut fins. quick-release engine mount and sharp two-color decals. A really beautiful model for your first "D" powered kit.

Specifications

21.6" (54.9cm) 1.325" (33.7mm) Diameter 2.75 oz. (78 g) Weight Shipping wt. 11 oz. Recommended Engines D12-5 (First flight) D12-7

Cat. No. 1247 ..... \$5.00

ARREST.

## renegade

Skill Level 2

Spectacular, ultra-high performance "D" bird over 33" long. R&D style design gives it a real test vehicle appearance. Low-drag styling and giant 18" 'chute means an outstanding flight every time. Contemporary decals, quick-release engine mount and die-cut fins.

Specifications

33.8" (85.9cm) Length 1.637" (41.6mm) Diameter. Weight 4.6 oz. (132 g)

Shipping wt. 12 oz. Recommended Engines

D12-5 (First flight) D12-7



Flights up to 1500 feet are possible with this big "D" engine powered payloader. Great sports model with large payload section, die-cut balsafins and quick-release engine mount. Includes great looking kit name decal, high performance

plastic nose cone and giant 18" parachute. Specifications

Length 32.75" (83.2cm) Diameter 1,325" (33.7mm) Weight 2.39 oz. (67.8 g) Ship, wt. 11 oz.

Recommended Engines

D12-5 D12-7 (First flight) C6-5 (with EM-2050 adapter

not included. See page 62. Cat. No. 1290

\$5.00



## SKILL LEVEL 2 **MULTI-STAGERS**

Multi-Staging is the next step in expanding your model rocketry skills, Each kit demonstrates how real space ships operate. The first stage is always ignited electrically; Second stage ignition occurs automatically in mid-flight upon burnout of the first stage, Performance and maximum altitude are dramatically increased thru multi-staging.

## AVENGER

Long, slender lines give this bird the sounding rocket look. Large 18" chute brings payload section back gently, booster employs tumble recovery.

Pat. No. 3,292,302

Specifications

Length 32" (81.3cm) 1.325" (33.7mm) Diameter Weight 2.7 oz. (77 g)

Shipping wt. 16 oz. Recommended Engines

UPPER STAGE A8-5 B6-6 (First Flight) C6-7

BOOSTER A8-0 B6-0 (First Flight)

B14-0 C6-0

Cat. No. 1238 ..... \$5.00

## Vigilante

Skill Level 2 Ultra-high performance two-stage model for flights over 1100 feet. Kit features include impressive kit name decal, low drag plastic nose cone, and die-cut balsa fins. Sleekly designed upper stage returns via 18" parachute while the booster employs tumble recovery.

Specifications

Length 26.5" (67cm) Diameter 1,325" (33,6mm) Weight 2,25 oz. (64 g) Shipping wt, 13 oz.

Recommended Engines UPPER STAGE

1/2A6-4 A8-5 (First Flight) B4-6 B6-6 C6-7 BOOSTER

A8-0 (First Flight) B6-0



## Mean Machine

Tallest rocket in the Estes fleet. Over 6 feet long with glant 24" parachute recovery, "D" engine powered for spectacular flights over 800 feet. Easily assembled with die-cut balsa fins, quickrelease engine mount and plastic nose cone. Huge "kit name" decal adds the finishing touch for a

really great looking bird. Specifications

78,75" (200cm) 1,637" (41,6mm) Length Diameter 5.8 oz. (164 g) Weight

Ship wt. Recommended Engine

D12-5

Ship wt. 16 oz.

Cat, No. 1295 . . . . . . \$8.00





Skill Level 2

Attain flights over 700 feet with "C" engine from this extra long sport flier. Giant decal sheet plus die-cut balsa fins, quick-release engine mount and plastic nose cone, Perfect demonstration model with large 18" parachute recovery.

Specifications

59" (149.9cm) Length 1.325" (33.6mm) Diameter Weight 3.17 oz. (90 g)

Recommended Engines A8-3 (First flight) B4-4 B6-4 C6-5

Ship wt, 12 oz.

Engines, Launch System, and Glue not included.

Skill Level 2

"Hitchhikes" on other larger models for glide durations of up to 30 seconds beginning at apogee. Perfect kit for your first glider with die-out balsa parts, Impressive performance.

Specifications Length 12" (30.5cm)

Weight 0.16 oz. (4:6 g) Wing Span 4.5" (11.4cm) Shipping wt. 5 oz.



Nearly 5 Feet Long!

SPERA 1500

## WAC CORPORAL

Skill Level 2 Great model for your first scale bird. U.S. Army ground-to-ground ballistic and research vehicle. Lowdrag design makes it a terrific sport-flier too! Accurate 1/16th scale. Die-cut fins and 12" 'chute. Specifications Length 11.8" (30cm) Diameter 0.736" (18.7mm) Weight .7 oz. (20 g) Shipping wt. 5 oz. Recommended Engines

1/2A6-2 (First Flight)

Cat. No. 1211 ... \$3.00

A8-3 B6-4 C6-5



(1/10th Scale)

Skill Level 2 A mighty "D" engine powered, ultra-detailed, 30" tall scale model. Actual rocket is single-stage, solid-propellant vehicle developed for upper-atmosphere research experiments. Real Sandhawk is capable of reaching a 100 mile apogee with 200 lb. payload. Our scale version features all plastic, highly-detailed nose cone, payload section, fins and tail assembly. Quick-release engine mount plus 12" 'chute for payload and big 18" parachute for rocket. Specifications

Length 30.1" (76.5cm) Diameter 1.325" (33.7mm) Weight 5 oz. (141.75 g) Shipping wt. 11oz. Recommended Engines

B4-2 C6-3 D12-5 (First Flight) Use EM-2050 adaptor for other than "D" engines, not included. See page 60.

Cat. No. 1251 .... \$6.00

Sounding scale model of the primary research vehicle produced by Canadian Bristol Aerospace. An excellent choice for your first scale project. Simple construction with plastic nose cone and engine nozzle, die-cut balsa fins and quick-release engine mount. Plus authentic scale decals and 12" parachute. Flys. over 1,000 feet with "C" engine.

Specifications Length 20.6" (52.3cm) Diameter .976" (24.8mm) Weight 1.06 oz. (30 g) Ship wt. 5 oz.

Recommended Engines A8-3 (First flight) B4-4 B6-4 C6-5

Cat. No. 1293 . . . . . . \$4.00

Skill Level 2

engine mount.

Equip your star fleet with this sophisticated scale missile from the 23rd century. Designed primarily as a mass conversion weapon to overload the defensive screens of an enemy vessel, the actual Photon Disruptor may also be programmed as an interceptor missile, a proximity space mine, or a space distress signal. Exact size, speed. range, and destruct radius of this vehicle are classified. Photon Disruptor uses impulse power unit and guidance system for launch from planetary surface. Kit features operational status detailing decor and comes complete with 12" parachute. Assembly and operation are made easy with plastic nose cone, die-cut balsa parts, and quick-release

Specifications Length 18:25" (46:4cm) Diameter 0,976" (24,8mm) Weight 1.4 oz. (40 g) Shipping wt. 6 oz. Recommended Engines 1/2A6-2 A8-3 (First flight)

A8-5 B4-4 B6-4 C6-5 Cat. No. 1282 \$4.00

This unique interstellar spacecraft is conceived to perform a variety of space rescue, exploratory, or intruder intercept missions. Odyssey's modular configuration permits rapid pre-launch preparation to flight status. Impulse power unit jettisons after lift-off from planetary launch site. Its two-man crew and engineering section are then accelerated to near-light velocities for rendezvous and space rescue operations. Our designer's version includes die-cut balsa fins, 18" dia, recovery parachute and two-color rescue vehicle decor. Quick-release engine mount and

super-detailed plastic nose section complete the exotic styling of this advanced spacecraft. Specifications:

Length 24.1" (61.21cm) 1.325" (33.7mm) 2,40 oz. (68 a)

Recommended Engines 84-4 B6-4 (First flight) C6-5

Cat. No. 1289 ..... \$5.00

Replacement Plastic Parts Kit: (SANDHAWK ONLY) Includes tail section, fins, payload section, nose cone and antennae. Cat. No. 45011 .... \$3.25







Skii Envisii sophistic by hostile nuclear and la plastic nose and realistic two-color recovery.

## Specifications

Length 22.25" (56. Diameter .0976" (24. Fin Span 5.5" (14cm) Weight 1.38 oz. (39 Ship wt. 11 oz. Recommended Engines A8-3 B4-4 (First flight)

Cat. No. 1296 . . . . . . . . .

STI AR SAIL FR

**ENEWI** 

GLEAMS LIKE A JEWEI HIGH UP IN SPACE!

Skill Level 3 Simulates one of the newest, most sophisticated space concepts for the 1980's,

and like the Space Shuttle Enterprise, Estes engineers have it flying long before NASA does. Developed for low cost, long duration, deep space missions the real vehicle will use sunlight pressure to push it away from Earth at speeds up to 35,000 mph. Our model features printed balsa fins, quick-release engine mount and realistic decals simulating solar panels and girder construction. Truly spectacular recovery with giant 24" solar sail 'chute.

## Specifications

Length 39" (100cm)
Diameter .976" (24.8mm)
Weight 2.8 oz. (80 g)
Ship wt. 11 oz.
Recommended Engines


## constella

Skill
Sleekly styled single-stage |
loader, perfect for those ar
cargos. Exotic appearance,
fin tip "landing shocks" gi
it a real "space ship" look.
Great performance for spo
flying. See-through payloa
section, and 12" parachute recovery.
(Decals not included.)
Specifications

Specifications Length 16.2" (41.4cm)

Diameter 0.976' (24.8mm) Weight 1.0 oz.

(28 g) Shipping wt. 5 oz.



## BATTLESTAR THE CILLS

FLYING MODEL ROCKETS

COLONIAL VIPER

Skill level 2

Outstanding sport-scale model of the BATTLESTAR GALACTICA'ST.M.\* primary attack craft. Backbone of Colonial defenses, the Colonial Vipert.M.\* is small, fast, and dead on target when encountering the treacherous Cylon Raiders.T.M.\* This sensational kit is easy-to-assemble with die-cut fins, plastic nose cone, quick-release engine mount, and realistic BATTLESTAR GALACTICAT.M.\*

decals. Can attain altitudes over 600 feet with "C" type rocket engines. The Colonial Viperru\* deploys a 12" recovery parachute for a safe flight and gentle recovery time after time.

Specifications:

Length 11.75" (29.85 cm) Diameter 0.976" (24.81 mm) Fin span 4.625" (11.75 cm) Weight 2.01 oz. (57 g) 12" Parachute

recovery Ship Wt 6 oz.

Cat. No. 1310 Only

\$7.00

Recommended engines: B6-4 (First flight) and C6-5

order time)

Available Now!

Cylon Raider Skill level 3 Available Spring 1979

(Please do not order at this time)

Laser Torpedo™

Skill level 2

Envisioned by Estes designers to be the most powerful weapon carried aloft and deployed by the Colonial Vipertm\* Especially effective against the Cylon's thermal mines placed in various forbidden stellar regions. Our version features futuristically shaped nose cone, die-cut fins, quick-release engine mount, and scale-like laser weapon decals. The Laser Torpedotm\* will reach altitudes over 800 feet with "C" type rocket engine and returns to earth via 12" recovery parachute.

Awesome

scale replica

of the Cylon's

primary attack craft.

quick-release engine

parachute, and special flight probe which removes

easily for display.

Cat. No. 1313

Our model will feature

molded plastic fuselage.

mount, 2-color decal, 18"

## Specifications:

Length 15" (38.1 cm)
Diameter 0.976" (24.8 mm)
Weight 1.06 oz. (30 g)
12" Parachute recovery
Ship Wt. 6 oz.

## Recommended engines:

1/2A6-2, A8-3 (First flight) A8-5 B4-4, B6-4, and C6-5 Cat. No. 1311

Only \$6.00

\*Trademarks of and licensed by Universal City Studios, Inc. ©1978 Universal City Studios, Inc. All Rights Reserved

## Model Rocketry Flight Pak



Features three B6-4 and two C6-5 high performance rocket engines plus parachute recovery wadding and 6 Solar rocket igniters.

> Cat. No. 1319 Only \$4.00



launch control system, plus model rocket engines, parachute recovery wadding, and Solar rocket igniters for 3 exciting flights.

Colonial Vipert M ' is an easy-to-assemble sport-scale model with die-cut fins, quickrelease engine mount, realistic decals and 12" parachute.

Launch Control System features futuristically designed hand-held launch controller with arming lamp, safety key, launch button, and

Flight Pak includes three N.A.R. safety certified model rocket engines, parachute recovery wadding, and high reliability Solar igniters.

Recommended 6 Volt Lantern Batteries: Everready #731 / Ray-O-Vac #918 / Burgess TW-1 N.E.D.A. Type #918

Recommended Engines for Colonial Vipert M.\* B6-4 or C6-5, Ship Wt. 1 lb.

Cat. No. 1318 ..... Only \$16.00

## atellite Interceptor

oned by designers to be operational by 1990, this ultraated interceptor patrols near-space for possible aggression atellites. Highly advanced defense systems include both zer armaments. Kit features include printed balsa fins, exhaust cones, quick-release engine mount, and decals. Flights over 600' with 12" parachute

Bmm)

\$4.00

Advanced concept for NASA Space Station designed for either Earth or lunar orbit. Envisioned as a manned scientific laboratory assembled in space and operational by the year 2000, its multinational crew

Engines, Launch System, and Glue not included.

No. 1235 .... \$3.50

would be resupplied by Earth or perhaps via a lunar colony shuttlecraft. Our version features unique ring/fin stabilization, simulated solar panels and realistic docking shuttlegraft for display (removes quickly for flight). Plus dramatic 3color decal, quick-release engine mount and 12" parachute recov-Specifications 27.75" (70,49cm) Solar Panel 7,4" (18,80cm) Span Ring Diameter 4.0" (101.6mm) 2.19 oz. (62 g) Weight Shipping wt. 11 oz. Recommended Engines B6-4 (First Flight) C6-5 Cat. No. 1288 ..... \$5.00

Realistic Docking

## SKILL LEVEL 3

U.S.S. ATLANTIS

Patrolling the distant outposts of our galaxy are super-fast starships like the USS Atlantis. This multi-mission star cruiser is designed for patrol, escort, transport, and fleet battle operations. Star flight capability is provided by two giant aft propulsion units. The unique, multi-level flight deck allows massive planet-side operations from synchronous or standard planetary orbit. In addition to superior speed and maneuverability, its powerful weaponry enables it to deal single-handedly with most alien vessels. Kit includes colorful decals, die-cut balsa fins, plastic nose cone, and quick-release engine mount. Excellent performance with impressive 12" parachute recovery for flight-after-flight enjoyment.

Specifications

Length 23,3" (59,2cm)
Diameter 0.976" (24,8mm)
Weight 1.86 oz. (52.7 g)
Shipping wt. 11 oz.

Recommended Engines

## Andromeda

Skill Level 3
Designed for journeys to distant planets this incredible "starship of the future" will be an outstanding addition to your model rocket collection.
Performing interplanetary missions within the galaxy, our engineer's conception of the actual ship features simulated hybrid fission-ion propulsion engines, forward crew module and colorful mission decor. This beauty is over 43" long and represents a unique entry to our own Starship Fleet. Kit features in-

clude die-cut parts, highly detailed

decals, and quick-release engine

mount. Andromeda's flights are of

course most spectacular, especially

with giant 18" parachute recovery.

Specifications

Diameter 0.736" (18.7mm)
Fin Span 11.8" (30.1cm)
Weight 3.0 oz. (85 g)
Ship wt. 11 oz.
Recommended Engines
B6-4 (First Flight) C6-5
Cat. No. 1273 \$7.00

INVADER

Skill Level 3

By computer enhancement of declassified portion of sensor readings, Estes engineers have produced a replica of the Alien Invader spacecraft, Available data indicates alien spacecraft capable of limited atmospheric operations, Precise crew complement,

internal features, and weaponry not determined from sensor data. Your model includes a plastic forward command hull, engine-engineering section, and outboard atmospheric propulsion units. Kit is complete with die-cut balsa parts, quick-release engine

mount, 12" 'chute, and unusual battle insignia decals.

Specifications

Length 20.5" (52cm)
Diameter 0.976" (24.8mm)
Weight 1.62 oz. (46 g)

Shipping wt. 8 oz. Recommended Engines

1/2A6-2 A8-3 (First Flight) 84-4 B6-4 C6-5

Cat. No. 1281 \$4.50

**E**NTERCEPTOR

Skill Level 3
Futuristic version of real interplanetary interceptor. Deep space exotic design makes it the pride of any modeler. Delivers excellent performance for really sensational flights. Dramatic 18" parachute recovery, two big sheets of four color decals, and quick-release engine mount. Plus all die-cut balsa parts and detailed plastic nose cone, wing pods and tail cone.

Specifications

Length 26" (66cm)

Wing Span 7.4" (18.8cm)
Diameter 1.325" (33.6mm)

Weight 3.85 oz. (109 g) Shipping wt. 12 oz.

Recommended Engines

84-2 86-4 (First Flight) C6-5

Cat. No. 1250 ......\$8.00

Replacement Plastic Parts Kit

/Includes nose cone, 2 wing pods and tail cone. Cat. No. 45010 \$2.75

Engines, Launch System, and Glue not included.



1/2A6-2 (First Flight) A8-3 B6-4 C6-5 \$ 2.50





## **AERODEE 300**

Another great kit for your first or second scale model. Originally developed in 1947, the Aerobee performed heavy duty upper-atmosphere research during the International Geophysical Year 1957 - 58. The real rocket has recorded peak altitudes of 260 miles above the earth. Our smaller version features authentic scale decals, balsa detailing and 12" 'chute: 1/15th

Length 20" (50.8cm) Diameter 0.976" (24.8cm) Weight 0.9 oz. (26 g) Shipping wt. 14 oz. Recommended Engines 1/2A6-2 A8-3 (First Flight)

Cat. No. 1217 .... \$4.00

1/24th Scale

The Scout is a four-stage, solidpropellant launch vehicle used for a variety of space missions including orbital, probe and re-entry by the United States and an impressive list of European nations. Since its first mission in 1960. Scout has been the launch vehicle for more than 90 missions, holding the record for consecutive successes among all NASA launch vehicles. We have chosen to scale the Italia version, known for its Uhura satellite which discovered the existence of "black holes" in space. This model is extremely detailed with many plastic parts and realistically decored with 2-color decals. Other features include molded plastic fins and adapter

covery. Specifications Length 36.09" (91.67cm) Diameter 1.637" (41.58mm)

Weight 3.85 oz. (109 g) Shipping wt. 11 oz. Recommended Engines

C6-5 Cat. No. 1287

\$7.00

sections, quick-release engine

mount and big 18" parachute re-

Beautifully detailed, 1/24th scale flying model, of the famous U.S.A.F. surface-to-air interceptor missile. Our scale replica features authentic four-color decals, die-cut balsa fins, plastic nose cone and quick-release engine mount. Great performance too with dramatic 18" parachute recovery;

23" (58.4cm) 1.325" (33.6mm) 9" (22.9cm) 3.5 oz. (99 q)

Recommended Engines

LTV Scout Replacement Plastic Parts Kit. Cat. No. 32473 \$2.75

Engines, Launch System, and Glue not included.



Model Rocketry's First Scale Dramatic 1/162nd scale reproduction of America's newest space vehicle. Designed as a reuseable near space transportation system, tests of the real thing have been taking place for several months. This semi-scale orbiter employs glide recovery just like the real thing while boosters and external tank return via 18" parachute recovery. Our model features special stabilizer fins for atmospheric flight which remove easily for display. Kit SYSTEM! Space Shuttle and Booster Rockets separate in space! Boosters return to earth via giant 18" recover 'chute, while orbiter



Only a gleam in the eye of NASA, but it's flying for Estes rocketeers right now! Astonishingly realistic recovery system where engine booster system returns to Earth via huge 18" multi-colored parachute, and interplanetary vehicle glides home. Long and sleek, developed for both orbital and near-space missions, rocket with transport vehicle piggy-backed go straight up, then separate at apages for spectacular dual recovery, Includes realistic 3-color decals.

TRANSPORT SHIP

23" (58.4cm) Length Diameter 0,976" (24.8mm) Wing Span 7.9" (20cm) 2 oz. (57 g) Weight

RE-ENTRY VEHICLE

Length 8.6" (21.8cm) 0.736" (18.7mm) Diameter 5" (12.7cm) Wing Span 0.5 oz. (14 g) Weight

16 oz. Shipping wt. Recommended Engines B6-2 B6-4 (First Flight)

C6-5

Cat. No. 1242 \$6.00

## HONEST JOHN

Highly detailed version of U. S. Army's surface-to-surface ballistic missile, Many small parts and authentic decals for a really good looking 1/24th scale model. Gives an excellent challenge to the experienced rocketeer. Dramatic flights with 12" parachute recovery.

Specifications

13.75" (35cm) Length Diameter 0.976" (24.8mm)

Weight Shipping wt. 7 oz.

1.2 oz. (34 g)

Recommended Engines 1/2A6-2 A8-3 (First Flight) B4-4 B6-4 C6-5

MARS SNOOPER II

Skill Level 4

Looks like a real space ship. Futuristic decor, advanced styling, and simulated touchdown pads gives it a real science-fiction appearance. Eye-catching flights with big 18" parachute recovery. Includes die-cut parts, kit decals, and quick-release engine mount Recommended Engines

Specifications Length

Diameter

Weight

22.3" (56.5cm) 0.976" (24.8mm) 2.3 oz. (66 g) Shipping wt. 8 oz. A8-3 (First flight) B4-2 B6-4 C6-5 Cat. No. 1220 ...... \$6.00

Skill Level 4

Accurately detailed, our flying scale cruiser has been modified to permit atmospheric operations. Kit includes ac-

curately detailed molded plastic and die-cut parts, Klingon warship insignia, quick release engine mount and colorful orange and white canopy 'chute.

Specifications

Length 15.1" (38.4cm) Wing Span 8,9" (22,6cm) Weight 2.5 oz. (70 g) Shipping wt, 12 oz. Recommended Engines B4-2 (First flight) B6-4 C6-5

Skill Level 4

Cat. No. 1274 ..... \$8.00

Scaled from official STAR TREK drawings, our model starship has been modified for operations within planetary atmospheres. A parachute recovery probe attaches quickly for flight and removes easily for display. Other kit features include highly detailed molded plastic and die-cut parts, authentic decals, quick-release engine mount and 18" recovery parachute.

© 1975 Paramount Pictures Corporation

Engines, Launch System, and Glue not included.

Specifications Display Length 16.8" (42,6cm) Recovery Probe Length 25.9" (65.8cm) Primary Hull Dia. 7.5" (19cm) Weight 3.8 oz. (110 g) Shipping wt. 16 oz.

Recommended Engines B6-2 (First flight) C6-3 Cat. No. 1275

\$9.00





## Flying Rockets Over 3-Feet Tall //PXI-BRUTES!

## Alpha SKILL LEVEL 2

Giant scale version of our most popular rocket, the Alpha, Great for demonstrations with slow realistic lift-off and dramatic 24" parechute recovery. Flights up to 500 feet with "D" engine. Comes with die-cut balsa fins, molded plastic nose cone, quick-release engine mount and huge decals. Assembles in approximately 30 minutes. Recommended for 3/16" launch rod.

Specifications Length 33.2" (84.33cm) Diameter 2.6" (66.04mm) Weight 6.17 oz. (175 g) Ship. wt. 16 oz. Recommended Engine

Cat. No. 1291 . . . . . . . \$9.00

## German V-2

This giant scale model is a replica of the ground-to-ground ballistic missile developed at Peenemunde before and during World War II. This 1/19th scale Maxi-Brute features "D" engine power, detailed plastic nose cone, dual 24" parachute recovery and pre-shaped fins. Nose cone fits BT-101 tube. Model requires 3/16" launch rod for best lift-off performance. This historic reproduction will be the attention-getter at your launch site, and a handsome display model for your desk or bookshelf. Historical background is also included with instructions.

Specifications
Length 33.5" (85cm)
Diameter 3.938" (100mm)
Weight 12.5 oz. (354.38 g)
Shipping wt. 2 lbs.
Recommended Engine
D12-3
Cat. No. 1267 ... \$18.95

INE PRET 3

## **HONEST JOHN**

Skill Level 3

1/9th scale model of the famous U.S.
Army surface-to-surface, supersonic ballistic missile, one of the mainstays of the Army's atomic weapons capability. This new, highly detailed model uses a single "D" engine for power and comes with pre-shaped, accurately scaled fins and molded plastic nose cone. Spectacular recovery with giant, dual 24" orange and white canopy chures. Great for demonstrations and perfect as an impressive display model.
A 3/16" launch rod is recommended for best lift-off results.

Specifications
Length 37" (94cm)
Diameter 2.6" (66mm)
Weight 14 oz. (397 g)
Shipping wt. 2 lbs.
Recommended Engine

D12-3 Cat. No. 1269 \$18.95

## PERSHING-1/

Skill Level 3

SKILL LEVEL B

This Maxi-Brute is a true scale model of the U.S. Army's surface-to-surface ballistic missile produced by Martin-Marietta and deployed with NATO units in Europe, Our 1/10 scale model is "D" engine powered with three color decals, preshaped fins, detailed molded plastic nose cone, and dual 24" parachute recovery. A 3/16" launch rod should be used for best lift-off results. The unusual fin configuration of this model makes it one of the most unique scale models ever to be offered. Additional historical background data is also included. Specifications

Specifications
Length 41" (104.14cm)
Diameter 3.938" (100mm)
Weight 11.5 oz. (326.03 g)
Shipping wt. 2 lbs.
Recommended Engine

D12-3 Cat. No. 1268 \$18.95





## ESTES MODEL ROCKET ENGINES

Reliability-proven in over 135 Million launchings!

Quality-Tested for High Performance Flights!!


The finest engine made .... you can depend on it .... for every flight application!!!

The design and development of the Estes model rocket engine was the real beginning of the safe, educational and exciting hobby that model rocketry has become.

Today's modern rocket engine is the result of over 20 years of engineering efforts at Estes Industries. Consequently, today's rocketeer has dependable, safety-proven engines for his use.

The energy-packed, solid propellant Estes model rocket engine is a complete power system for your rocket. It is designed and pre-manufactured to perform all power functions for dependable launch and activation of a recovery system. In one compact package it provides thrust for quick lift-off and acceleration to high altitudes, allows for a timed delay period to reach peak altitude while delivering a smoke trail for easy tracking and supplies ejection power for the parachute or other system for your rocket's safe return to earth.

Reliability-proven in over 135 million launchings. Estes engines are manufactured under controlled conditions within exacting tolerance limits. You can count on them for consistent performance from one launch to the next, You'll launch with confidence in all your model rocketry activities.



Educational
See-Thru
Rocket with
Recovery
System,
Parachute,
Wadding,
Engine
Mount, and
Cut-Away
Engine!

## PHANTOM

Perfect static demonstration model for workshops and presentations. Shows all internal components of a model rocket plus special cut-away version of C6-5 model rocket engine. Ideal for displays and exhibits.

Length 12.6" (32.0cm)
Body Dia. 0.976" (24.8mm)
Weight 1.35 oz. (38.3 g)
Shipping wt. 3 oz.
Cat. No. 1207 . \$3.50



## ROCKET ENGINE SELECTION CHART

Cat. No.	Engine Type	Prices 2 for	Total Impulse	Time Delay 15,1500	Liff	Max. Threat	Thrust Duration		that ight G	Prope We Oz.	
SINGL	E STAG	E ENGIN	ES		GF	REEN	LABEL				
1593 1598 1601 1602 1605 1606 1609 1613 1614	AB-3 3 B4-2 3 B4-4 3 B6-2 3 B6-4 3 B14-5*3 C6-3 3	for \$1.65 for \$1.75 for \$1.85 for \$1.85 for \$1.85 for \$1.85 for \$1.85 for \$2.05 for \$2.05 for \$2.05	0.56 2.50 1.12 5.00 1.12 5.00 1.12 5.00 1.12 5.00 1.12 5.00 1.12 5.00 2.25 10.00	3 sec. 2 sec. 4 sec. 2 sec. 4 sec. 5 sec. 3 sec.	2.5 oz. 4.0 oz. 4.0 oz. 3.5 oz. 4.5 oz. 4.0 oz. 4.0 oz. 4.0 oz.	48 oz. 48 oz. 48 oz. 48 oz. 48 oz. 7 lb. 48 oz.	0.20 sec. 0.32 sec. 1.20 sec. 1.20 sec. 0.83 sec. 0.83 sec. 0.35 sec. 1.70 sec. 1.70 sec.	0.57 0.70 0.74 0.68 0.71 0.69 0.88	15.0 16.2 19.8 21.0 19.3 20.1 19.6 24.9 25.8	0.055 0.110 0.294 0.294 0.220 0.220 0.220 0.440 0.440	1.56 3.12 8.33 8.33 6.24 6.24 6.24 12.48 12.48
UPPER	STAGE	ENGINE	SO	PL	IRPLE	ORE	BLUE LA	ABEL		ST III	
1594 1599 1604 1607 1611 1615	86-0 3 814-713	for \$1,65 for \$1,75 for \$1,85 for \$2,05 for \$2,05	0.56 2.90 1.12 5.00 1.12 5.00 1.12 5.00	5 sec. 6 sec. 7 tes.	2,5 04	48 mz. 48 mz. 49 mz. 7 m;		0.67 0.78 0.78 0.73	17.6 22.1 22.1 20.7	0.055 0.110 0.294 0.220 0.220 0.440	EZA
BOOST	ER ENG	INES			R	ED LA	BEL				
1595 1600 1608	A8-0 3 86-0 3	for \$1.65 for \$1.75 for \$1.85	0,56 2.50 1.12 5.00	none	4.0 oz. 4.0 oz.	46 oz 48 oz 48 oz	0.18 sec. 0.30 sec 0.80 sec	0.51	14.2	0.055 0.110 0.220	1 56 3.12 6.24

Complete instructions and rocket igniters are included with each package of Estes model rocket envires.

\*Series II engines have core-burning grain with large propellant burning area

for high initial thrust with short thrust duration

All engines lixted on this page are 2.75 in: [6.99cm] long and 0.690 in: [1.75cm] dia.

Shipping weight of each package of engines is approximately 4 or

## -IMPORTANT-IMPORTANT-IMPORTANT-

C6-0 3 for \$2.05 2.25 10.00 none 4.0 or 48 or 1.68 sec 0.80 22.7 0.440 12.48

All the rockets shown in this catalog can be flown over and over again. Simply replace the engine, igniter, and recovery wadding for each new flight.



ASTRON IGNITERS: Easy to use for reliable ignition every time. Recommended for launch systems using 6 to 12 volt carbatteries or 12 volt lantern batteries. Installation procedure featured on engine instructions. (Patent No. 3,363,559). Shipping weight 1 oz. Not recommended for Solar Launch Controller or Big Foot Launch Systems.

Cat. No. 2225 . . . . . 6 for \$ .70



SOLAR IGNITERS: Add increased reliability at lift-off with Estes "high performance" Solar Igniters. This uprated igniter is designed especially for the Solar Launch Control System (#2208). Features easy engine installation and is suitable for all Estes launch control systems. Unique four-element design makes it the most dependable igniter made. Shipping weight 1 oz.

Cat. No. 2301 . . . . . . 6 for \$ .70



## MINI-ENGINE SELECTION CHART

Cat. No.	Engine		Total Impulse n-sec()n-sec())				Thrust Duration	Weign Dr. (		Welly	thit C	
SINGL	E STAG	E ENGINE	ES				III E			+ 1		
	1/2 A3-2T A3-2T A3-4T	4 for \$1.75 4 for \$1.85 4 for \$1.95 4 for \$1.95 4 for \$1.95	0.28 1.25 0.56 2.50 0.56 2.50	2 sec. 2 sec. 2 sec. 4 sec. 3 sec.	2 02. 3 02. 2 02.	23 oz. 28 oz. 28 oz. 28 oz. 48 oz.	0.18 sec. 0.36 sec. 0.86 sec. 0.86 sec. 0.26 sec.	0.198 0.254 0.268	5.6 7.2 7.6	0.031 0.062 0.124 0.124 0.133	0.88 1.75 3.50 3.50 3.78	
UPPER	RSTAGE	ENGINE	S3	119					4	, U. A.		
		4 for \$1.75										

## BOOSTER ENGINES

1505	1/2 A3-0T	4 for \$1,850.28	1,25	none	2 02.	28 02.	0.36 sec.	0.166	4.7	0.082	1.75
1509	A3-0T	4 for \$1,950.56	2.50	none	3 02.	28 oz	0.88 see.	0.226	6.4	0.124	
1510	A10-0T	4 for \$1,950.56	2.50	tione	5 02.	48 oz.	0.26 sec-	0.235	6.7	0.133	3.70

Mini-Engines are 1.75 in: 14.45cml long and .500 in: 11.27cml dia. Shipping weight of each package of mini-engines is approximately 2-1/2-oz.



## MIGHTY "D" ENGINES

Recommended Only for Experienced Rocketeers!

With the advancement of model rocketry to bigger birds, larger payloads, and higher altitude demands, Estes Industries has developed the "D" engine (Series IV). The Estes "D" provides twice the power of the largest Series I engine. It's the first dependable "D" engine to provide the consistent high-thrust and total impulse levels necessary for peak performance in its class.

Cat. No.	Engine Type		Total impulse Ils-sec@n-sec@	Delay					fit	Wali Oz.	gfist	
SINGLE	ESTAGE	ENGIN	IES	18	1117	7.11%		1178	No.	31	ne v	
1666			0 4.48 20.0		14 oz.		1,50 sec.					

## UPPER STAGE ENGINES®

1658 0127 3 for \$3.50 48 20.0 7 arc (6.0). 18 in. 1.50 arc. 1.50 44.0 0.879 14.50

## BOOSTER ENGINES

55 D12-0-3 for \$3,50 4.48 20.0 none 14 oz. 9 to 1.48 sec. 1.44 40.9 0.879 24.93

RECOVERY WADDING: Provides protection from hot ejection gases for parachutes and streamers. Each package contains approximately 75—4-1/2" squares enough wadding for up to 25 flights. Instructions for installation are included in each package. Shipping weight 6 oz.

Cat. No. 2274 \$85

"D" engines are 2.75 in. (6.99cm) long and 0.945 in (2.40cm) dia

Shipping weight of each package of "D" engines is ap

## NOTES:

Pound - seconds (Figures shown are maximum.)

with each package of Estes model rocket engines.

- Newton seconds (Figures shown are maximum.).
- (3) Or Single Stage Engine if used in very light rocket.

1616



## Astron Launch Control System

52

Newly redesigned Launch Controller features futuristic design and provides greater reliability with simplified assembly. Bright orange plastic controller gives realistic ignition system appearance. Recommended for 6 or 12 volt power sources. Perfect Launch Controller for your 12 volt car battery. No need to remove battery from car, simply connect launch system's battery clips to terminals. Features include arming lamp, safety key, launch button, battery clips, micro-clips, and 18 feet of launch cable. Shipping weight 12 oz.



## SOLAR LAUNCH CONTROLLER MODEL ROCKETRY'S MOST ADVANCED LAUNCH SYSTEM The Solar Launch Control System should be standard equipment in your range box. This futuristically designed launch control unit requires only 4 alkaline pen light batteries for power. Advanced shape allows for perfect hand held control. Unit is easily assembled in minutes and features safety key, continuity check lamp, ignition button, and 15 feet of lightweight launch cable. System is constructed of durable 'non-breakable" plastic, Micro-clips are presoldered. Use with Estes Solar Igniters (#2301), (Batteries not in-Length 6.13" (15.57cm) Height 2.38" (6.05cm) weight (with batteries) 7 oz. (199 g) Shipping weight 8 oz. Caf. No. 2300 . . . \$7.00 PORTA-PAD

PLASTIC LAUNCH PAD

Space-age designed, the Porta-Pad is rugged enough to take the stress of countless launchings, even with the big Estes "D" engines, yet is lightweight and compact enough for easy carrying and storage. Strong, girder construction. Orange plastic legs snap off for storage in range box. Friction grip secures rod firmly (accommodates standard 1/8' rod (#2235) or heavy-duty 3/16" Maxi-rod (#2239). Tilt adjustment allows you to compensate. for wind.

For extra versatility, Porta-pad can be adapted for rail launchings with Estes "C' Rail (#2250). Shipping weight is 1 lb.

Cat. No. 2217 ...... \$6.00

## TILT-A-PAD

**WOODEN LAUNCH PAD** 

This flexible launcher gives you ideal launch control and convanience. Hardwood construction for durability. Adjusts to fit uneven ground. Tilts to compensate for wind direction and speed. Legs fold down for compact storage. Comes in easy to assemble kit form with complete instructions.

Shipping weight 2 lb.

The Solar Launch Controller (#2300) or the Astron Launch Control System. (#2212) are the recommended launch systems for use with the Tilt-A Pad or Porta-Pad.


Rockets Not Included




## ESTES LAUNCH SUPPLIES




1/8" DIA. TWO-PIECE LAUNCH ROD: Handy collapsible two-piece rod for portable launchers. Pieces slip together to make a 36" long rod. Base rod has a diameter of 1/8". Shipping weight 6 oz. Cat. No. 2234 . . . . \$ .95







3/16" DIA. MAXI-ROD: Perfect for launching Maxi-Brutes (German V-2, Pershing 1-A. Honest John and "new" Maxi-Alpha). Fits Porta-Pad Tripod (#2217). Two-piece construction. 36" long, lightweight aluminum launch rod. Collapsible for easy storage. Ship, wt. 12 oz. Cat. No. 2239 . . . . \$1.90











BLAST DEFLECTOR PLATE: Slipon metal deflector plate fits any launcher using 1/8" rod, protects launcher base from rocket blast, Four-inch diameter. Shipping weight 5 oz. Cat. No. 2241 .... \$ .95



DELUXE BLAST DEFLECTOR: Durable pressed steel plate deflects engine blast outward away from launcher.

Ship, wt. 5 oz. Cat. No. 2240 . . . . \$1.00



SWIVEL ASSEMBLY: Provides 3600 rotation and full tilt adjustment, yet locks in selected position. Handles 1/8" rod, 3/16" rod, and Crail. Ship. wt. 3/4 oz. Cat. No. 2219 . . . . \$2.25



MICRO-CLIPS: Equip your launcher with the best. Spring-loaded solid steel clips connect lead wires to igniters. Easy-to-clean and highly conductive with flat contact surfaces. Only 1.1 inches long, attach to leads with or without solder.

Shipping weight 1 oz. Cat. No. 2247 2 for \$ .70



BATTERY CLIPS: Hook-up to car batteries. Heavy-duty clips connect to terminals up to 1" in dia. With insulators. Ship. wt. 5 oz.

Cat. No. 2245 2 for \$1,50



NICHROME WIRE: Model rocket ignition wire, No. 30 recommended for use with car batteries, No. 32 for use with other power supplies. No. 30, 15-Foot Roll: Cat. No. 2228 . . . . \$ .85 No. 32, 15-Foot Roll: Cat. No. 2229 . . . . \$1.00



UNIVERSAL SAFETY KEY: Replacement safety interlock key for all Estes Launch Control Systems except Ready-To-Fly kits #0701 and #0715. Cat. No. 38101 . . . . \$ .35



## ASSEMBLING FIXTURE:

· Position and Glue Fins Quickly and Easily

• Fits Body Tubes up to BT-70

Designed for either 3 or 4 finned rockets

• Aligns fins at 90° or 120° to each other

· Heavy duty metal construction

· Completely adjustable Cat. No. 2713 . . . . . ONLY \$8.95



ESTES: TRACKING EQUIPMENT

## PREDICTED ALTITUDE COMPUTER The Estes Pocket

Size Altitude Computer enables any rocketeer to predict his model rocket's altitude in a matter of seconds, Just move the center slide in a simple procedure for fast accurate results. Three color calculator comes complete with instructions. Ship, wt. 3 oz. 



Find out how high your rocket went with this Altiscope! Comes in kit form complete with instructions, trig tables, technical report TR-3 on altitude tracking and 2-D altitude computer. Patent No. 3,208,147, Ship, wt.

20 oz. Cat. No. 1415 . . . . \$7.95





## RECOVERY SUPPLIES



PARACHUTE KITS: Get the best in parachute recovery! Two-color printed plastic 'chutes give maximum visibility - feature easy-to-see pattern. Lightweight, durable, and easily folded. These 'chutes are only 0.0075" thick, allowing the most material to be packed into the least body space. Each kit comes complete with 'chute material, tape strips, and shroud lines. Shipping weight 2 oz.

Cat.	Description	Parachute Diameter	Net Weight	Price Each
2261	PK-8	8 inches	.035 oz.	\$ .70
2264	PK-12	12 inches	.078 oz.	\$ .75
2267	PK-18	18 inches	.144 oz.	\$ .80
2271	PK-24	24 inches	298 oz.	\$1.00



LAUNCH ROD SAFETY CAP with UNIVERSAL SAFETY KEY

for Launch Pad Safety!

Ship wt. 4 oz. Cat. No. 2205

Only 50¢ 55



## RECOVERY SUPPLIES



width when ordering. Shipping weight 1 oz. 1/8" wide: Net wt. 0.039 oz. Cat. No. 2276 \$ .35 1/4" wide: Net wt. 0.078 oz., Cat. No. 2277

Also 36" long for greater stretch on those larger birds. 1/8" wide: Net wt. 0.078 oz... Cat. No. 85744 . . . . \$ .40



SCREW EYES: Specify size when ordering. Shipping weight for 6 eyes, 1 oz. LARGE EYE: 1" long: .04 oz. Cat. No. 2280 . . 6 for \$ .65 SMALL EYE: 3/4" long; .03 oz. Cat. No. 2283 . . 6 for \$ .65 EXTRA SMALL EYE: 5/8" long; .01 oz. Cat. No. 2281 . . 6 for \$ .65



STREAMER MATERIAL: Bright orange, flame-resistant crepe paper streamers. In 71/2-foot lengths, enough for two to eight streamers. Specify size when ordering. Ship-

ping weight 1 oz. 1" wide - Net wt. .092 oz. Cat. No. 2341 6 for \$1.50 2" wide - Net wt. .184 oz. Cat. No. 2343 6 for \$1.50



TAPE DISCS: Fasten shroud lines to plastic parachutes or streamers with these 3/4" pressure sensitive Tape Discs. In sheets of 6 discs. Shipping weight 1 oz. Cat. No. 2294 4 sheets of 6 for \$ .80

ESTES TECHNICAL REPORTS

ROCKET STABILITY - TR-1

Cat. No. 84721 . . . . . \$ .50

ALTITUDE TRACKING - TR-3

Cat. No. 84723 . . . . . . \$ .50

Cat. No. 2820 . . . . . . \$ .75

Cat. No. 2831 . . . . . . \$ .75

PROJECTS IN MODEL

SPECIAL PUBLICATIONS



SHROUD LINES: Build reliable, durable, custom parachutes with this strong, hard surface shroud line cord.

Comes in 70 yard spools. Shipping weight 5 oz. Cat. No. 2340 ..... \$ .85



TAPE STRIPS: For top strength, low bulk and low weight, fasten shroud lines with these 1/4" x 3/4" tape strips, in sheets of 12 strips. Shipping weight 1 oz. Cat. No. 38412



6 sheets of 12 for \$ .90

SNAP SWIVELS: For quick changes and reduced tangling in your recovery systems, use these tiny 1" long snap swivels. Net weight .01 oz. Shipping weight for 12 swivels, 1 Cat. No. 2292 . 12 for \$1.25



Ideal parts assortment for the creative rocketeer. Develop your own R & D Program. Over 75 pieces at an excellent savings!

Body Tubes 2 BT-5 2 BT-20 BT-50 BT-55

Recovery Equipment 3 Shock Cord 1/8"X18" Shock Cord 1/8"X36" Shock Cord 1/4"X36" Streamer Material 1"X30"

6 Screw Eyes

Nose Cones

BNC-5E BNC-5S BNC-20B BNC-20R PNC-50K PNC-50Y PNC-55AC

Fin Material 2 BFS-20 BFS-30 2 BFS-40

PNC-60L

Parachutes 1 PK-8 PK-12

PK-18 1 PK-24

Miscellaneous 3 Engine Blocks (EB-20A) 3 Engine Holders (EH-3) 3 Engine Holders (EH-2) Engine Mount (EH-2050) 1 Engine Mount (EH-2060) Nose Block (NB-20) Nose Block (NB-50) Stage Coupler (JT-55C) Stage Coupler (JT-60C)

Balsa Adapter (TA-2050A) 1 Multi-Purpose Paper Adapter Set (TA-1) 12 Launch Lugs (2-3/8"

Long 1 Alpha Book of Model Rocketry

Fin Pattern Sheet No. 2 1 Fin Pattern Sheet No. 3

## Perfect for vour monster size designs. Made of lightweight plastic and fits BT-101

body tubes.

Ship wt. 12 oz.

Cat. No. 71050

Weight 3.6 oz. (102 g)

MODEL ROCKETRY STUDY GUIDE - TR-8 Cat. No. 84728 . . . . . \$1.00 ALTITUDE PREDICTION CHARTS - TR-10 Cat. No. 84730 . . . . . . \$1.50 AERODYNAMIC DRAG OF MODEL ROCKETS - TR-11 Cat. No. 84731 . . . . . . \$1.50 THE ALPHA BOOK OF MODEL ROCKETRY

ROCKETRY

ESTES MODEL ROCKET CONTEST GUIDE Cat. No. 2815 ..... \$ .75 AEROSPACE EDUCATION AND MODEL ROCKETRY Cat. No. 2816 . . . . . . . \$1.50 (Single copies free to educators requesting it on school stationery.) **ESTES GUIDE FOR** AEROSPACE CLUBS Cat. No. 2817 . . . . . . . . . \$ .75

MODEL ROCKET LAUNCH

SPACE AGE TECHNOLOGY

Cat. No. 2813 . . . . . . \$1.50

A "Teacher's" Manual (Cat.

No. 2823) is available to

educators for \$1.50

Cat. No. 2811 . . . . . . \$ .50

SYSTEMS

Cat. No. 1463 Only \$14.95

Length 12.5" (30.6cm) Only



## Create your own award

## YOUR DESIGN COULD

WIN YOU A \$75 MERCHANDISE CERTIFICATE

Have an idea for an original design? Enter our Design of the Month competition today. Your design could be published in an issue of Model Rocket News, plus win you \$75,00 in Free merchandise from this catalog. Simply follow the rules below. Keep those entries coming, and maybe you'll be our next winner!!


## DESIGN OF THE MONTH RULES

- 1. All entries become the property of Estes Industries and cannot be returned.
- 2. Employees of Estes Industries and members of their immediate families are not eligible.
- 3. Any type of model rocketry design can be entered (rockets, boost-gliders, launching or recovery devices, etc.).
- 4. Designs should be new, original, and different, but they also need to be workable. The goal is to develop something new that other rocket eers can build and use successfully, too.
- 5. Entries will be judged on practicality, originality, neatness, completeness, and clarity, Plans do not have to be flight tested and proven. However, a proven design is more apt to win.
- Your design entry should include a parts list and any instructions or diagrams you feel would be helpful.
- Please do not send the actual model as it cannot be returned.
- Photos of entries are greatly appreciated, but are not required.
- You may send as many entries as you like.
- 10. New contest every month.
- 11. All designs reaching Estes Industries during the calendar month will be entered in that month's competition. (Date of receipt, not postmark, will determine the month in which a design will be entered.)
- 12. If two or more exceptional entries are received during any month, the judges may, at their discretion, make identical first-place awards or give additional honorable mentions.
- 13. Designs should be sent to the Design of the Month Editor, Estes Industries, Inc., Penrose, Colorado 81240. However, all plans sent to us which are not specifically addressed to another contest or department will be automatically placed in the Design of the Month Competition.
- 14. Each month the designer of the winning entry will receive a certificate entitling him to \$75,00 in merchandise and an award certificate suitable for framing. Award winners will be notified by mail.

# ninder me

ENTER THE DESIGN OF THE MONTH CONTEST

## **Build Your Own Design** With Estes Quality **Model Rocket Parts**



Once you have constructed several model rocket kits and have become familiar with the basic Estes Technical Reports you will no doubt have a variety of ideas for unique designs of your own. In order to select the proper parts for your original design it is important for you to understand our system of parts description numbers.

Nearly all matching Estes parts have the same series description number. Those which do not feature an additional explanation as to where they can be used. Normally, parts listing the same series description number will be interchangeable with each other. For instance, a #20 body tube (BT-20) would mate with a #20A balsa nose cone (BNC-20A), a #20C payload section (PS-20C), or a #20B engine block (EB-20B), Further, a #2060 tube adapter (TA-2060) will adapt a BT-20 to a BT-60, and a #5055 centering ring (AR-5055) will center a BT-50 within a BT-55. By using balsa or paper adapters almost any combinetion of parts can be joined together. For ordering, be sure to use both the catalog number and the series description number (name).

## CONSTRUCTION SUPPLIES

MAXI-ROD LAUNCH LUG: 2" long fits 3/16" dia. rod. Cat. No. 2328 4 for \$ .65

LAUNCH LUGS: Superstrength laminated launch lugs feature mylar plastic core for durability, paper outer layer for easy gluing. Inside diameter 5/32", fit 1/8" rod. Ship wt. 1 oz.

1-1/4" long: Cat. No. 2321 12 for \$ .80 2-3/8" long:

1/12"x12" Cat. No. 32058 8 for \$ .60 COMPETITION PAYLOAD: How high can your rocket lift an ounce of lead? This 1 oz.

DOWELS: Extra strong,

lightweight, seasoned maple

dowels, Ship, wt. 5 oz.

Cat. No. 32056 8 for \$ .60

1/8"x18"

Cat. No. 2322 10 for \$ .90

payload weight, 3/4" in diameter, is certified for NAR competition, Ship wt. 2 oz. Cat. No. 38292 2 for \$1.25

ENGINE HOLDER: Flat spring steel design gives easy installation and low drag, Recommended for sport and demonstration models built from BT-5, BT-20 and BT-30. For Regular and "D" Engines. Ship wt. 1 oz. Cat. No. 3140 3 for \$1.00

For Mini-Engines.

Ship wt. 1 oz.

Cat. No. 3143 3 for \$ .80

## NOSE BLOCKS



Use these top quality featherweight balsa nose blocks in payload sections and anywhere else a solid bulkhead is required. Precision turned for exact fit in body tubes.

Cat. No.	Description	Price Each	Outside Diameter	Langth	Fits	Weight Net.	in Oz. Ship.
70152	NB-20	\$ .55	.710"	3/4"	BT-20	.014	1 4 4 4
70158	NB-50	\$ .65	.950"	1"	BT-50	.040	
70162	NB-55	\$ .65	1.283"	1-1/4"	BT-55	.115	
70164	NB-60	\$ .80	1.595"	1-1/2"	BT-60	.190	



## **ENGINE BLOCKS**



Used for positioning the engine in the rocket. Provides a hollow bulkhead for the engine to develop thrust against, as well as an opening for gases to pass for normal ejection.

Cat. No.	Description	Price 3 for	Outside Dia.	Inside Dia.	Length	Fits	Weight in Oz. Net. Ship.
3131	EB-20A	3/\$.50	.708"	.65"	1/4"	BT-20	.009 1

## **ENGINE MOUNTS**

Engine Type	Cat. No.	Description	Price	Fits	Net Weight Oz.	Shipping Weight Oz,
For Series I & II Engines – A, B, & C type 0.69" × 2.75"	3150 3151 3152	EH-2050 EH-2055 EH-2060	\$ .80 \$ .80 \$ .80	BT-50 BT-55 BT-60	0.1 0.14 0.17	5 5 5
For Series IV Engines-D type 0.945" x 2.75"	3155	EM-5063	\$1.00	Saturn V	0.4	5
For T Series Mini- Engines .5" x 1.75"	3153	EM-520	\$ .75	BT-20	0.09	5
Special Purpose Quick-Change Conversion Mount —From Series IV Engines to Series I & II Engines	3154	EM-2050	\$ .85	BT-50	0.19	5



## CENTERING RINGS



## AR-2050 CENTERING RINGS


## AR-5055 CENTERING RINGS


## BALSA ADAPTERS



Adapters give flexibility for rocket design. Switch from one size body tube to another for payload capsules, parachute compartments, propulsion sections, etc. Adapters fitting BT-20 can be built-up with masking tape to fit BT-30. Any adapter can be hollowed to make a passage for ejection gases. All adapters have at least 1/2" mating surface on each end.

Cat. No.	Description	Price Each	Mates Tubes	Length	Taper Length	Weigh Net.	t Oz. Ship.
8031 8032 8033 8034 8035 8036 8038 8039	TA-520 TA-550 TA-2055 TA-2060 TA-5055 TA-5060 TA-5560 TA-6070	\$ .70 \$ .75 \$ .85 \$1.50 \$1.00 \$1.90 \$1.00 \$1.75	BT-5 to BT-20 BT-5 to BT-50 BT-20 to BT-55 BT-20 to BT-60 BT-50 to BT-55 BT-50 to BT-60 BT-55 to BT-60 BT-60 to BT-70	1.75" 2.2" 2.5" 3.0" 2.0" 3.0" 2.2" 2.7"	0.75" 1.0" 1.5" 2.0" 1.0" 2.0" 1.0" 1.5"	0.04 0.06 0.22 0.20 0.60 0.23 0.25 0.65	1 4 4 4 4 4 4





For multi-staging, joining body tubes, positioning adapter rings, etc. Make perfect guides for cutting body tubes and sanding cut edges of body tubes, too. Shipping weight for all is 3 oz. each.

	PA
AF	
Щ	5

Cat. No.	Description	Price Each	Outside Diameter	Inside Diameter	Length Fits	Average Weight
3050 3051 3052 3053 3054 3055	JT-5C JT-20C JT-50C JT-55C JT-60C JT-70A	\$ .40 \$ .40 \$ .45 \$ .45 \$ .70	.513" .708" .949" 1.28" 1.59" 2.175"	.455" .650" .920" 1.25" 1.55" 2.115"	3/4" BT-5 3/4" BT-20 1" BT-50 1.3" BT-55 1-1/2" BT-60 1-1/4" BT-70	.020 oz. .027 oz. .051 oz. .088 oz. .124 oz. .140 oz.

## PAPER ADAPTERS




RA-2050 RINGS - 20 rings for centering and mounting BT-20 in BT-50, Shipping weight 2 oz.

RA-2060 RINGS —10 rings for centering and mounting BT-20 in BT-60. Shipping weight 2 oz.



## **BODY TUBES**



## ROCKETEER T-SHIRTS

## Be the first in your area to wear one.

62

Both exciting designs are silk-screened on premium quality, 100% white cotton, polo style, domestic T-shirts. Completely washable! Available in Boy's Sizes 10 - 12 and 14 - 16 and in Men's Sizes small (34 - 36), medium (38 - 40), and large (42 - 44). Be sure to specify size in Product Description on Order Form, Ship wt. 8 oz.



SPACE SHUTTLE T-SHIRT Dramatic Space Shuttle blast-off reproduced in seven blazing colors (Orange, Lime Green, Yellow, Red, Green, Blue, and Black).

Cat. No. 2956 Only \$5.95

## MODEL ROCKETRY T-SHIRT

Far-out mod design identifies you as an active model rocketry enthusiast. Printed in seven fantastic colors (Orange, Lime Green, Magenta, Yellow, Red, Blue, and Black).


Cat. No. 2950 Only \$5.95



## NOSE CONES

Nose cone dimensions listed in columns 1, 2, and 3.

In "Description" column BNC stands for balsa nose cone and PNC for plastic nose cone.



Shape	No.	Cnt. No.	Description	Prior Each	1 D	imensions 2	3	Average Weight	Ship. Weight
BT-5	1 2 3 4	8002 8000 8001 8003	BNC-5V BNC-5E BNC-5S BNC-5W	\$ .65 \$ .65 \$ .65 \$ .80	3/4" 1-3/8" 1-1/2" 2-7/8"	0.541" 0.541" 0.541" 0.541"	1/4" 1/4" 1/4" 1/4"	0.013 oz. 0.020 oz. 0.016 oz. 0.039 oz.	1 oz. 1 oz. 1 oz. 2 oz.
BT-20 7 8 5 6 1 1 1	5 6 7 8	8004 8005 8007 8006	BNC-20A BNC-20B BNC-20R BNC-20N	\$ .55 \$ .70 \$ .80 \$ .85	13/16" 1-11/16" 2-3/4" 2-3/4"	0.736" 0.736" 0.736" 0.736"	1/4" 5/16" 3/8" 1/2"	0.03 oz. 0.05 oz. 0.07 oz. 0.08 oz.	1 oz. 1 oz. 2 oz. 2 oz.
9 10 11 12 9 10 11 12	9 10 10 11 12 12	8008 8009 71008 8010 8011 71009	BNC-50J BNC-50K PNC-50K BNC-50X BNC-50Y PNC-50Y	\$ .80 \$ .90 \$ .75 \$1.00 \$1.25 \$1.10	1-3/8" 2-3/4" 2-3/4" 3-1/4" 4-3/8" 4-3/8"	0.976" 0.976" 0.976" 0.976" 0.976" 0.976"	1/2" 1/2" 1/2" 1/2" 3/8" 3/8"	0.08 oz. 0.13 oz. 0.13 oz. 0.15 oz. 0.16 oz. 0.16 oz.	CO CONTRACTOR
BT-55	13 14 15 16	8012 8014 71070 71075	BNC-55AA BNC-55F PNC-55AC PNC-55AO	\$1.10 \$1.50 \$1.25 \$1.25	3-1/8" 3-7/8" 5-3/8" 5"	1.325" 1.325" 1.325" 1.325"	1/2" 1/2" 3/8" 3/4"	0.15 oz. 0.19 oz. 0.32 oz. 0.43 oz.	4 oz. 4 oz. 6 oz. 4 oz.
BT-60 18	17 18	8020 8021	PNC-60AH	\$1.25 \$2.50	3-1/8" 6-5/8"	1. <b>6</b> 37" 1.637"	5/8" 7/8"	0.34 oz. 1.0 oz.	4 oz. 6 oz.
BT-70 19	19	8019	BNC-70AJ	\$2.75	4-1/4"	2.217"	(911)	0.85 oz.	6 oz.

## FIN STOCK

Top quality balsa sheeting for making fins for model rockets. For maximum strength, grain of wood should follow the leading edge of fin. Read FINS in Vol. 3, No. 3 of the MODEL ROCKET NEWS for more information.



Cat. No.	Description	Price	Dimensions (In Inches)	Weight in Oz. Net. Ship.				
32102 32106 32108 32110 32116 32118	BFS-20 BFS-20L BFS-30 BFS-30L BFS-40 BFS-40L	3 for \$ .70 3 for \$ .85 3 for \$ .75 3 for \$ .90 3 for \$ .85 3 for \$ .95	1/16x3x9 1/16x3x12 3/32x3x9 3/32x3x12 1/8x3x9 1/8x3x12	.130 .173 .150 .200 .200	4 6 4 6 4 6	High Performance High Performance Sport Models Sport Models Cluster Rockets Glider Wings		

		PRODUCT	INDEX				
A		1			T-	U-V	
A 20 Demon Kit	24	LTV Scout Kit	30	TAY			
Adapter, Paper Aerobee 300 Kit Alten Invader Kit	51	Launch Controllers	53	Technical I	Reports	******	56
Alien Invader Kit	35	Launch Rod	Street dates 55	Terax Kit.			22
Alpha Kil.	114	Launch Rod Safety Cap Launch Supplies Little John Kit	52.54				
Alpha III Kit., Alpha III Starter Kit	15	Little John Kit	11	T-Shirts			62
Alpha, Maxi, Kit	46			Tube Adap	ters		63
Altitude Computer		M.		V-2 Maxi N	it		45
Altiscope. Andromeda Kit	34	Mark II Kit	16	Vigilante K	it		29
Antares Kit	17	Mars Lander Kit Mars Snooper II Kit			W	X	
Apagee II Kit Artoo-Detno Kit	88	Mars Snooper II Kit					
Atlantin, U.S.S. Kit	34	Maxi-Briste Nose Cone					28
Avenger Kit	26	Maxi-Brute Nase Cone	45, 46, 47, 48	Wolverine I	St		21
B		Maxi Rod Launch	45	X Ray Kit			15
BFS1	53	Maxi Rod Launch Mean Machine Kit Mercury Redstone Kit	27	X-Wing, Ma	ni Kit	******	31 45
BNC	67	Mercury Redstone Kit		X Wing Sta	ter Outfit .		
Balsa Adapters	62	Micro Clips	1	X-15 Starts	r Outfit		
Balsa Fin Stock	63	Mini Benutc	20				
Balsa Nose Cones	53	Mosquito Kit		BILLINA	FRIC	Λ.	INDEV
Balta Fin Stock Balta Nose Cones Bandir Kit Beginners Kits. 4, 6, 7, 8, 9, 10 Bertha, Mim Kit.	23	N-O		NUN	ERIL	AL	INDEX
Bertha, Mini Kit	18			Linns	Davis	Tanner.	Partie
Beta Kit	20	NB's Nike Ajax Kit	59	Item	Page	Item	Page
Big Foot Leuncher	14	Nike Ajax Kit		0650		1275.	
Black Brant III Kit	28	Nose Blocks	59	0651	23	1276	
Blast Deflector Plate	54	Nose Cones	0.00	0657		1278	
Body Tubes	12	Odyssey Kit	28	0715	1	1279	38
Bomare Kit Bomare, Mini Kit	70	Orman Kit	42			1280	
C	200	Same Manager Manager	Control of the last of the las	0801	18	1282	29
		P		0802	18	1283	34
Centering Rings Challenger-1 Starter Kit				0805	20	1284	41
Cherokee-D Kit	A	Parachutes	55	9806	20	1286	17
Club, Estes Aeruspace	ii.	Paper Adapters	23	0807 0815	19	1287.	
Cobra Kit.	37	Pepasus Kit	20	0816	21	1288.	J3 79
Constellation Kit.	32	Persbing-TA Kit	47	0516	19	1290.	25
Contest, Design	19	Photon Disruptor Kit	28	0819	20	1291	46
Centest, Design	58	Plastic Nose Cones				1292	14
D		Ports-Pad Proton Turpedo Outlit	53	1200		1294	27
Demon, A-20 Kit	24	Figure 1 orpeas Ontil	Dack Coyer	1202	15	1295	
Designs Contest	58	Q-R		1204	15	1295	32
Designer's Special. Desifter Kit.	57	The second second		1205	49	1298.	21
	100	Quesar Kit	16	1208	15	1299.	30
E		Recovery Supplies	52 54	1211	28	PERSON.	48
Ell's	10	Recovery Wadding	50	1212	36	1301	
EM's	90	Red Max Kit	**************************************	1217	39		
Engine Blocks	50	Renegative Kit		1218	16		
Engine Mounts	60	Roque Kit	19	1223	14	1415.	
Engines, Rocket	43			1224	36	1416	
Estes Aerospace Club	2	S		1225		1428	Back Cover
		Safety Code	. Inside Back Cours	1235	32	1422.	10
	-1	Sandhawk Kit		1236	4E		57
Farude Kit.	49	Serot Kit		1238	38		55
FireFly Kit	75	Satellite Interceptur Kit Saturn V Kit	32 48	1241	44	2208	52
G-H		Saturn V Kit		1242	42	2216	
German V-2 Maxi Kit	ii.	Scamp Kit		1246	37	2217	
Goblin Kit	38	Senut Kit	45	1248.	24	7275 7278	
Gyroc Kit	18	Scout, LTV Kit. Screamer Kit. Shrike Kit. Skill Level Chart		1248	23	2230	
Honest John Kit Honest John Mexi Kit	67	Screamer Kit.			36	2241	
7 1000 000		Skill Level Chart		1251	28	2227	
		SRY MOOK KIL		1254	22		
Icarus Kit	17	Sky Raider Kit	25	1256	16	2300	
Igniter, Astron	50	Solar Seiler Kit	41	1258	24		50
Igniters, Solar Interceptor Kit	35	Sprint Kit	36	1265	AD AD	7950	
Invader, Alien Kit	35	Stage Couplers	61	1268.	47		
J-K		Stariab Kit	47	1269	47	71950.	
		Star Trek Startet Kit		1270,	23		
JT's Javelin Kit		Starter Kitt	4, 6, 7, 8, 9, 10, 66	1273	- 34		
Klingon Kit	43	Streak Kit	19	1274	43		
The state of the s		-					



1. Construction - My model rockets will be made of lightweight materials such as paper, wood, plastic and rubber, without any metal as structural parts.

- 2. Engines I will use only pre-loaded factory made model rocket engines in the manner recommended by the manufacturer. I will not change in any way nor attempt to reload these engines.
- Recovery I will always use a recovery system in my model rockets that will return them safely to the ground so that they may be flown again.
- Weight Limits My model rocket will weigh no more than 453 grams (16 ozs.) at lift-off, and the engines will contain no more than 113 grams (4 ozs.) of propellant.
- 5. Stability I will check the stability of my model rockets before their first flight, except when launching models of already proven stability.
- Launching System The system I use to launch my model rockets must be remotely controlled and electrically operated, and will contain a switch that will return to "off" when released. I will remain at least 10 feet away from any rocket that is being launched.
- Launch Safety I will not let anyone approach a model rocket on a launcher until I have made sure that either the safety interlock key has been removed or the battery has been disconnected from my launcher.
- Flying Conditions I will not launch my model rocket in high winds, near buildings, power lines, tall trees, low flying aircraft, or under any conditions which might be dangerous to people or property.
- Launch Area My model rockets will always be launched from a cleared area, free of any easy to burn materials, and I will only use non-flammable recovery wadding in my rockets.
- 10. Jet Deflector My launcher will have a jet deflector device to prevent the engine exhaust from hitting the ground directly.
- 11. Launch Rod To prevent accidental eye injury Lwill always place the launcher so the end of the rod is above eye level or cap the end of the rod with my hand when approaching it. I will never place my head or body over the launching rod. When my launcher is not in use I will always store it so that the launch rod is not in an upright
- 12. Power Lines I will never attempt to recover my rocket from power lines or other dangerous places.
- 13. Launch Targets & Angle I will not launch rockets so their flight path will carry them against targets on the ground, and will never use an explosive warhead nor a payload that is intended to be flammable. My launching device will always be pointed within 30 degrees of vertical.
- 14. Pre-Launch Test When conducting research activities with unproven designs or methods, I will, when possible, determine their reliability through pre-launch tests. I will conduct launchings of unproven designs in complete isolation from persons not participating in the actual launching.

As a member of the Estes Model Rocketry Program, I promise to faithfully follow all rules of safe conduct as established in the above code.

Signed

Printed by The A. B. Hirschfeld Press, Denver, Colorado,

This Solid Propellant Model Flocketry Safety Code Is Approved by The National Association of Rocketry and the Hobby Industry





