

# A DAMON COMPANY

INSIDE! More Than 100 Exciting Flying Model Rockets.

Consumer Catalog

No. 811P

Starship Nova featured on page 38.

75¢



### **Welcome To Model Rocketry!**

This will be a year of renewed interest in space science and planetary exploration as the United States launches the Space Shuttle on its first orbital flight. Already Americans have thrilled to the excitement of close-up pictures of the moons and rings of Saturn—and there's more to come. Just when you think we've done it all, the endless reaches of deep space bring ever-new challenges to man.



Vern and Gleda Estes

Estes launches into this exciting year with 23 new products, including our first exotic Starter Outfit featuring the dramatic Falcon Commander spacecraft. Estes rocketeers will be able to follow their own space program and join in this national spirit of scientific exploration.

It's a small world . . . but a vast universe . . . and the adventures of space go on and on. And again this year, the sky is the limit with Estes . . . AND YOU ARE THERE!



### Here's How To Use Your Estes Catalog.

- (1) Skill Level number recommends the general skill and experience necessary for a rocketeer to successfully complete the kit. Skill Level 1 kits are suggested for beginners, Skill Level 2 for intermediate rocketeers, and so on to Skill Level 5, Expert Rocketeer. All kits in this catalog are grouped by Skill Level.
- Name of the kit.
- 3 Special features and additional kit information.
- Specifications Including length, diameter, and weight, in both English and Metric Equivalents.
- (5) Kit Feature Symbols indicate the following kit features:



Die-Cut Balsa Fins
Plastic None Cone
Kit Decals

Quick-Release Engine Mount Parachute & Size


- Engine Types lists all recommended engines for flying the rocket. Engines are listed from least powerful to most powerful. Also, indicates which engine should be used for the first flight.
- Product number for kit which should always be used when ordering.
- 8 Price of the kit. (Or see Price List.)
- Average Shipping Weight for these models.



All prices in this catalog are subject to change without notice.



### Parts of a Model Rocket



CORD MOUNT RECOVERY WADDING LAUNCH

Most model rocket kits are constructed of light-weight hobby materials such as balsa wood, paper tubing and plastic. This diagram shows the basic components found in most model rocket kits. Unless otherwise stated, all the model rocketry kits in this catalog are hobby kits requiring assembly. Launch system, engines, launch supplies, glue, batteries, paint, tools, and finishing materials are not included. Recommended for ages 10 to adult. Adult supervision suggested for those under 12 years of age when flying model rockets.

### **Skill Levels**

SKILL LEVEL SKILL LEVEL SKILL LEVEL LEVEL

Very Simple - Recommended for beginners

Fairly Easy - Recommended for individuals with some model building experience.

Average Challenge - Recommended for the experienced model builder.

Very Challenging - Recommended for the advanced model builder.

Extremely Challenging - Recommended for the expert model builder.

All model rocket kits in this catalog require assembly unless otherwise stated. Some of these flying model rockets can be put together and ready to launch in minutes. Others with their sophisticated serodynamics and wealth of detail are more challenging. The Skill Level numbers given on each page recommend the skills and experience necessary for a rocketeer to successfully complete the kits listed. Generally speaking, it is not wise to jump skill levels. Unless you are an extremely experienced modeler, you should complete a kit of Skill Level 1 before attempting Skill Level 2 . . . and you should build a Skill Level 2 rocket before moving on to Skill Level 3 . . . and so on.

## Model Rocket Flight Sequence



MODEL REACHES PEAK ALTITUDE AND EJECTION CHARGE ACTIVATES RECOVERY SYSTEM.

### Recommended Launch Area:

MODEL STREAKS SKYWARD TO PEAK ALTITUDE DURING COAST PHASE.

HIGH THRUST

ACCELERATION

FOR POWERED

FLIGHT.

In choosing a launch area, the larger the better. Football fields, parks, and playgrounds are great. The chart below shows the smallest recommended sizes. Remember, the larger the launch area, the better your chance of recovering your rocket. Choose a large field away from power lines, tall buildings, tall trees, and low flying aircraft.

MAKE SURE THE AREA WHERE YOU SET UP YOUR LAUNCHER IS CLEAR OF OB-STRUCTIONS AND HAS NO BROWN GRASS, DRY WEEDS, OR HIGHLY FLAMMABLE

MATERIALS.

Engine Types	Minimum Launch Site . Dimension	Maximum Altitude
1/4A - 1/2A	50 Feet	200 Feet
A	100 Feet	400 Feet
В	200 Feet	800 Feet
C	400 Feet	1600 Feet
D	500 Feet	1800 Feet

\*Minimum Launch Site Dimension for Circular Area is Diameter in Feet, and for Rectangular Area is Shortest Side in Feet.





RECOVERY

PARACHUTE

IS DEPLOYED.

TOUCH DOWN AND

SAFE RECOVERY...

READY TO

AND LIFT-OFF FROM ELECTRICALLY OPERATED LAUNCH PAD. Model Rocketry Is An Internationally Recognized Hobby With A Safety

### Record Of More Than 175 Million Successful Model Rocket Launchings.

Estes Model Rocket Engines Are Safety Tested And Contest Certified By:

eU.S. National Association of Rocketry Canadian Association of Rocketry

Estes Model Rocket Engines Have Been Tested And Approved By:

- · United States B.O.E.
- Truesdail Laboratories, Inc.
- · Canadian Department of Energy, Mines, and
- · Government of West Germany

Estes Model Rocketry Products Meet The Standards And Requirements Established By:

- National Fire Protection Association
- •U.S. Consumer Product Safety Commission
- •U.S. Food & Drug Administration
- U.S. Department of Transportation Federal Aviation Administration
- **U.S. Postal Service**

- \*United Parcel Service
- \*American Insurance Association
- •International Air Transport Association
- eInter-Governmental Maritime Consultative Organization

Model Rocketry is Endorsed As A Safe And Rewarding Hobby By:

- . Cub Scouts of America
- · Boy Scouts of America
- · YMCA's
- National 4-H Clubs
- Civil Air Patrol
- \*NASA
- · United States Air Force
- e U.S.A.F. J.R.O.T.C. Programs
- . 15,000 Elementary, Jr. High, and High Schools
- Major Colleges and Universities
- e Hundreds of Camp and Recreation Programs

# Challenger-1 Flying Model Rocketry Starter Kit Recommended for Beginners

This high performance Challenger-1 rocket is very easy-to-assemble with bright orange plastic nose cone and finunit. Features quick-finish decor with pre-colored body tube and realistic roll pattern decals. No painting required! The Challenger-1 rocket can be launched over and over again and can attain altitudes over 1,000 feet! Returns via 12' recovery parachute. You need only replace the rocket engine, igniter, and recovery wadding for each new flight. Challenger-1 Launch Control System features futuristically designed hand-held launch controller with arming lamp, safety key, launch button, and 15 feet of launch cable with micro-clips. Plus sleekly designed launch pad with blast deflector plate and 1/8" x 36" two-piece launch rod. Entire system sets up quickly for launch and disassembles easily for compact storage.

Flight Pak includes three N.A.R. safety certified model rocket engines, parachute recovery wadding, and high reliability Solar Igniters for three exciting flights.

Special Bonus - New "Beginner's Tech Manual" filled with model rocketry data to get you started off right.



(Requires 6 or 12 volt lantern battery and glue - Not Included.)

Assembles in less than 45 Minutes



(Requires 6 or 12 volt lantern battery, glue, and paint -- Not Included.) 7





and nose cone for easy, quick assembly. Plus realistic kit decals and white body tube. No painting

PORTA-PAD launch platform with strong girder construction and tilt-adjustment for wind direction. Features 36" long x 1/8" dia, launch rod with blast

SOLAH LAUNCH CONTROLLER, extremely lightweight and futuristically designed, requiring only 4 alkaline AA batteries (not included). Advanced shape allows for perfect hand-held control and is easily assembled in minutes. Features safety key, continuity check light, and launch button.

FLIGHT PAK with three NAR safety certified Model Rocket Engines, Parachute Recovery Wadding, and Solar Igniters, plus The Mini-Alpha Book of Model Rocketry.

ENGINES: 1/2A6-2 AB-3 (1st Fit.) A8-5 B4-4 86-4 B8-5 C6-5 C6-7

Ship, Wt. 3 lbs.

ONLY \$16.95 No. 1406 . . .











"Pro-Demo"

Model Rocketry Outfit

Suggested for Individuals with some model

Perfect for professional style demonstrations.

Features:

GIANT MAXI-ALPHA III ROCKET -

Nearly 3 feet long with easy-to-assemble, press-fit, plastic fin-unit and huge plastic nose cone. Features bright red plastic parts and pre-colored white body tube. No painting required! Plus big decal and enormous 24" parachute. (See page 34.)

BIG FOOT Model Rocketry Launch System - Designed for launching the big ones with giant two-foot-print, 3/16" x 3' Maxi-launch rod, and blast deflector plate. Futuristic launch controller features safety key, arming light, and ignition button. (See page 52.)

HIGH PERFORMANCE FLIGHT PAK -Three "super-powered" D12-3 Rocket Engines, plus Parachute Recovery Wadding, Solar Igniters, and "The Mini-Alpha Book of Model Rocketry", Ship.

ONLY \$30.00



Nearly 3 Feet Nearly 3 Feet Tall and Flies Over 500 Over 500 Feet High!

(Batteries, glue, and finishing supplies are not included.)

### **AERIAL CAMERA** MODEL ROCKETRY OUTFIT With Delta II Launch Vehicle

AstroCam. 110 uses the Delta II Launch Vehicle or Challenger II Model Rocket (See page 26) with special. stabilizing fin-units for best photo results. Camera is not sold separately. Other

launch vehicles

recommended.

are not

#### FEATURES:

\*The AstroCam 110, model rocketry's most advanced aerial camera. Shoots sharp, crisp, clear color 110 photos . . one per flight . . from hundreds of feet above. Easy-to-assemble and simple to operate.

\*Delta II Launch Vehicle features two-color decals, 12" parachute, and special plastic fin-unit for smooth and stable flights, time-

after-time, All parts are pre-colored . . . no painting required! \*Big Foot Launch System with giant two-foot print for maximum launch pad stability, 1/8" x 36" launch rod, blast deflector plate, and rugged girder construction. Plus hand-held launch controller with continuity check

light, safety key, ignition button, and 15 feet of launch cable. \*Requires 4 alkaline type "D" size batteries for power (not included). \*Flight Pak includes three C6-7, high performance Estes Rocket Engines plus Solar Igniters, Recovery Wadding and the Mini Alpha Book of Model Rocketry.

\*Uses Kodak Kodacolor 110 color print film, ASA 400, or equivalent - not included. Film and developing are available locally. Ship, Wt. 3 lbs.





Actual "AstroCam 110"

photo of Johnson Space

Center, Houston, TX.



(Film, batteries, glue and finishing supplies are not included.)






nical articles, contests, rocketeer contributions and more. EAC PRODUCTS BULLETIN - Special offers for kits and products available ONLY to EAC members. JOIN NOW! BECOME AN ESTES AEROSPACE CLUB ROCKETEER TODAY!! Simply Check the EAC box on your order form and include your payment. Ship. Wt. 9 oz. Regular EAC membership No. 1447 ONLY\$5.00 You Get All This ...




























Multi-Stagers Multi-staging is the next step in expanding your model rocketry skills. Each kit demonstrates how Multi-staging is the next step in expanding your model rocketry skills. Each kit demonstrates how model rocketry skills. Each Kit demonstrates now real spaceships operate. The first stage is always innitial plansfricture of the stage innitial operate. real spaceships operate. The first stage is always occurs ignition of the ignited electrically. Second stage burnout of the ignited electrically in mid-flight upon burnout automatically in mid-flight upon automatically in mid-flight upon burnout automatically in mid-flight upon burnout automatically in maximum altitude are first stage. Performance and multi-staging. first stage. Performance and maximum altidramatically increased thru multi-staging.

High performance two-stager with single stage, sounding rocket appearance. Nesting fins with single stage, sounding rocket appearance. Nesting fins create very sleek design. Simplified construction. Wt. 1.7 oz. Length: 25" (63.5 cm) Dia. .976" (24.8 mm) Wt. 1.8 cm) ENGINES: SINGLE STAGE A8-3 (1st Fit.) B4-4 B6-4 ENGINES: SINGLE STAGE AB-3 (1st Fit.) B4-4 B6-4
B8-5 C6-5 UPPER STAGE AB-5 (1st Fit.) B6-0 BB-7 C6-7
BROOSTER STAGE ARD (1st Fit.) B6-0 BR-0 C6-0 BOOSTER STAGE AB-0 (1st Fit.) BG-0 BB-0 CG-0 No. 1365 . . . . \$4.50

bird the sounding rocket look. booster employs payload section back gently, recovery. Length: 32" (81.3 cm) Dia. 1.325" (33.7 mm) Wt. 2.7 oz. (77.9). Wt. 2.7 oz. (77 g). STAGE A8-5 B4-6 B6-6 (1st Fit.)
ENGINES: UPPER ROOSTER STAGE AR.D. B6-0 (1st Fit.)
ERG. P. P. A. C. P. ROOSTER STAGE AR.D. B6-0 (1st Fit.) ENGINES: UPPER STAGE A8-5 B4-6 B6-6 (1st FIL.)


B8-7 B14-7 C6-7 BOOSTER STAGE A8-0 B6-0 (1st FIL.) BB-0 B14-0 C6-0

No. 1238 . . . . \$6.25 Vigilantel

Vigilante ultra-high performance twostage model for flights over 1,100 feet. Sleekly designed stage model for flights over 1,100 feet. Sleekly designed upper stage returns via Length: 26.5" (67 cm) Dia. 1,325' (33.6 mm) Wt. 2.25 oz. (64.9). (20.6 Mm) Wt. 2.25 oz. (69.1) (20.6 Mm) 133.6 mm) Wt. 2.25 oz. 164 gl.
ENGINES: UPPER STAGE 1/2A6.4 A8.5 (1st Fit.) 84.6 ENGINES: UPPER STAGE 1/2A6-4 A8-5 (1st Fit.) B4-6
B6-6 B8-7 B14-7 C6-7 B0OSTER STAGE 1/2A6-0 A8-0 (1st Fit.) 86-0 88-0 814-0 C6-0 No. 1278 . . . . \$6.25




















50

tilrak Altitude Finder

Track your rocket to the top of its flight and instantly lock-in its altitude on the "new" AltiTrak altitude finder. Displays exact model rocket altitude on metric scale - no guessing! (Conversion table included for feet.) A precision instrument made of durable plastic. Easy-toassemble and looks like futuristic laser pistol. How high did it go? Now you'll know! Ship. Wt. 15 oz.

No. 2232 . . . . ONLY \$6.50

PREDICTED ALTITUDE COMPUTER

The Estes Pocker Size Altitude computer enables any rocketeer to predict his model rocket's altitude in a matter of seconds. Just move the center slide in a simple procedure for fast, accurate results. Three color calculator comes complete with instructions. Ship. Wt.

No. 9015 . . . . ONLY \$1.50



Designer's Special

Ideal parts assortment for the creative rocketeer. Develop your own R & D Program, Over 75 pieces at an excellent savings! Ship, Wt. 2 lbs.

Body Tubes 2 BT-5

BT-20 BT-50 BT-55 BT-60

Nose Cones

BNC-5E BNC-58 **BNC-20B** BNC-20F

PNC-50K PNC-50Y PNC-55AC

PNC-60L

Fin Material BFS-20 BFS-30 BFS-40

Parachutes

PK-18 PK-12

Recovery Equipment

Shock Cord 1/8" x 18" Shock Cord 1/8" x 36" Shock Cord 1/4" x 36"

Streamer Material 1" x 30" 6 Screw Eyes

Miscellaneous

Engine Blocks (EB-20A) Engine Holders (EH-3)

Engine Holders (EH-2) Engine Mount (EH-2050)

Engine Mount (EH-2060) Nose Block (NB-20) Nose Block (NB-50)

Stage Coupler (JT-55C) Stage Coupler (JT-60C) Balsa Adapter (TA-2050A)

Multi-Purpose Paper Adapter Set (TA-1)

12 Launch Lugs (2-3/8" long) Alpha Book of Model Rocketry

Fin Pattern Sheet No. 2 Fin Pattern Sheet No. 3

PK-18 PK-24 No. 1463 . . ONLY \$16.95



The Estes Big Foot launch control system is capable of launching all Estes models including Maxi-Brutes. Futuristically designed launch platform features rugged plastic construction and enormous "two-foot-print" for maximum launch pad stability, Includes blast deflector plate, 1/8" x 36" two-piece launch rod, adjustable swivel mount to compensate for wind direction which is adaptable to either 1/8" or 3/16" launch rods, and has legs which remove easily for compact storage. This launch control unit is engineered for simple, quick assembly and features safety key, continuity check light, ignition button and 15 feet of launch cable. (Uses 4 alkaline type, "D" cell batteries and Estes Solar Igniters #2301 - not included.) Ship, Wt. 2 lbs.

No. 2208 . . . . ONLY \$17.95



Space-age designed, the Porta-Pad is rugged enough to take the stress of countless launchings, even with the big Estes "D" engines, yet is lightweight and compact enough for easy carrying and storage. Strong, girder construction. Orange plastic legs snap off for storage in range box. Friction grip secures rod firmly, Accomodates standard 1/8" rod (#2234) or heavy-duty 3/16" Maxi-Rod (#2239), Tilt

adjustment allows you to compensate for wind.

Ship, Wt. 1 lb. 8 oz. No. 2217 . . . . ONLY \$7.75 Heavy-Duty Launch Controller features futuristic design and provides greater reliability with simplified assembly. Bright orange plastic controller gives realistic ignition system appearance. Recommended for 6 or 12 volt power sources. No need to remove battery from car, simply connect launch system's battery clips to terminals. Features include arming lamp, safety key, launch button, battery clips, micro-clips, and 18 feet of launch cable, Ship, Wt. 12 oz.

No. 2212 . . . . ONLY \$7.75



### SOLAR LAUNCH CONTROLLER MODEL ROCKETRY'S MOST ADVANCED LAUNCH SYSTEM

The Solar Launch Control System should be standard equipment in your range box. This futuristically designed launch control unit requires only 4 alkaline type AA size batteries for power. Advanced shape allows for perfect hand-held control. Unit is easily assembled in minutes and features safety key, continuity check lamp, ignition button, and 15 feet of lightweight launch cable. System is constructed of durable "non-breakable" plastic. Micro-clips are presoldered. Use with Estes Solar Igniters (#2301). (Batteries not included.) Length: 6.1" (15 cm) Ht. 2.4" (6 cm). Width 1.44" (4 cm) Wt. (with batteries) 7 oz. (199 g). Ship. Wt. 8 oz.

No. 2300 . . . . ONLY \$8.95

1/8" DIA, TWO-PIECE LAUNCH ROD: Handy collapsible two-piece rod for portable launchers. Pieces slip together to make a 36" long rod. Base rod has a diameter of 1/8". Ship. Wt. 6 oz. 

ADD-ON ROD: Sturdy 1/8" diameter, 18" long launch rod section expands two-piece rod to 54" length, Ship, Wt. 6 oz. 

3/16" DIA. MAXI-ROD: Perfect for launching Maxi-Brute kits and other large rockets. Fits Porta-Pad Tripod (#2217) and Big Foot Launch Pad (#2208). Two-piece construction 36" long. light-weight aluminum launch rod. Collapsible for easy storage. Ship. Wt. 12 oz.

MICRO-CLIPS: Equip your launcher with the best. Spring-loaded solid steel clips connect lead wires to igniters. Easy-to-clean and highly conductive with flat contact surfaces. Only 1.1 inches long. Attach to leads with or without solder. Ship. Wt. 1 oz.

No. 2247 . . . . . . . . . . . . . 2 for \$ .95

LAUNCH ROD SAFETY CAP WITH UNIVERSAL SAFETY KEY



LAUNCH ROD SAFETY CAP with UNIVER-SAL SAFETY KEY: For Launch Pad Safety! Includes plastic launch rod cap, universal safety key, and elastic cord. (Fits all Estes launch control systems except X-15 Starter Kit, (#0715). Ship. Wt. 4 oz.

BLAST DEFLECTOR PLATE: Slip-on metal deflector plate fits any launcher using 1/8" or

3/16" rods. Protects launcher base from rocket blast. Four-inch diameter. Ship. Wt. 5 oz.

BATTERY CLIPS: Hook-up to car batteries. Heavy-duty clips connect to terminals up to 1"

in dia. With insulators. Ship. Wt. 5 oz. No. 2245 . . . . . . . . . . . . . . . . . 2 For \$1.15



# ALIGNMENT

Position and glue fins quickly and easily. Fits body tubes up to BT-101. Designed for either 3 or 4 finned rockets, aligning fins at 90 or 120 to each other. Easily assembled with slip-together plastic parts. Adjusts quickly with plastic fin position clips. Ship, Wt. 3 lbs.

No. 2231 . . . . ONLY \$6.50



A must for every range box. Features many essential materials for "on-the-spot" repair of your model rockets. Ship. Wt. 8 oz.

INCLUDES: Sandpaper

Screw Eyes White Glue Packet Launch Rod Safety Cap Universal Safety Key


Recloseable Pouch Recovery Wadding 12" Parachute 1/8" and 1/4" Shock Cords 144" Shroud Line

Tape Discs Launch Lugs Shock Cord Mounts

No. 2233 . . . . ONLY \$2.00

PHANTOM





Perfect static demonstration model for workshops and presentations. Shows all internal components of a model rocket plus special cut-away version of C6-5 model rocket engine.

Ideal for displays and exhibits.

Length: 12.6" (32.0 cm) Dia. 0.976" (24.8 mm) Wt. 1.35 oz. (38.3 g) Ship. Wt. 3 oz.

No. 1207 . . . . ONLY \$4.25



#### START A MODEL ROCKET PROGRAM IN YOUR SCHOOL! Want to get your teacher interested in a model rocketry pro-

gram? Send us (1) your teacher's name, (2) the name of your school, and (3) the school's address (include street address, city, state, and zip). If your teacher has a specialty (such as science, industrial arts, physics, etc.), tell us. Send this information to Education Dept., Estes Industries, Dept. 51, Penrose, CO 81240. We will send your teacher information on how to start an educational model rocketry program.

ATTENTION 4-H, Scout, Cub, Camp, and Recreation Leaders: For information on how model rocketry can help in your own program write: Education Department, Estes Industries. Dept. 51, Penrose, CO 81240. State type of group and what you would like to do.

### Model Rocket Engines



\* Reliability-Proven In Over 175 Million Safe Launchings!

\* Quality-Tested for High Performance Flights!!

\* The Finest Engine Made . . . You Can Depend On It . . . . For Every Flight Application!!!

The design and development of the Estes model rocket engine was the real beginning of the safe, educational and exciting hobby that model rocketry has become.


Today's modern rocket engine is the result of over 21 years of engineering efforts at Estes Industries. Consequently, today's rocketeer has dependable, safety-proven engines for

The energy-packed, solid propellant Estes model rocket engine is a complete power system for your rocket. It is designed and pre-manufactured to perform all power functions for dependable launch and activation of a recovery system. In one compact package it provides thrust for quick liftoff and acceleration to high altitudes, allows for a timed delay period to reach peak altitude while delivering a smoke trail for easy tracking, and supplies ejection power for the parachute or other recovery system for your rocket's safe return to Earth.

Reliability-proven in over 175 million launchings. Estes engines are manufactured under strict, quality-controlled conditions within exacting tolerance limits. You can count on them for consistent performance from one launch to the next. You'll launch with confidence in all your model rocketry activities.

More than 3% of all Estes model rocket engines produced are static tested to insure rocketeers of the highest performing, most reliable model rocket engines made. Here, an Estes employee static tests an engine for overall performance and safety in the advanced, Estes engine testing facility.

Graphic explanation of a model rocket engine's basic construction and functions.







### **ROCKET ENGINE SELECTION CHART**

Prod.	Engine Type	Prices 3 for	- 2	impulse n-sec②	Time Detay (± 15%)	Max. Lift Wt.	Max. Thrust	Thrust Duration	Initial Weight Oz. G.	Propellant Weight Oz. G.
SING	LE STA	GE EN	IGINI	S				(	GREEN LA	ABEL
1593 1598 1601 1602 1605 1606 1620 1617 1613 1614	1/2A6-2 A8-3 B4-2 B4-4 B6-2 B6-4 B8-5* C6-3 C6-5	\$2.25 \$2.35 \$2.45 \$2.45 \$2.45 \$2.65 \$2.65 \$2.65	0.28 0.56 1,12 1,12 1,12 1,12 1,12 2,25 2,25 2,25	1,25 2,50 5,00 5,00 5,00 5,00 10,00 10,00 10,00	2 sec. 3 sec. 2 sec. 4 sec. 2 sec. 4 sec. 5 sec. 3 sec. 3 sec. 5 sec.	2.5 oz. 4.0 oz. 4.0 oz. 3.5 oz. 4.5 oz. 4.0 oz. 5.0 oz. 8.0 oz. 4.0 oz. 4.0 oz.	46 oz. 48 oz. 48 oz. 48 oz. 48 oz. 48 oz. 5 lb. 5 lb. 48 oz. 48 oz.	0.20 sec. 0.32 sec. 1.20 sec. 1.20 sec. 0.83 sec. 0.60 sec. 2.10 sec. 1.70 sec. 1.70 sec.	0.53 15.0 0.57 16.2 0.70 19.8 0.74 21.0 0.68 19.3 0.71 20.1 0.68 19.3 0.90 25.5 0.88 24.9 0.91 25.8	
UPPE	R STAG	EEN	GINE	5 3			PUF	RPLE OR	BLUE LA	ABEL
1594 1599 1604 1607 7621 1615	1/2A6-4 A8-5 B4-6 B8-6 BB-7 C6-7	\$2.25 \$2.35 \$2.45 \$2.45 \$2.55 \$2.65	0.28 0.56 1,12 1.12 1.12 2.25	1.25 2.50 5.00 5.00 5.00 10.00	4 sec. 5 sec. 6 sec. 7 sec. 7 sec. 7 sec.	1.0 or. 2.0 or. 1.5 or. 2.0 or. 2.5 or. 2.5 or.	46 oz. 48 oz. 48 oz. 5 ib. 48 oz.	0.20 sec. 0.32 sec. 1.20 sec. 0.83 sec. 0.60 sec. 1.70 sec.	0.54 15.3 0.62 17.6 0.78 22.1 0.78 22.1 0.72 20.4 0.95 26.9	0.055 1.56 0.110 3.17 0.294 8.33 0.220 6.24 0.220 6.24 0.440 12.48
BOOSTER ENGINES								RED LA	BEL	
1595 1600 1608 1622 1618	1/2A6-0 AB-0 B6-0 B8-0* C6-0	\$2.25 \$2.35 \$2.45 \$2.55 \$2.65	0.28 0.56 1,12 1.12 2.25	1,25 2,50 5,00 5,00 10,00	none none none none none	4,0 oz. 4,0 oz. 4,0 oz. 6.0 oz. 4,0 oz.	46 oz. 48 oz. 48 oz. 5 ib. 48 oz.	0.18 sec. 0.30 sec. 0.80 sec. 0.60 sec. 1.68 sec.	0.48 13.5 0.51 14.2 0.58 16.4 0.60 17.0 0.80 22.7	0.055 1.56 0.110 3.12 0.220 6.24 0.220 6.24 0.440 12.48

Complete instructions and Solar Rocket Igniters are included with each package of Estes model rocket engines.

"Series II engines have semi-core-burning grain with large propellant burning area for high initial thrust with short thrust duration. New "B8" type engines replace previous "B14" type engines.

All engines listed on this page are 2.75 in. (6.99 cm) long and 0.690 in. (1.75 cm) dia.

Ship. Wt. of each package of engines is approximately 4 oz.

### **IMPORTANT-IMPORTANT**

All the rockets shown in this catalog can be flown over and over again.

Simply replace the engine, igniter, and recovery wadding for each new flight.



ASTRON IGNITERS: Easy to use for reliable ignition every time. Recommended for launch systems using 6 or 12 volt carbatteries or 12 volt lantern batteries. Installation procedure featured on engine instructions. (Patent No. 3,363,559). Not recommended for Solar Launch Controller (#2300) or Big Foot Launch Control System (#2208). Ship. Wt. 1 oz.

No. 2225 . . . . 6 for \$1.15



SOLAR IGNITERS: Add increased reliability at lift-off with Estes "high performance" Solar printers. This uprated igniter is designed especially for the Solar Launch Controller (#2300) and Big Foot Launch Control System (#2208). Features easy engine installation and is suitable for all Estes launch control systems. Unique four element design makes it the most dependable igniter made. Ship, Wt. 1 oz.

No. 2301 . . . . 6 for \$1.15



### MINI-ENGINE SELECTION CHART

Prod.	Engine Type	Prices 4 for	Total li		Time Delay (± 15%)	Max. Lift VVt.	Max. Thrust	Thrust Duration	Initial Weight Oz. G.	Propellant Weight Oz. G.
SIN	GLE STA	GE EN	IGINE	S			1100	GREEN	LABEL	1701
1500 1503 1506 1507 1511	1/4A3-2T 1/2A3-2T A3-2T A3-4T A10-3T	\$2.35 \$2.45 \$2.55 \$2.55 \$2.55	0.28 0.56 0.56	0.625 1.25 2.50 2.50 2.50 2.50	2 sec. 2 sec. 2 sec. 4 sec. 3 sec.	1 oz. 2 oz. 3 oz. 2 oz. 5 oz.	23 oz. 28 oz. 28 oz. 28 oz. 48 oz.	0.18 sec. 0.36 sec. 0.86 sec. 0.86 sec. 0.26 sec.	0.173 4.9 0.198 5.6 0.254 7.2 0.268 7.6 0.277 7.8	0.031 0.88 0.062 1.75 0.124 3.50 0.124 3.50 0.133 3.78
UPP	ER STAG	E ENC	SINES	3		PU	RPLE	OR BLUE	LABEL	
1601 1504 1508	MASS T	\$2.05 \$2.45 \$2.55	0.28	0,625 1,25 2,50	4 sec. 4 sec. 6 sec.	1.6a. 1.6a. 1.6a.	23 br. 28 or. 28 or.	0.18 sec. 0.36 sec. 0.06 sec.	0.587 6.3 0.212 6.0 0.292 8.0	0.001 0.68 0.062 1.75 0.134 3.50
BOOSTER ENGINES								RED	LABEL	10
1505 1509 1510	1/2A0-0T A3-0T A10-0T	\$2,45 \$2,55 \$2,55	0.56	1.25 2.50 2.50	none none	3 oz. 3 oz. 5 oz.	28 oz. 28 oz. 48 oz.	0.36 sec. 0.86 sec. 0.26 sec.	0,166 4,7 0,226 6.4 0,235 6.7	0.062 1.75 0.124 3.50 0.133 3.70

Mini-Engines are 1.75 in. (4.45 cm) long and .500 in. (1.27 cm) dia. Ship. Wt. of each package



of mini-engines is approximately 2-1/2 oz.

Prices Total Impulse Delay

3 for Ib-sec 0 n-sec 2 (+ 15%) Wt.

### MIGHTY "D" ENGINES

Recommended Only for Experienced Rocketeers!

Thrust Duration

SING	LE STA	GE EN	GINES					GREEI	V LA	BEL		
1666 1667	D12-3 D12-5	\$4,95 \$4,95	4.48 20 4.48 20	).0 ).0	3 sec. 5 sec.	14 az. 10 az.	9 lb. 9 lb.	1.70 sec. 1.70 sec.	1.49			
UPPER STAGE ENGINES ®				PI	PURPLE OR BLUE LABEL							
1656 1609	D12-7 D11-9		4.48 DO 3.27 18		7 HIC 9 MC	B of		1,70 sec.				
BOO	STER E	NGINE	S					RE	D LA	BEL		
1685	0120	\$4.00	A 49 TO	10	mone:	16.02	9.16	1.70	2.00	40.0	0.000	

Lift



RECOVERY WADDING: Provides protection from hot ejection gases for parachutes and streamers. Each package contains approximately 75—4-1/2" squares—enough wadding for up to 25 flights, Instructions for installation are included in each package. Ship, Wt. 6 oz.

"D" engines are 2.75 in. (6.99 cm) long and 0.945 in. (2.40 cm) dia.

Imitial

Weight

Propellant

Weight:

Ship. Wt. of each package of "D" engines is approximately 6-1/2 oz.

Complete instructions and Solar Rocket Igniters are included with each package of Estes model rocket engines.

#### NOTES:

- 1 Pound-seconds (Figures shown are maximum.)
- Newton-seconds (Figures shown are maximum.)
- 3 Or Single Stage Engine if used in very light rocket.

56

### WIN \$75.00 IN FREE MERCHANDISE!! ENTER THE DESIGN OF THE MONTH CONTEST

Have an idea for an original design? Enter our Design of the Month competition today. Your design could be published in an issue of Model Rocket News, Simply follow the rules below.

- All entries become the property of Estes Industries and cannot be returned.
- Employees of Estes Industries and members of their immediate families are not eligible.
- Any type of model rocketry design can be entered (rockets, boost-gliders, launching or recovery devices, etc.).
- Designs should be new, original, and different, but they also need to be workable. The goal is to develop something new that other rocketeers can build and use successfully, too.
- Entries will be ludged an practicality, originality, nearness, completeness, and clarity. All plans must be flight tested and proven.
- Your design entry should include a parts list and any instructions or diagrams you feel would be helpful.
- Please do not send the actual model as it cannot be returned.
- Photos of entries are greatly appreciated, but are not required.
- 9. You may send as many entries as you like.

- 10. New contest every month.
- All designs reaching Estes Industries during the calendar month will be entered in that month's competition. (Date of receipt, not postmark, will determine the month in which a design will be entered.)
- If two or more exceptional entries are received during any month, the judges may, at their discretion, make identical first-place awards or give additional honorable mentions.
- 13. Designs should be sent to the Design of the Month, c/o MRN Editor, Estes Industries, Inc., Perrose, Colorado 81240. However, all plans sent to us which are not specifically addressed to another contest or department will be automatically placed in the Design of the Month Competition.
- 14. Each month the designer of the winning entry will receive a certificate entitling them to \$75.00 in merchandise and an award certificate suitable for framing. Award winners will be notified by mail. GOOD LUCK!!!

### NAR/HIAA Model Rocketry Safety Code

- Construction My model rockets will be made of lightweight materials such as paper, wood, plastic and rubber, without any metal as structural parts.
- Engines I will use only pre-loaded factory-made model rocket engines in the manner recommended by the manufacturer. I will not change in any way nor attempt to reload these engines.
- Recovery I will always use a recovery system in my model rockets that will return them safely to the ground so that they may be flown again.
- Weight Limits My model rocket will weigh no more than 453 grams (16 ozs.) at liftoff and the engine will contain no more than 113 grams (4 ozs.) of propellant.
- Stability I will check the stability of my model rockets before their first flight, except when launching models of already proven stability.
- Launching System The system I use to launch my model rockets must be remotely controlled and electrically operated, and will contain a switch that will return to "off" when released. I will remain at least 15 feet from any rocket that is being launched.
- Launch Safety I will not let anyone approach a model rocket on a launcher until I have made sure that either the safety interlock key has been removed or the battery has been disconnected from my launcher.
- Flying Conditions I will not launch my model rockets in high winds, near buildings, power lines, tall trees, low flying aircraft, or under any conditions which might be dangerous to people or property.

- Launch Area My model rockets will always be launched from a cleared area, free of any easy to burn materials, and I will only use non-flammable recovery wadding in my rockets.
- Jet Deflector My launcher will have a jet deflector device to prevent the engine exhaust from hitting the ground directly.
- 11. Launch Rod To prevent accidental eye injury I will always place the launcher so the end of the rod is above eye level or cap the end of the rod with my hand when approaching it. I will never place my head or body over the launching rod. When my launcher is not in use I will always store it so that the launch rod is not in an upright position.
- Power Lines I will never attempt to recover my rocket from power lines or other dangerous places.
- 13. Launch Targets & Angle I will not launch rockets so their flight path will carry them against targets on the ground, and will never use an explosive warhead nor a payload that is intended to be flammable. My launching device will always be pointed within 30 degrees of vertical.
- 14. Pre-Launch Test When conducting research activities with unproven designs or methods, I will, when possible, determine their reliability through pre-launch tests. I will conduct launchings of unproven designs in complete isolation from persons not participating in the actual launching.

As a member of the Estes Model Rocketry Program, I promise to faithfully follow all rules of safe conduct as established in the above code. Signature

### **Recovery Supplies**

PARACHUTE KITS: Get the best in parachute recovery! Two-color printed plastic 'chutes give maximum visibility with easy-trak design. Lightweight, durable, and easily folded. These 'chutes are only 0.0075'' thick, allowing the most material to be packed into the least body space. Each kit comes complete with 'chute material, tape discs, and shroud lines. Ship, Wt. 2 oz.

Prod,	Description	Paractiute	Nat.	Price
No.		Diameter	Weight	Each
2261	PK-8	8 inches	.035 oz.	\$1.00
2264	PK-12	12 inches	.078 oz.	\$1.10
2267	PK-18	18 inches	.144 oz.	\$1.15
2271	PK-24	24 inches	.298 oz.	\$1.35

SHOCK C	ORD: Specify width
when orde	ring. Ship. Wt. 1 oz.
	Net Wt. 0.039 oz.
	\$ .50
	Net Wt. 0.078 oz.
No. 2277.	\$ .55
	" long for greater
stretch on	those larger birds.

1/8" wide: Net Wt. 0.078 oz.

TOZ.		
No. 2294		
4 sheets of	6	 \$1.10

A DAMON COMPANY

	-	7-		-
- 1	01	12	7/-	5.

STREAMER	MATERIAL:
Bright orange,	
crepe paper stre	
foot lengths, end	THE RESERVE OF THE PARTY OF THE
eight streamers	
when ordering.	Ship, Wt. 1 oz.
1" wide: Net W	t092 oz.
No. 2341	
2' wide: Net W	t184 oz.
No. 2343	\$2.10

when ordering. Ship. Wt. for 6
eyes, 1 oz.
LARGE EYE:
1" long; .04 oz.
No. 2280 \$1.00
SMALL EYE:
3/4" long; .03 oz.
No. 2279
EXTRA SMALL EYE:
5/8" long; .01 oz.
No. 2281 \$ .85

SCREW

SHROUD	LINES	: Build	reli-
able, du	able, c	ustom	para-
chutes w	th this	strong,	hard
surface	shroud	line	cord.
Comes in	70 yard	spools.	Ship.
Wt. 5 oz.			
No. 2340			\$1.00

strength, low bulk and low

weight, fasten shroud lines with

STRIPS: For top

EYES: Specify size	in sheets of 12 strips. Ship, Wi
lering. Ship, Wt. for 6	1 oz,
EYE:	No. 38412
04 oz.	6 sheets of 12\$1.1
EYE: p; .03 oz.	SNAP SWIVELS: For quic

### TECHNICAL REPORTS SPECIAL PUBLICATIONS

Rocket Stability - TR-1 No. 84721 \$ .50
Multi-Staging - TR-2 No. 84722 \$ .50
Altitude Tracking - TR-3 No. 84723 \$ .50
Rear Engine Boost Gliders - TR-4
No. 84724 \$ .50
Cluster Techniques — TR-6 No. 84726 \$ .50
Front Engine Boost Gliders - TR-7
No. 84727 \$ .50
Model Rocketry Study Guide - TR-8
No. 84728 \$1.00
Altitude Prediction Charts - TR-10
No. 84730 \$1.50
Aerodynamic Drag of Model Rockets - TR-11
No. 84731 \$1.50
Model Rocket Engines - TN-1 No. 84700 \$ .50

CATIONS
Model Rocket Engine Performance — TN-2 No. 84701 \$ .50
Elementary Mathematics of Model Rocket Flight — TN-5 No. 84704 \$ .50
Recovery Techniques - TN-6 No. 84705 \$ .50
ALPHA - Mini Book of Model Rocketry No. 901022 \$ .25
Model Rocket Launch Sys- tems
No. 2811 \$ .50 Estes Guide For Aerospace
No. 2817 \$ .75
Space Age Technology No. 2813
Estes Model Rocket Contest Guide No. 2815\$ .75

The Laws of Motion and Model Rocketry No. 2821 \$ .35
Aerospace Education and Mo- del Rocketry
No. 2816 \$1.50 (Single copies free to educators requesting it on school station-
erv.)
The Alpha Book of Model Rocketry
No. 2820
Industrial Arts Teachers Man- ual for Model Rocketry
No. 2810 \$1.00 Model Rocketry Technical
Manual No. 2819 \$ .35
Building a Wind Tunnel — TR-5
No. 84725 \$ .50 Is That Parachute Too Big? TN-3
No. 84702 \$ .50
RECROC - Recreational Pro- gram
No. 2426 \$1.25
Camp Leader's Model Rock- etry Manual
No. 2822 \$1.00

### **Build Your Own Design With Estes Quality Model Rocket Parts**

Once you have constructed several model rocket kits and have become familiar with the basic Estes Technical Reports you will no doubt have a variety of ideas for unique designs of your own. In order to select the proper parts for your original design it is important for you to understand our system of parts description numbers.

Nearly all matching Estes parts have the same series description number. Those which do not feature an additional explanation as to where they can be used. Normally, parts listing the same series description number will be interchangeable with each other. For instance, a # 20 body tube (BT-20) would mate with a #20A balsa nose cone (BNC-20A), a #20C payload section (PS-20C), or a #20B engine block (EB-20B). Further, a #2060 tube adapter (TA-2060) will adapt a BT-20 to a BT-60, and a #5055 centering ring (AR-5055) will center a BT-50 within a BT-55. By using balsa or paper adapters almost any combination of parts can be joined together. For ordering, be sure to use both the product number and the series description number (name).

Prod. No.

3164

3166

3168

3170

3172

3174

Description

BFS-20

BFS-20L


BFS-30

BFS-30L

BFS-40

BT-70

30438 BT-101 \$2.50 16.5"



Major Use

High Performance

High Performance

Sport Models

Sport Models

Glider Wings

0.021"

0.021" 1.974

1,300

Cluster Rockets

#### **Model Rocket Parts**

### Fin Stock

Top quality bal-

sa shee	eting for
	fins for
model	rockets.
	naximum
strength,	
	ould fol-
low the	leading

### **Body Tubes**



Prod. No.	Description	Price Each	Length	Diameter	Diameter	Wall Thickness	Net.	in Ox. Ship
Spiral-W	ound Paper	Tube fo	r nose sec		trap-on pay	loads.	Bed	
3070	BT-5	\$ .95	18"	0.515"	0.541"	0.013"	.219	11
Spiral-W	ound Paper	Tube, fo	r compet	tition and s	port model			
3072	BT-20	\$1.00	18"	0.710"	0.736"	0.013"	.288	11
Spiral-W	ound Paper	Tube, fo	r sport a	nd high per	formance o	syload mod	lels.	
3073	BT-50	\$1,10	18"	0.950"	0.976"	0.013"	.378	1
Spiral-W	ound Paper	Tube, fo	r sport a	nd demons	tration mod	iels.		
3074	BT-55	\$1.35	18"	1.283"	1.325"	0.021"	.672	11
Spiral-W	found Paper	Tube, fo	or sport a	nd demons	tration mod	fols.		
3075	BT-60	\$1,45	18"	1.595"	1.637"	0.021"	.960	13

Dimensions

(In Inches)

1/16x3x9

1/16x3x12

3/32x3x12

3/32x3x9

1/8x3x9

1/8×3×12

.173

.150

.200

200

Price

3 for \$1.00

3 for \$1.20

3 for \$1.05

3 for \$1.25

3 for \$1.20

3 for \$1.25

\$1.90 17.5"


Spiral-Wound Paper Tube, for giant-scale models.

Prod. No.	Desciration	Price 3 for	Outside Die.	Inside Dia.	Length	Fits	Weight in Nat.	Or. Ship.
3131	EB-20A	\$ .75	.708"	.65"	1/4"	BT-20	.009	- 1

#### Nose Cones

Nose cone dimensions listed in columns 1,2, and 3.

In "Description" column BNC stands for balsa nose cone and PNC for plastic nose cone.



Shape	No.	Prod. No.	Description	Price Each	1	Dimensions 2	3	Avarage Weight	Ship. Wt.
10 20 1	1 2 3 4	8002 8000 8001 8003	BNC-5V BNC-5E BNC-5S BNC-5W	\$ .95 \$ .95 \$ .95 \$1.10	3/4" 1-3/8" 1-1/2" 2-7/8"	0.541" 0.541" 0.541" 0.541"	1/4" 1/4" 1/4" 1/4"	0.013 oz, 0.020 oz. 0.016 oz. 0.039 oz.	1 oz. 1 oz. 1 oz. 2 oz.
5 6 1	5 6 7 8	8004 8005 8007 8006	BNC-20A BNC-20B BNC-20R BNC-20N	\$ .85 \$1.00 \$1.10 \$1.20	13/16" 1-11/16" 2-3/4" 2-3/4"	0.736" 0.736" 0.736" 0.736"	1/4" 5/16' 3/8" 1/2"	0.03 oz, 0.05 oz, 0.07 oz, 0.08 oz.	1 oz. 1 oz. 2 oz. 2 oz.
9 10 11 12 9 10 11	9 10 10 11 12 12	8008 8009 71008 8010 8011 71009	BNC-50J BNC-50K PNC-50K BNC-50X BNC-50Y PNC-50Y	\$1.10 \$1.25 \$1.05 \$1.35 \$1.60 \$1.45	1-3/8" 2-3/4" 2-3/4" 3-1/4" 4-3/8" 4-3/8"	0.976" 0.976" 0.976" 0.976" 0.976" 0.976"	1/2" 1/2" 1/2" 1/2" 3/8" 3/8"	0.08 oz. 0.13 oz. 0.13 oz. 0.15 oz. 0.16 oz. 0.16 oz.	4 oz. 4 oz. 4 oz. 4 oz. 6 oz. 6 oz.
13 14 15 1	13 14 15 16	8012 8014 71070 71075	BNC-55AA BNC-55F PNC-55AC PNC-55AO	\$1.55 \$1.85 \$1.95 \$1.90	3-1/8" 3-7/8" 5-3/8" 5"	1.325" 1.325" 1.325" 1.325"	1/2" 1/2" 3/8" 3/4"	0.15 oz. 0.19 oz. 0.32 oz. 0.43 oz.	4 oz. 4 oz. 6 oz. 4 oz.
17 Q I	17 18	8020 8021	PNC-60L PNC-60AH	\$1,60 \$2.85	3-1/8" 6-5/8"	1.637" 1.637"	5/8" 7/8"	0.34 oz. 1.0 oz.	4 oz. 6 oz.
BT-70 19 D	19	8019	BNC-70AJ	\$2.95	4-1/4"	2.217"	1"	0.85 oz.	6 oz.
BT-101	20	71050	PNC-101	\$2.75	12-1/2"	3.938"	3/4"	3.60 oz.	12 oz.

### Engine Mounts

Use Estes, high performance engine mounts for your original designs. All engine mounts feature easy -to-assemble instructions and lightweight components.



Engine Type	Prod. No.	Description	Prior	Fife:	Net Weight Oz.	Shipt. Wt. Oz.
For Series 1 & 11 Engines – A, B, & C type 0.69" x 2.75"	3150 3151 3152	EH-2050 EH-2055 EH-2060	\$1,05 \$1,05 \$1,05	BT-50 BT-55 BT-60	0.1 0.14 0.17	9.00
For Series IV Engines — D type 0.945" x 2.75"	3155	EM-5063	\$1.35	Saturn V	0.4	5
For T Series Mine Engines .5" x 1.75"	3153	EM-520	\$1.00	BT-20	0.09	5
Special Purpose Onick-Change Conversion Mount - From Series IV Engines to Series I & II Engines	3154	EM-2050	\$1,10	BT-50	0.19	5

Engine Blocks

#### **Balsa Adapters**

Adapters give flexibility for rocket design. Switch from one size body tube to another for payload capsules, parachute compartments, propulsion sections, etc. Any adapter can be hollowed to make a passage for ejection gases. All adapters have at least 1/2" mating surface on each end.

### Stage Coupler

For multi-staging, joining body tubes, positioning aadapter rings, etc. Make perfect guides for cutting body tubes and sanding cut edges of body tubes, too. Ship. Wt. for all is 3 oz. each.

	٠			200			
	ш	ne		B	0.0	×	10
4		uə	6				19

Use these top quality featherweight balsa nose blocks in payload sections and anywhere else a solid bulkhead is required. Precision turned for exact fit in body tubes.

Prod. No.	Description	Description Price Each Mates Tubes La		Length	Longth Langth		in Oz. Ship.
8031 8032 8041 8033 8034 8035 8036 8038 8039	TA-520 TA-550 TA-2050 TA-2055 TA-2060 TA-5055 TA-5060 TA-5560 TA-6070	\$1.00 \$1.10 \$ .95 \$1.25 \$1.90 \$1.90 \$2.30 \$2.40 \$2.15	BT-5 to BT-20 BT-5 to BT-50 BT-20 to BT-50 BT-20 to BT-55 BT-20 to BT-60 BT-50 to BT-55 BT-50 to BT-60 BT-55 to BT-60 BT-60 to BT-70	1.75" 2.2" 3.0" 2.5" 3.0" 2.0" 3.0" 2.2" 2.7"	0.75" 1.0" 2.0" 1.5" 2.0" 1.0" 2.0" 1.5"	0.04 0.06 0.15 0.22 0.20 0.60 0.23 0.25 0.65	1 4 4 4 4 4 4 4 4

Prod. No.	Description	Price Each	Outside Diameter	Inside Diameter	Langth	Fits	Average Weight
3050	JT-5C	\$ .60	.513"	.455"	3/4"	BT-5	.020 oz.
3051	JT-20C	\$ .60	.708"	.650"	3/4"	BT-20	.027 oz.
3052	JT-50C	\$ .65	.949"	.920"	1"	BT-50	.051 oz.
3053	JT-55C	\$ .65	1.28"	1.25"	1.3"	BT-55	.088 oz.
3054	JT-60C	\$ .65	1.59"	1.55"	1-1/2"	BT-60	.124 oz.
3055	JT-70A	\$ 1.00	2.175"	2.115"	1-1/4"	BT-70	.140 oz.

Prod. No.	Description	Price Each	Outside Diameter	Length	Fits	Weight Net.	in Oz. Ship.
70152	NB-20	\$ .75	.710"	3/4"	BT-20	.014	1 4 4 4
70158	NB-50	\$ .85	.950"	1"	BT-50	.040	
70162	NB-55	\$ .85	1.283"	1-1/4"	BT-55	.115	
70164	NB-60	\$ 1.00	1.595"	1-1/2"	BT-60	.190	

### Construction Supplies

**Centering Rings** 

AR-5055 CENTERING RINGS: For centering a BT-50 body tube within a BT-55. Extra strong for "D" engine mounts. Weight 0.062 oz. each. Ship, Wt. 2 oz.

No. 3012 . . . . . . . . . . . . . . . . 4 for \$1.00

AR-2050 CENTERING RINGS: For centering a BT-20 body tube within a BT-50. Greater strength makes for use with high thrust engines. Weight per pair .285 oz. Ship. Wt. 2 oz. No 3100 . . . . . . . . . . . . . . . . . 10 for \$1.30

### **Competition Payloads**

COMPETITION PAYLOAD: How high can your rocket lift an ounce of lead? This 1 oz. payload weight, 3/4" in diameter, is certified for FAI competition. Ship. Wt. 2 oz.

No. 38292 . . . . . . . . . . . . . . . . . 2 for \$1.00

### Launch Lugs

62

LAUNCH LUGS: Super-strength laminated launch lugs feature mylar plastic core for durability, paper outer layer for easy gluing. Inside diameter 5/32" fits 1/8" launch rod. Ship. Wt. 1 oz.

1-1/4" long
No. 2321
2-3/8" long
No. 2322
8" long
No. 2326 4 for \$1.30
MAXI-ROD LAUNCH LUG: 2" long, fits 3/16" diameter launch rod.
No. 2328 4 for \$ .95

DOWELS: Extra strong, lightweight seasoned maple dowels. Ship. Wt. 5 oz. 1/8" x 18"

No. 32056 . . . . . . . . . . . . . . . . . . 8 for \$ .85 1/12" x 12" No. 32058 . . . . . . . . . . . . 8 for \$ .85

### **Engine Holders**

ENGINE HOLDER: Flat spring steel design gives easy installation and low drag. Recommended for sport and demonstration models. For Regular and "D" engines. Ship, Wt. 1 oz.

No. 3140 . . . . . . . . . . . . . . . . . 3 for \$1.30

For Mini-Engines, Ship. Wt. 1 oz. No. 3142 . . . . . . . . . . . . . . . . . 3 for \$1.05

### **Paper Adapters**

RA-2055 RINGS: 10 rings for centering and mounting BT-20 in BT-55. Ship. Wt. 2 oz. 

RA-2060 RINGS: 10 rings for centering and mounting BT-20 in BT-60. Ship. Wt. 2 oz. 

MULTI-PURPOSE SET: Includes a total of 20 rings for positioning BT-5 in BT-20; BT-5, BT-20, BT-30 in BT-50; and BT-5, BT-20 and BT-50 in BT-60. Also three universal tapered shrouds and instructions. Ship. Wt. 2 oz. 

RA-2050 RINGS: 20 rings for centering and mounting BT-20 in BT-50. Ship. Wt. 2 oz. 

### **Product Index**

-A-	
Adapters, Balsa	
Artantors Paner 62	
Add On Rad	
A.L.C.M. Cruise Missile Kit 49	
Commission of the commission o	
Alien Explorer Kit 38	
Alpha Kit	
Al pha III Kit18	
Alpha III Starter Kit 8	
Al pha III Kit	
Altitude Computer	
Andromeda Kit 40	
Antares Kit	
Apogee II Kit	
Apogee II Kit and a series 45	
A.S.P. Kit	
AstroBee Kit 18	
AstroCam 110 Kit 2	
AstroCam 110 Outfit 13	
Astron Igniters	
Astron Launcher	
Astron Launcher	
-B-	
Bandit Kit 31	
Bat Kit, The	
Battery Clips 53	- 5
Beta Kit	
Big Bertha Kit	
Big Foot Launcher	
Die Deut Man Carette	
Big Red Max Starter Outfit 9	
Black Brant III Kit	- 0
Blast Deflector Plate 53	100
Blue Bird Zero Kit 35	
Body Tubes 60	
_C_	
Cassiopeia, S.S. Kit	
Cantering Rings	
Challenger I Starter Kit 6	
Challenger II Kit	-
Cherokee D Kit	- 8
Club Programs	
Cohra 1500 Kit 21	- 1
Cobra 1500 Kit	- 0
Comments of the contract of th	
Comet Mit.	
Comet Kit	
Contest, Design 58	- 25
Cruine Missile, A.L.C.M. Kit 49	
-D-F-	- 4
	- 1
Della Star Kit	
Delta Star Kit	
Designer's Special	
Dowels	
Dragonship 7 Kit	- 1
Eclipse Kit	£
Emergency Repair Kit 54	P
Engine Blocks 60	
Foreign Moldage	1
Engine Holders 62	
Engine Mounts 61	1
Engines, Rocket 56-57	1
Estas Aurospace Club	8
Estes Starliner Kit	F

-F-G-	-S-
Falcon Commander Kit 15	Safety Code
Falcon Commander Starter Kit. 7	SAM-4 Kit
Fin Alignment Guide 54	SARK Kit 23
Fin Stock	Satellite Interceptor Kit
F-61 Starfighter Kit 32	Saturn V Kit 50
Gamma Kit 21	Scamp Kit
German V-2 Kit 47	School Programs 54
Goblin Kit	Scissor-Wing Transport Kit 43
Gyroc Kit44	Scorpion Kit 36
	Scout Kit 16
-H-I-J-K-L-	Scaut, LTV Kit
Honest John Kit47	Screamer Kit
Icarus Kit	Screw Eyes 59
Invader, Torellian Kit 39	Soud B, Russian SS-1C Kit 29
Javalin Kit 24	Sea Strike "D" Kit
Kadat Kit	Shock Cord
Launch Lugs62	Shroud Line 59
Launch Rods 53	Skill Level Chart 4
Launch Rod Safety Cap	Skybolt Kit
Little John Kit 23	Sky-Hi Kit
LTV Scout Kit 45	Sky Hook Kit
M-M-	Sky Raider Kit
Mark II Kit	Sky Tracer Kit
Mers Lander Kit 49	Snap Swivels
Mari Alpha III Kit	Solar Igniters 56
Maxi Alpha III Outfit	Solar Launch Controller 53
Maxi Alpha III Outfit	Space Shuttle Kit Back Cover
Maxi Rod	Space Shuttle Orbiter, NASA Kit 33
Mean Machine Kit 34	Space Shuttle Orb, NASA Dutfit 11
Mercury Redstone Kit 48	Space Transporter America Kit. 41
Wetnor Kill	Spin Fin Kit
Micro-Clips	Sprint Kit 47
Mini-Bertha Kit	S.S. Cassiopeia Kit
Mosquito Kit.	Stage Couplers
Multi-Roc Kit 45	Starblazer X-20 Kit 43
-N-0-	Star Dart Kit 22
NASA Space Shuttle Orbitor Kit 33	Starfighter, F-61 Kit
VASA Space Shuttle Orb. Outfit 11	Starfighter, Orion Kit
Vike X Kit 29	Starliner, Estes Kit
Nomad Kit	Star Probe, World Fed. Kit38
Nose Blocks	Starship Nova Kit
Nose Cones 61	Starship Vega Kit42
Nova, Starship Kit	Star Speeder Kit
Odyssey Kit28	Stiletto Kit 28
Orbital Interceptor Kit	Streak Kit16
Orbital Transport Kit 48	Streamer Material 59
Prior Crartishers Vis	Super Flea Kit
Orion Starfighter Kit 39	-T-U-V-
-P-	Tape Discs 59
Parachute Kits	Tepe Strips
atriot Kit	Tartar Kit
atrol Cruiser Excelibur Kit 42	Technical Reports
brishing 1-A Kit	Teros Kit 26
hantom Kit 54	The Day May

iletto Kit . . . . . . . . . . . . . . . . 28 -T-U-Vspe Discs . . . . . . . . . . . . . 59 iros Kit..... 26 oton Disruptor Kit . . . . . . . . . 28 daris Kit ..... 19 -0-R-Vindicator Kit ..... 41 

#### Other Damon Companies:



A DAMON COMPANY Hi-Flier Manufacturing Co. Inc. 510 East Wabash Avenue, Decatur, IL 62525 - 217-429 4361. Manufacturing plastic and paper kites, cord, reels, gliders and sport kites.



A DAMON COMPANY Arrow Industries, Inc. (Formerly Arrow Handicraft

Corp. & Tarco Inc.) 900 W. 45th Street, Chicago, IL 60609 - 312-927-2000 Manufacturing craft kits, wood dollhouse kits, X-mas ornaments, ball clocks, gumball banks, novelty banks, "Magic Racks" and "Wheelo".



X-15 Starter Kit . . . . . . . . . . . . 10

Damon Corporation 80 Wilson Way, Westwood, MA 02090 - 617 - 449 - 0800

Printed by The A. B. Hirschfeld Press, Denver, Colorado U.S.A.



Estes products distributed in Canada by: HOBBY INDUSTRIES, 24 Ronson Drive, Rexdale, Ontario M9W 1B4