

FLY TO THE STARS

You have just opened the most fantastic flying model catalog available anywhere. Whether you love the screaming affitude and smoke of Estes® rockets, the power from a nitro-breathing Cox .049 engine, the chop of a prop from a rubber. band powered Light Glider" or the slicing glide of a West Wings" jet plane, we have flying fun and adventure for you!

THE BEST IS SAVED FOR LAST.

The Star Wars saga -- The most exciting movie trilogy ever to blast through humankind's imagination! Estes and Gox are proud to bring this epic space adventure to life with a universe of flying models: X-wings, Y-wings, TIE fighters and much more! So all of you Jedi Knights, Rebels and Imperials - hoister your blasters. hook up your lightsabers and let Estes and Cox transport you to a galaxy far, far away!







TABLE OF CONTENTS

This catalog is divided into sections according to type

ESTES MODEL ROCKETRY PRODUCTS

ntroduction	1.4
Starter Sets	
Umost Ready To Fly (E2X® Series)	
evel 1 (Beta TM Series)	13
evel 2 (Explorer tM Series)	
evel 3 (Challenge™ Series)	25
evel 4 (Masters tM Series)	
stes R/C	32
Commemorative Star Wars	33
stes Engines.	34
aunch Accessories	37
Accessories/Parts	38
Publications and Software	4
ducation Products	41
Varranty	45
Safety Code	45

Safety Code	45
OX MODEL PRODUCTS	
Introduction	
Fun Flyers	45
Electric Control Line	47
E-Z Flyers	
Control Line Scale	
Control Line Stunt Flyers	
Control Line Sure Start ^{the}	
Free Flight Helicopters	
Radio Control	
Cox Engines	
Accessories	
Warranty	61
GHT GLIDERS	63
EST WINGS MODELS	65
ar Wars	
West Wings	66
Estes	67
Gox	69
Sterling	
North Coast Rocketry	73
THER PRODUCTS	74
DEX.	7B



ESTES FLYING MODEL ROCKETS

THE world leader in model rocketry

You always want the very best. Then Estes rocketry is the only way to go! Estes rockets are micro-versions of rockets flown all over this world and in galaxies near and far away. Not close to the real thing...they are the real thing!

Best of all, Estes rockets are reusable — you can fly them over and over again. They can zip to a hundred feet off the deck or soar thousands of feet above the earth. Mega fun! — and without really trying, you can even learn a little on why things fly — COOL! Estes rockets are the official rockets of the U.S. Space Foundation! Almost 40 years of innovation and safety bring the reality and thrill of flying your very own rocket.

FLY 'EM HIGH! FLY 'EM FAST! FLY 'EM SAFE!



United States Space Foundation











IS IT SAFE?

Model rocketry is one of the safest hobbies in the world — over 300 million model rockets have been launched since 1957. By the numbers, it is safer than most sports and activities — But it is up to you to keep it that way by following the Model Rocketry Safety Code at ALL times (see page 45 for code).

HOW DO I START MY OWN ESTES ROCKET FLEET?

Simple! A Starter Set has everything you need to launch — A launch controller, launch pad, an easy to assemble rocket and launch supplies for the first few flights. You just need to supply the batteries (four AA's) and the glue!

HOW EASY AND HOW MUCH TIME DOES IT TAKE TO BUILD MY ROCKETS?

Estes kits range from the in-an-hour-to-assemble models to rockets that provide many enjoyable hours to build. We have classified our kits into five categories:

ALMOST READY TO FLY (E2X® SERIES): No painting or special tools required! There is limited cutting and rockets can be assembled in one or two hours, E2X kits are complete with out-of-this-world, colorful self-adhesive decals and pre-colored parts.

LEVEL 1 (BETATM SERIES): Quick and easy to build kits with some sanding, cutting and painting required, Easily built on a lazy Saturday afternoon! Most kits feature our TPM Fin System (Through-The-Tube) — giving you strong and precisely mounted fins.

LEVEL 2 (EXPLORER™ SERIES): This is the first fier of craftsman kits. These kits require more time in building, and painting. In this series, you will find rockets that use Estes' largest engine - the "D".

LEVEL 3 (CHALLENGE™ SERIES): The second order of craftsmanship, with kits that combine challenging construction techniques with a high level of flying enjoyment.

LEVEL 4 (MASTERSTM SERIES): These kits require a high degree of modeling involvement from building to painting. The result is a rocket with museum-like qualities that really tiles!

HOW DO MODEL ROCKETS WORK?

You build or assemble the rocket -- Estes makes the engines - safe and proven. You insert the engine into the rocket and ignite it electrically. The rocket blasts off realistically. The engines are only used once. After the flight, you take the engine out, put a new one in and fly again -- over and over.

WHERE DO I FLY?

This chart tells you what size field for what size engine. Each engine size is twice as powerful as the letter before it. See the engine section (page 34) of this catalog for more information.

WHAT DO I NEED TO KNOW?

In this catalog, each description lists important INFORMATION:

- Something fun about the rocket.
- -> Specifications -- how tall, wide and weight
- → What engines we recommend especially for that all-important very first flight!
- How high, on the largest engine recommended, the rocket files (in feet and in meters).
- → The sort of recovery system that brings the rocket back - parachute, streamer or other
- Pick out your favorite rockets...and watch for the Rocket Tips for valuable info on model rocketry.

Remember - Estes model rocket kits offer you a wide spectrum of building and flying. Best of all, they are all FUN to assemble, build and fly!

PLEASE READ: IMPORTANT STUFF!

Model Rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

Unless otherwise specified all models require assembly. Engines, launch system, glue and finishing supplies are not included with the kits unless specified otherwise!

Prices subject to change without notice


USE ONLY WITH ESTES PRODUCTS

Caution: Use of this Estes product with any other brand-name rocket product containing any detect or causing any damage may void the Estes warranty.

Maximum allitudes are projections only, your rocket's actual performance may vary.

Copyright Estes Industries 1996. All rights reserved.

™ & © 1996 Lucasfilm Ltd. All rights hiserved. Used under authorization.



LAUNCH AREA:

Choose a large field away from power lines, buildings, tall trees, and low-flying aircraft. This chart shows the smallest recommended launch areas:

ENGINE TYPE		MATED		M LAUNCH MENSION*
ALL DELAYS	FEET	METERS	FEET	METERS
1/2A	200	61	50	15
A	400	122	100	30
B	800	244	200	61
0	1,600	488	400	122
D	1,800	549	500	152


 Minimum circular area = Diameter in feet or meters Minimum rectangular area = Shortest side in feet or meters

Launch site must be free of obstructions and highly flammable materials.

In most cases, baseball, soccer or football fields are great launch areas!







- out on the flying field in less than two hours.

 The versatile Porta-Pad® II faunch pad and the highly reliable.
- Electron Beam® launch controller.
 And since all of our Estes rockets can be flown over and over
- · Everything comes complete in a repsable flight box.



SABRE™ EST 1473

tirst tew flights:

A great starting point for the first time rocketeer! Highperformance design with two interchangeable recovery systems. Includes a parachule for soft landings and a streamer for high altitude flights. Also includes engines for the first two exciting flights!

SPECS; Skill Level: Almost Ready To Fly (E2X8) Senes). Length: 16.5" (41.9 cm), Dia.: 1.0" (25.4 mm); WL: 1.6 or (45.g); Recovery: 12" (30 cm) Parachute or Streamer:

Max. Allitude: 1000 ft (305 m):

Recommended Engines: 1/2A6-2, A8-3 (first flight), 84-4, 86-4, 86-8, C6-5, C6-7





SABRE™ STARTER SET





SUPER SHOT ST 1449

A two rocket combo with superb performance and sky full of fun! The Super Shot™ rocket delivers high performance and parachute recovery in an easy to build kit. The second rocket the Twister ™, is a simple to build and paint for featuring a recovery with a different spin — after an out-a-sight flight, the Twister ™ separates into two belicopter recovered pieces. Three engines included for three super flights!

SUPER SHOT

SPECS: Skill Level: Almost Ready To Fly (E2X/9 Series), Length: 16.5' (42 cm); Dia.: 1.0' (25.4 mm); Wt.: 1.6 oz (45.5 g), Recovery: 12' (30 cm) Parachute, Max. Altitude: 800 ft (244 m), Recommended Engines: A8-3 (first flight) , 84-4, 86-4, 05-3, 06-3, 06-5

TWISTER

SPECS: Skill Level: 1 (Betath Series), Length; 9.5' (24.1 cm), Dia.: 0.74' (18.7 mm) Wt.; 0.5 oz (18.5 g) Recovery: Helicopter; Max. Altitude: 1000 ft (305 m); Recommended Engines: 1/2A6-2 (first llight), A8-3, B4-4, 86-4, 86-6

HELICATT EST 1465

Huge, rip-roaring rocket with helicopter recovered nose cone. The nearly 3 foot tall rocket has a colorful, extra large decal sheet and engines for your first three Bights!

SPECS: Skill Level: Almost Ready To Fly (E2X® Series), Length: 33.5" (85.1 cm), Dta.: 1-35" (34.2 mm), Wt.: 3.7 oz (105.9); Recovery: Rocket. 18" (55.cm) Paractiouts, Noss Gune Helicopter: Max. Altitude: 600 ft (183.m); Recommended Engines: 84-2, 86-2 (first flight), C5-3, C6-3, C6-6

ALPHAIII" EST 1406

More people have started with this timeless nocket than any other in the history of the world! Features a brightly molded one-piece fin unit and nose sone and engines for three fantastic parachute recovered flights.

SPECS: Skill Level: Almost Ready To Fly (E2XID Series); Length: 12.25" (31.1 cm); Dia.: 0.98" (24.8 mm); Wt.: 1.2 oz (34g); Recovery: 12" (30 cm) Parachute; Max. Altitude: 1000 ft (305 m);

Recommended Engines: 1/2A6-2, A8-3 (first flight), B4-4, B6-4, B6-6, C6-5, C6-7

SPACE SHUTTLE EST 1467


Sport scale of the actual Space Shuttle Orbiter. Flies like the real thing! Rockets to 300 feet and glides back to Earth! The power pod returns with a parachute. Includes two engines for two missions!

SPECS: Skill Level: Almost Ready To Fly (E2X® Series); Length: 14.75' (37.5 cm); Wingspan: 10.0' (25.4 cm); Wt.: 7.0 oz (199 g); Recovery; Shuttle: Glider, Power Pod: 18' (45 cm) Parachute.; Max. Altitude: 300 ft (100 m); Recommended Engine: C6-3

AIRWALKER EST 1410

Sleek high performance payload rocket. Carry stuff into the sky: bugs, flowers, toy figures, maybe your favorite rock or coin. Launch payloads to over 1000 feet high; get 'em back on a 'chute! Special chrome colored reflective body tube.

SPECS: Skill Level: Almost Ready To Fly (E2X® Series)
Length: 20.0" (50.8 cm); Dia: 1.0" (25.4 mm); WL: 2.0 oz (57 g);
Recovery: 12" (30 cm) Parachute; Max. Altitude: 1000 ft (305 m);
Recommended Engines: A8-3 (first tlight), B4-4, B6-4, C5-3.
C6-3, C6-5



Almost Ready to Fly (E2X® Series)

- Great First Rockets!
- No Painting Required
- Assembles in about an hour

HEW!



FLASHES IN THE SKY!

FLASH™

ASTROSAT LSX™ EST 2133

AstroSat LSX^{to} (Light Satellite Experimental) of the Estes Space Corps ejects two streamer equipped satellites at the end of its ascent. This futuristic vehicle flies missions up to 300 feet. Easy to assemble — no painting and authentic looking self adhesive decals!

SPECS: Length: 19.0" (48.3 cm); Dia.: 1.35" (34.2 mm); Wt: 3.2 oz (91g): Max Altitude: 300 ft (90 m); Recovery: 18" (45 cm); Parachille, Recommended Engines: 84-2, 86-2 (first hight), C5-3,C6-3, C6-5

BANDIT EST 2060

Rugged, sleek and marciless performance every time — Escapes to over 1000 feet and every flight recovers with a return!

SPECS: Length: 16.6' (42.1 cm), Dia.: 1.0' (25.4 mm), Wt.: 1.6 oz (45.9), Recovery: 12' (30 cm) Parachute, Max. Altitude: 1000 ft (305 m), Recommended Engines: A8-3 (first flight), 84-4, 86-4, 86-6, C5-3, C6-3, C6-5

MK-109 STINGRAYTH EST 2131

Ship-to-Air missile looks authentic with US Navy markings. Easy to build! No painting! Launches to over 1000 feet altitude!

SPECS: Length: 16.0" (40.6 cm); Dia.: 1.0" (25.4 mm); Wt: 1.7 oz (47 g); Recovery: 12" (30 cm) Parachute; Max. Altitude: 1000 ft (305 m); Recommended Engines: A8-3 (first flight), B4-4, B6-4, B6-6 C6-5, C6-7

FLASHIM EST 2137

A stellar performer with a glant, pre-wrapped prismatic payload section. The huge Flash™ will be noticed anywhere - on the ground or in the air.

SPECS: Length: 28.3' (71.9 cm); Dia.: 0.976' (24.8 mm); Wt: 2.0 oz (57 g); Recovery; 12' (30 cm) parachute; Max. Altitude: 1000 ft (305 m); Recommended Engines: A8-3 (first flight), B4-4, B6-4, B6-6, C6-5, C6-7

STAR BOOSTER™ EST 2145

Accurately modeled spacecraft from Buzz Aldrin's science fiction thriller - Encounter with Tiber. Easy-to-build kit features rear ejection parachute, plastic and foam details and futuristic decals.

SPECS: Length: 18.0" (45.7 cm); Dia: 1.6" (39.7 mm); Wingspan: 9.5" (24.1 cm); Recovery: 18" (45 cm) Parachute; Recommended Engines: C5-3, C6-3 (first flight)



Plastic chrome nose cone, one-piece lin unit and a high performance design combine to make one cool-looking, sleek rocket!

SPECS: Length: 15.0" (38.1 cm); Dia.: 0.976" (24.8 mm); Wt.: 1.3 oz (36 g); Recovery: 12" (30 cm) Parachute; Max. Altitude: 1000 ft (305 m); Recommended Engines: 1/2A6-2, A8-3 (first flight), B4-4, B6-4, B6-6, C6-5, C6-7

Mini-powered, almost ready to tly rocket. Super altitudes on mini-engines - great for flying on small fields! Features chrome

SPECS: Length: 10 25" (26 cm), Dia.: 0.544" (13.8 mm). Wt.: 0.42 oz (12 g); Recovery: Streamer; Max. Altitude: 800 ft (244 m), Recommended Engines: 1/2A3-2T (first flight),

Sleek and tast with scale appearance. Reflective chrome colored Single stage mini-engine power and streamer recovery!

SPECS: Length: 17.0 (43.2 cm); Dia.: 0.736' (18.7 mm)

Recommended Engines: 1/2A3-2T, A3-4T, A1(I-3T (IIII)) Hight)

unit! Millions have started with this classic design. Still a


Wt.: 1.2 oz (34 g); Recovery: 12" (30 cm) Parachute; Recommended Engines: 1/2A6-2, A8-3 (first flight), B4-4

No painting, plastic fins, builds under an hour! A quick way to get into payloading. Cool, pre-colored body tubes and wild

SPECS: Length: 19.5' (50.0 cm); Dia: 1.0' (25.4 mm); Wt.: 1.8 oz (50.2 g); Recovery: 12" (30 cm) Parachute: Max. Altitude: 985 ft (300 m); Recommended Engines: A8-3 (first flight), B4-4, B6-4, C5-3, C6-3, C6-5

Howl at the sun with this screaming bad boy! Lean and mean! Quick to build! The high performance design assures maximum altitude every time. Features parachute recovery!

SPECS: Length: 16.6" (42.1 cm); Dia.: 1.0" (25.4 mm); Wt.: 1.6 oz (45 g). Recovery: 12 (30 cm) Parachute: Max. Altitude: 1100 ft (335 m); Recommended Engines: A8-3 (first flight), 84-4; 86-4, 86-6; C6-5, C6-7



ESTES. SKYWINDER** C USAF MANTA* TURBOCOPTER™

- Level 1 (Beta™ Series)
- · Quick and easy-to-build kits with some sanding, cutting and painting required.
- Most kits feature our T³ (Through-The-Tube) Fin System

Featherweight recovery means the rocket is so lightweight, the engine ejects and the rocket returns safely to the ground.

MOSQUITOM

NINJA**

WIZARD

ALMOST READY TO FLY (E2X SERIES)

SKYWINDER EST 2077
The easiest way to get into hell-recovery, Hocket hunches skyward, at apogen the blades fold out and the one-piece rocket

SPECS: Length: 26.01 (50.8 cm), Dia; 1.351 (34.2 mm), Holor space; 20.01 (50.6 cm); Wt.; 2.51 oz (70.9 g). Recovery: Helicopter, Max. Altitude: 390 (L(120 m) Recommended Engines: 84-2 (first flight), 86-2, C6-3

TURBOCOPTER™ EST 2096

Hot Stiff! With a wild helicopter recovered nose cope and an ultra performance design, this rocket is out-of-argit! Features no painting and one-need fin unit

SPECS: Length: 12.5" (35.25 cm); Dist: 0.735" (16.7 mm); WL; 0.9 kz (25.8 g); Recovery; Nami cone: Helicoptez Rocket Streamer, Max. Allfuide: 1400 ft (427 m), Recommended Engineer 1/2AS-2 (first flight), AS-3, E4-4, BS-1, BS-5, C6-5, C6-7

MANTA^M EST 2097
Futuristic Hooking foam glider rides pictry/brick on the poorter
At apages the glider detaches for its long glide horse. Easy to

SPECS: Length: 16.5" (41.9 cm); Dia.; 0.98" (24.5 mm); WL: 1.8-oz (51 g): Recovery: Glider, Booster: streamen Max. Allitude: 690 (1 (210 m); Recommanded Engines:

LEVEL 1 (BETA™ SERIES)

WIZARD™ EST 1292

No tricks here -- just out-a-sight fun - almost 2000 feet max altitude! Self-adhesive decals and die cut balsa fins - perfect easy-to-build rocket!

SPECS: Length: 12 0' (30.5 cm), Dia.: 0.736' (18.7 mm); Wt.: 0.8 oz (22.4 g); Recovery: Streamer, Max. Altitude: 1500 ft (457 m); Recommended Engines: 1/2A6-2 (first flight). A8-3, 84-4, 86-4, 86-6, C6-5, C6-7

MOSQUITO EST 0801

Mini-engine powered bug of a rocket with screaming high altitude performance. Featherweight recovery for safe returns.

SPECS: Length: 3.9' (9.9 cm); Dia .: 0.544' (13.8 mm); Wil: 0.1 oz (2.8 g): Recovery: Featherweight: Max. Allitude: 800 ft (244 m); Recommended Engines: 1/2A3-47 (first flight). A3-4T, A10-3T

NINJATA EST 0882

Lightning quick performance and super altitudes on miniengine power. Die cut card fins and hot self-adhesive decals!

SPECS: Length: 10.6" (26.8 cm); Dia.: 0.736" (18.7 mm); WL: 0.56 oz (15.9 g). Recovery: Streamer; Max. Allitude: 525 ft (160 m); Recommended Engines: 1/2A3-4T (first flight). A3-4T, A10-3T





FIREBIRD™ EST 2138

Too not to hold back! Punch holes in the sky with this fantastic two foot tall sport filer! Ripping through the air to over 1000 feet high flight after flight.

SPECS: Length: 23.9" (60.7 cm); Bia.: 1.33" (33.7 mm); Wt.: 2.1 oz (60 g); Recovery: 18" (45 cm) Parachute: Max. Altitude: 1080 ft (330 m); Recommended Engines: A8-3 (first flight), B4-4, 86-4, 66-5, 66-7

FATBOY™ EST 2139

Fat boy, and proud of it! Over 2-1/2 inches in diameter and just over 12 inches high! Bullies its way to over 300 feet in altitude and recovers with a "chute!"

SPECS: Length: 12.9" (32.8 cm); Dia.: 2.60" (66.0 mm); Wt.: 3.0 oz (85 g), Recovery; 18" (45 cm) Parachute; Max Allitude: 325 h (100 m); Recommended Engines: B4-2, 86-2 (first flight), C5-3, C6-3

SIZZLER® EST 2127

Hot looking rocket over two feet fail! Fantastic performance -- blazes to over 400 feet. Features a rear ejecting engine pod, deploying a luige parachute at apogee. No wadding needed!

SPECS: Length: 27.8" (70.6 cm); Dia.: 1.637" (41.7 mm); Wt.: 3.9 oz (110 g); Recovery: 18" (45 cm) Parachute; Max Altitude: 400 ft (122 m); Recommended Engines: 84-2, 86-2 (first flight), C5-3, C6-3, C6-5

VENOM EST 2140

No one knows what part of the universe this rocket comes from, but it's got attitude, altitude and sneaky good looks— Quick strikes to over 1100 feet.

SPECS: Length: 18.5' (47 cm); Dia.: 0.976' (24.8 mm); Wt.: 1.2 oz (34g); Max Allitude: 1100 ft (335 m); Recovery: 12' (30 cm) Parachute; Recommended Engines: A8-3 (first flight), B4-4, B6-4, B6-6, C6-5, C6-7

FIRESTREAK EST 2107

Two long metallic-looking red and gold recovery streamers highlight this rocket. Hot flame decor and high allitude performance!

SPECS: Length: 14.75" (37.5 cm) Dia.: 1.0" (25.4 cm); Wt.: 1.35 oz (38.5 g); Recovery: Dual Streamers; Max. Altitude: 1000 it (305 m); Recommended Engines: 1/2A6-2, A8-3 (first flight), 84-4, 86-4, 86-6, C5-3, C6-3, C6-5

CORKSCREW EST 2114

Special engine and fin position makes this rocket spin and spiral on the way UP! The Corkscrew™ leaves wild smoke trails in the sky! Easy to build — Great fun to fly!

SPECS: Length: 21,25' (54 cm): Dia.: 1,0' (25.4 mm); Wt.: 1,9 oz (53 g); Recovery: 12' (30 cm) Parachute; Max. Altitude: 800 ft (244 m); Recommended Engines: A8-3 (first flight), B4-4, B6-2, B6-4, C6-3, C6-5



MONGOOSETA

RELIANT"

TRANSWING SUPER GLIDER

EST 2112 Blazes off the pad-like a rocket but at apogee, the Power Pod falls away, Jeleasing the wings and the Transwing transforms. Into long duration glider. Easy to build - no painting! Flights over one minute are possible!

SPECS: Langth: 22.01 (50 cm); Dia.: 0.9761 (24.8 mm) Glider Wingspan: 24" (61 cm); Glider WL: 2.0 oz (58 g): Recovery: Glider, Power Pod: Streamer | Max. Allitude: 305 ft (100 m); Recommended Engines: 84-2, 86-2

ZINGER EST 1917
A great super light-weight rocket with skizzling heavy-weight performance - 2000 feet attitude! Comes with cool sail adhesive decals and lightweight balsa line

SPECS: Length: 10.25" (26 cm); Dia.: 0,735" (18.7 mm); WL: 0.3 nz (8.5 g): Recovery: Streamer, Max. Altitude: 2000 ft (640 m), Recommended Engines: A8-3 (first flight) B4-4, B6-6, C6-7

ASTROCAM 110 EST 1827
What's it look like from up there? This camera rocket over you his big picture - fundreds of her upt EASY to build. No patinting -- almost prady to fly! Simple to use and fly! Kit includes cameral Uses 110, 240 ASA film.

SPECS: Length: 19 1" (48.5 cm); Dig.: 1 34" (34 mm); Wt.: 3.75 oz (106 1 g). Camera shutter speed. 1,500 sec., 1-stop 11 Recovery. 12 (30 cm) Parachus-Max, Allude: 500 ft (151 m). Recommended Engine. C6-7 only!

VIKINGT EST 1949

Fantastic rocket with multiple possible fin configurations --48 in all Features die out card fins, self-adhesive decals and streamer recovery. Super high attitude flights!

SPECS: Length: 12.13" (30.8 cm): Dia.: 0.736" (18.7 mm). Wt.: 0.71 oz (20.1 g): Recovery: Streamer Max. Allitude: 1470 ft (450 in); Recommended Engines: A8-3 (first flight). 84-4. 86-4. C6-5. C6-7

MONGOOSE™ EST 2092

Snakes won't get close to this one! Perfect first two-stage rocket! Super-quick to build with high allitude performance over 1800 feet! Pre-colored with two one-piece fin units. crazy-looking self-adhesive decais

SPECS: Length: 26.5' (67.3 cm); Dia.: 0.98' (24.8 mm); Wt.: 2.3 oz (65 g): Recovery: Streamer Max. Altitude: 1600 ft (488 m); Recommended Engines: Single Stage flights - A8-3 (first flight), 84-4, 86-4, 06-5. Two Stage Flights: Booster Stage - 86-0 (first flight), C6-0; Second Stage - 86-6, C6-7

RELIANT MEST 1986

Sounding rocket details and fiber fins make up this hot

SPECS; Length: 12.5" (31.8 cm); Dia.: 0.736" (18.7 mm) Wt.: 0.62 oz (17.6 g): Recovery: Streamer Max. Altitude: 1450 ft (442 m); Recommended Engines: 1/2A5-2 (first flight), A8-3, B4-4, B6-4, B6-6, D6-5, D6-7



F-117 NIGHTHAWK EST 2117
Rocket boost gilder patterned after the F-117 Stealth fighter TutFide** Toam lighter is easy to build. The F-117 climbs straight up in a spiral boost. At apopes, power pod activates

SPECS: Length: 16.0' (40.6 cm); Wingspan: 15.5' (39.4 cm); Wt.: 6 oz (170 g); Recovery: Gilder, Power Pod: Streamer, Max. Allitude: 250 ft (76 m); Rezommended Engine: C6-3

F-22 AIR SUPERIORITY FIGHTERIA

EST 2124

The lighter aircraft of the Estes Space Corps! F-22 rockets skyward on a booster straight into the air. At apogee, booster falls away and glider swoops down out of the sky. Easyto-build glider and booster.

SPECS: Glider Length: 13.5" (34.3 cm); Wingspan: 9.25" (23.5 cm); Glider Wt.; 1.6 oz (45 g); Booster Length; 25.5" (64.8 cm); Dia.: 1.33" (34 mm); Wt.: 1.9 oz (55 g); Recovery: Glider & Booster: 18" (45 cm) Parachute: Max. Altitude: 250 ft (76 m); Recommended Engines: B4-2 (first flight), B6-2, C5-3, C6-3

VENUS PROBET EST 2120


Find the Truth! Mothership deploys alien lander (alien included!). Lander extends legs and descends under its own parachute - lands upright every time! Mothership returns on its own 'chute!

SPECS: Length: 27.0" (68.6 cm); Dia.: 1.325" (33.7 mm): Wt.: 5.1 oz (145 g); Landing Gear Span: 24" (61 cm); Alien Lander Ht.: 10.5" (26.7 cm); Recovery: 12" (30 cm) and 18' (45 cm) Parachute: Max. Altitude: 250 ft (76 m): Recommended Engines: C5-3 (first flight), C6-3

AIM-9 SIDEWINDER EST 2125

Giant 1/4 scale model of the famous air-to-air missile. Model comes complete with plastic detailed nose cone and the Ta Fin Mounting System for main and nose cone mounted fins.

SPECS: Length: 30.2" (76.7 cm); Dia.: 1.33" (33.7 mm); Wt.: 4.2 oz (120 g); Recovery: 12" (30 cm) and 18" (45 cm) Parachutes; Max. Altitude: 390 ft (120 m); Recommended Engines: B4-2 (first flight), B6-2, C5-3, C6-3







HEW!

D ENGINE

TWO STAGE FUN!

LONG SHOT**

> BLACK BRANT II™

A.R.V. CONDOR™ EST 2075

Atmospheric research vehicle of the next century! At apages, two drones detach for a gliding return to Earth. Booster returns on a streamer!

SPECS: Booster Length: 18.5" (47.0 cm); Drone Length; 6.1" (15.6 cm); Booster Dia; 0.975 (24.8 cm); Drone Wingspan; 10.75" (27.3 cm); Booster Wt.: 1.13 oz (32.0 g); Drone Wt.: 0.5 oz (14.9) Recovery; Drones Glider; Booster Streamer, Max. Altitude: 700 if (213 m); Recommended Engines: B4-2 (first flight); B6-2, C5-3, C6-3

BULL PUP 120TH EST 7000

Sport scale version of the USAF AGM -12D Buil Pup. Plastic tail cone and authentic color decals! Great first scale model!

SPECS: Length: 15.6' (39.7 cm); Dia.: 1.33' (33.7 mm); Wi.: 1.8 oz (50.9 g); Recovery: 12' (30 cm) Parachute; Max. Altitude: 675 ft. (206 m); Recommended Engines: A8-3 (first flight), B4-4, B6-4, C6-5

SR-XTM EST 2115

Mysterious, sleek and dark — the Estes Space Corps' Project Aurora. Uniquely shaped lifting body made from a two-piece aerofoam shell. Great performing glider.

SPECS: Length: 18.0" (45.7 cm); Wingspan: 11.5" (29.2 cm); Wt.: 6.6 oz (184.6 g); Recovery: Gilder, Power Pod: 12" (30 cm) Parachute; Max. Altitude: 200 ft (61 m); Recommended Engines: B4-2 (first flight), B6-2, C5-3, C6-3

LONG SHOT EST 2128

Never bet against this rocket! Powerful two stage fun! A "D" booster/regular upper stage engine combo rips this rocket to 1300 feet. One-piece fin units make it a cinch to build.

SPECS: Length: 46.0' (117 cm); Dia.; 1.35' (34 mm); Wt.; 5.7 oz (161 g); Recovery: Streamer; Max Altitude; 1300 ff (400 m); Recommended Engines: Single Stage flights: C5-3 (first flight), C6-3; Two stage flights: Booster stage – D12-0; Second Stage – B6-6 (first flight), C6-7. Requires a 3/16' (5 mm) Maxi^M launch rod (EST 302244) - available separately.

BLACK BRANT II EST 1958

Beautiful 1/13 scale model of a Canadian research sounding missile used in the 1960's. High altitude flights on "D" engines. Great detailing!

SPECS: Length: 24.9° (63.2 cm); Dia.: 1.33° (33.7 mm); Wt.: 2.3 oz (64.8 g); Recovery: 18° (45 cm) Parachute: Max. Attitude: 1170 ft (360 m); Recommended Engines: D12-5 (flist flight), D12-7



LEVEL 3 (CHALLENGE™ SERIES)

COMANCHE-3** EST 1382
When two stages simply are not enough, try three! A "D" est flying rocket roars to ultra high altitudes-over a half mile

SPECS; Length: 41.0" (104.1 cm); Dia.: 0.98" (24.8 mm); Wt.: 2.1 oz (58.9 g): Recovery: Streamer, Max. Allitude: 2660 ft (810 m), Recommended Engines:

Single Stage Hights: A6-3 (first Hight), 84-4, 66-4, C6-5; Three Stage Hights: Booster stage - D12-D, Second Stage: 86-0 (first flight), C6-0, Third Stage: 86-6 (first flight), C6-7 Requires a 3/16" (5 mm) Maxins launch rod (EST 302244) available separately.

TOMCATT EST 2086

Fighter craft of the Estes Space Corps! Wings are tucked back for vertical rocket flight, then at apopee swing out for a

SPECS: Length: 21.1" (53.7 cm): Wingspan-Swept: 10.25" (26.0 cm), -Extended: 18.6" (47.3 cm); Wt.: 4.1 oz (115 g); Recovery: Glider, Max. Attitude: 300 ft (91.5 m). Recommended Engines: C5-3, C6-3 (first Hight)

PHOENIX EST 1380
Huge 1/9 semi-scale model of the AIM-54 air-to-air Phoenix missile. Giant full color decal sheet! "D" powered for

SPECS: Length: 30.0' (76.2 cm); Ola.: 2.60' (66 mm); Wt.: 6.6 pz (186 8 g); Recovery: 18' (45 cm) Parachute; Max. Altitude: 350 ft (106 m), Recommended Engine: D12-3 (first flight). Requires a 3/16' (5 mm) Maxi^M launch rod (EST 302244) - available separately!

SR-71 BLACKBIRD EST 7003
Scale model of the fastest known let in the world, even after skin details and plastic parts. Great looking model!

SPECS: Length: 19.0.* (48.3 cm); Dia.: 0.98* (24.9 mm); Wt.: 3.2 oz (90.6 g); Recovery: 18" (45 cm) Parachute; Max. Altitude: 600 ft (183 m): Recommended Engines: 84-2 (first flight), 86-2, 85-4, C6-5

LEVEL 4 (MASTERS™ SERIES)

MERCURY ATLAS™ EST 2111 .
A highly detailed 1/35 scale model of the vehicle that put the first American in orbit. Injection and vaccoum-formed plastic parts with simulated stainless steel body wraps. Requires. removable stabilizer fins for flight.

SPECS: Length: 33.0" (83.8 cm); Dia.: 3.4" (86.1 mm); Wt.: 7,8 oz (220 g); Recovery: Capsule - 12" (30 cm) Parachute, Main body - 24" (60 cm) Parachute; Max. Altitude: 250 ft (76 m); Recommended Engine: D12-3. Requires a 3/16* (5 mm) Maxim launch rod (EST 302244) - available separately

SPACE SHUTTLE** EST 1284
Accurately detailed in 1/162 scale of America's workhorse space vehicle. Orbiter features glide return; External Tank and SRB's return via 'chute, Requires removable stabilizer fins for flight.

SPECS: Total Length: 13.6" (34.5 cm). Wt.: 4.4 oz (124 g): Orbiter Length: 9.0' (22.9 cm); Recovery: Orbiter: Glider SRB's/ET: 18' (45 cm) Parachute; Max. Altitude: 197 ft (60 m); Recommended Engines: C5-3 (first flight), C6-3

ESTES.

r/c glider

R/C Glider

- · Rocket-powered, radio-controlled
- · Launch or boost vertically, then gently guide it towards a thermal

ROCKET-POWERED

OUTSTANDING SLOPE SOARER!



Star Wars Commemorative Series You can fly with this epic space adventure! See page 66 for more exciting Star Wars products!

K-WING FIGHTER™



R2-D2**

TIE FIGHTER™

ESTES R/C GLIDERS

SWEET VEEL EST 2116

R/C rocket powered glider for the experienced R/C flier Also makes an outstanding stope searer. Features blowmolded fuselage and pre-cut foam wing cores with pre-cut Obeche wood coverings. Kit comes complete with special plastic mechanical mixer. No need for complex computer radios or electronic mixing. Sweet Vee requires at least a two channel radio with mini, micro or mid-sized servos (R/C equipment NOT included) R/C Building and Flying Experience Required.

SPECS: Length: 34.0' (86.4 cm); Wingspan: 55.0" (139.7 cm); Wing Area; 340 sq. in. (22 sq. m) WL: 16 - 20 oz (453 - 587 g): Max. Allihida: 148 ft (45 m); Recommended Engine: DTT-P

THE CLASSIC COMMEMORATIVE SERIES OF Star Wars FLYING MODEL ROCKETS

X-WING FIGHTER EST 2103

Blast the Empire with this scale reproduction of the X-wing fighter. Features plastic molded fuselage and detail parts. includes authentic decals!

Specs: Skill Level: 2; Length: 10.91 (27.6 cm); Wingspan: 8.9' (22.5 mm), Wt.: 3.5 oz (99.20), Recovery: 12" (30 cm) Parachute, Max. Allitude 300 ft (90 m); Recommended Engine: C6-3

R2-D2TM EST 2104

Fly your own version of the famous droid R2-D2, 1/5 scale kit includes many plastic parts and a detailed self-adhesive body wrapper.

Specs: Skill Level: 2, Length: 9" (22.8 cm); Dia.: 3.74" (95.1 mm), Wt.: 5.1 oz (145 g), Recovery: 18' (45 cm) Parachute: Max. Altitude: 300 ft (90 m); Recommended Engines: 86-2 (first Might), C6-3

TIE FIGHTER" EST 2102

Attack the Rebel fleet with your own Imperial TIE fighter. Kit includes highly detailed plastic cockpit and fuselage with molded energy panels. This version requires a special recovery probe for atmospheric flight.

Specs: Skill Level: 3; Length: 5.4' (13.7 cm); Length with probe: 21' (53.2 cm); Wing Span: 5.0' (12.7 mm); Wt.: 3.8 oz (107.4 g): Recovery: 18' (45 cm) Parachute: Max. Altitude: 300 ft (90 m); Recommended Engine: 06-3

™ & © 1997 Lucastilim Ltd. All rights reserved.

ESTES MODEL ROCKET ENGINES

These are the famous model rocket engines that made model rocketry the safe hobby it is today. They incorporate a safe, intelligent design, manufactured under precise and strict engineering tolerances. Estes model rocket engines have been proven consistent and reliable in more than 300,000,000 launches. They are the key to the outstanding safety record model rocketry has achieved over the past 38 years.

- The concept of a factory assembled model rocket engine is the foundation of this safe, scientific and educational activity!
- 3% of all Estes engines are static-tested at the factory for reliability and adherence to performance specs.
- All engines comply with the codes of the National Fire Protection Association and are certified by the National Association of Rocketry.

CLAY HOZZI.E CLAY POR CARPINA CARRIER CLAY POR LEFEUTS AND COAST PRASE AND TO ACTUTE THE METERS OF THE COAST PARKED AND TO ACTUTE THE METERS OF THE COAST PARKED AND TO ACTUTE THE METERS OF THE COAST PARKED AND TO ACTUTE THE METERS OF THE COAST PARKED AND TO ACTUTE THE METERS OF THE COAST PARKED AND TO ACTUTE THE METERS OF THE COAST PARKED AND TO ACTUTE THE METERS OF THE COAST PARKED AND TO ACTUTE THE METERS OF THE COAST PARKED AND TO ACTUTE THE METERS OF THE COAST PARKED AND TO ACTUTE THE METERS OF THE COAST PARKED AND TO ACTUTE THE METERS OF THE COAST PARKED AND THE COAST PARKED PARKED AND THE COAST PARKED PAR

HOW DOES A MODEL ROCKET ENGINE WORK?

 Insert engine Into rocket. Insert igniter and igniter plug into engine. Place rocket over launch rod on launch pad, hook igniter clips to igniter.
 U.S. Patent Nr. 5,509,354

MAKE CERTAIN SAFETY KEY HAS BEEN REMOVED FROM CONTROLLER!





When launch button is pushed, engine produces thrust

When launch button is pushed, engine produces thrust and boosts rocket into the sky.

3. After propellant is used up, delay is activated, allowing rocket to coast.



4. After delay, ejection charge is activated, deploying recovery system.

MINI ENGINE

1.75" (4.4 cm) long

WHAT SIZES ARE AVAILABLE?

Estes engines are available in a wide variety of sizes and power levels:


TYPE	TOTAL IMPULSE	ENGINE TY
1/2A	0.626 - 1.25	Standard, N
A	1.26 - 2.50	Standard, N
В	2.51 - 5.00	Standard
C	5.01-10.00	Standard
D	10.01-20.00	"D" Size

WHAT DO THE DIFFERENT COLOR ENGINES MEAN?

Each type of engine is printed in a different color:
Single stage engines are printed green.
Upper Stage engines are printed purple. (Upper stage engines can be used as single stage engines in lightweight rockets.)
Booster engines are printed red. (Booster engines contain no delay or ejection charge.)
Plugged engines are printed

black. (They are used for R/C gliders and contain no defay or ejection charge.)





Each engine has a letter-number-number code (e.g. B6-4)
Letter: B Number: 6 Number: 4

TOTAL IMPULSE

Unit = Newton-seconds (N-sec)
This letter indicates the total power
the engine produces. Total Impulse
is measured in Newton-seconds.
One Newton-second is the total
impulse produced by one Newton
of thrust for a duration of one second. A "B" engine (5 N-sec) can
produce up to 5 newtons of thrust
for 1 sec, 10 newtons for 1/2 sec or
any combination that equals up to 5
N-sec. (1N = 0.225 lbs.)

AVERAGE THRUST

Unit = Newton


This number tells you the Average Thrust of the engine during thrust phase. The actual thrust varies during engine burn. The propellant may burn quickly giving a higher average thrust or burn slowly for a lower average thrust is best for heavier rockets, lower average thrust is usually more efficient for smaller, lighter rockets.


TIME DELAY

Unit = seconds
This number is the
number of seconds
between the end of
the thrust phase and
the activation of the
ejection charge. The
delay allows the
rocket to coast to its
peak altitude before
the recovery system
is deployed.


TIME/THRUST CURVES


- Time/thrust curves are representative of random production samples.
- Time/thrust curve graphs are shown in pounds instead of Newtons.
- Graphs are not drawn to the same scale.




















ENGINE CHART

- . Delays have a tolerance of plus or minus 10% or 1 second, whichever is greater
- All Estes engines come complete with igniters and patented Igniter Plugs (Pat.No 5,509,354). The Estes Igniter Plug makes engine ignition extremely reliable.
- . Do not fly a rocket/engine combination whose maximum lift-off weight exceeds the recommended maximum lift-off weight.

Prod. No.	Engine Type	Total Impulse	Time Delay		ax. Veight	Max Thru		Thrust Duration	Init We			ellant eight
		N-sec	Sec.	OZ.	gm	Newtons	Lbs.	Sec.	DZ.	gm	OZ.	gm
SING	LE STAGE	ENGINES	(GREE	N LAR	EL)							
1503	1/2A3-2T	1.25	2	2.0	57	8.3	1.9	0.3	0.20	5.6	0.06	1.75
1593	1/2A6-2	1.25	2	2.5	71	11.8	2.7	0.3	0.53	15.0	0.06	1.56
1507	A3-4T	2.50	4	2.0	57	8.5	1.9	0.6	0.27	7.6	0.12	3.50
1511	A10-3T	2.50	3	5.0	142	13.0	2.9	0.8	0.28	7.9	0.13	3.78
1598	A8-3	2.50	3	4.0	113	11.8	2.7	0.5	0.57	16.2	0.11	3.12
1601	B4-2	5.00	- 2	4.0	113	13.2	3.0	1.1	0.70	19.8	0.29	8.33
1602	B4-4	5.00	4	3.5	99	13.2	3.0	1.1	0.74	21.0	0.29	8.33
1605	B6-2	5.00	2	4.5	127	12.1	2.7	0.8	0.68	19.3	0.22	6.24
1606	B6-4	5.00	4	4.0	113	12.1	2.7	0.8	0.71	20.1	0.22	6.2
1617	C5-3	10.00	3	8.0	226	21.0	4.7	1.9	0.90	25.5	0.45	12.70
1613	C6-3	10.00	3	4.0	113	15.3	3,4	1.6	0.88	24.9	0.44	12.4
1614	C6-5	10.00	5	4.0	113	15.3	3,4	1.6	0.91	25.8	0.44	12,48
1666	D12-3	20:00	3	14.0	396	32.9	7.4	1.6	1.49	42.2	0.88	24.93
1667	D12-5	20.00	5	10.0	283	32.9	7.4	1.6	1.52	43.1	0.88	24.93
UPPE	R STAGE	ENGINES	(PURP	LE LA	BEL)							
1504	1/2A3-4T	1.25	4	1.0	28	8.3	1.9	0.3	0.21	6.0	0.06	1.7
1607	B6-6	5.00	6	2.0	57	12.1	2.7	0.8	0.78	22.1	0.22	6.2
1615	C6-7	10.00	7	2.5	_71	15.3	3.4	1.6	0.95	26.9	0.44	12.4
1668	D12-7	20.00	7	8.0	226	32.9	7.4	1.6	1.55	44.0	0.88	24.9
800	STER STAG	E ENGINE	ES (RE	D LAB	EL)							
1510	A10-0T	2.50	None	5.0	142	13.0	2.9	0.8	0.24	6.7	0.13	3.70
1608	B6-0	5.00	None	4.0	113	12.1	2.7	0.8	0.58	16.4	0.22	6.2
1616	C6-0	10.00	None	4.0	113	15.3	3.4	1.6	0.80	22.7	0.44	12.48
1665	D12-0	20.00	None	14.0	396	32.9	7.4	1.6	1.44	40.9	0.88	24.93
PLUC	GED ENGI	NES -FOF	R USE	WITH	R/C R	DCKET G	LIDE	R (BLAC	K LAB	EL)		1
1669	D11-P	20.00	None	16.0	453	27.6	6.2	1.82	1.55	44.0	0.88	24.93

The data listed above is from randomly chosen production samples. NOTE: The "T" designates a mini engine.

FLIGHT ACCESSORIES

BLAST-OFF® FLIGHT PACK

EST 1672

Contains 24 engines, 24 igniter plugs, 30 igniters and a pack of recovery wadding. Engines include six each of the A8-3, B6-4, C6-3 and C6-5. Ideal way to have fun on a Saturday afternoon!

RECOVERY WADDING

EST 302274

Flame resistant wadding to protect your recovery system. Required in most Estes rockets. Contains 75 sheets anough for about 18 - 25 flights!

IGNITERS

EST 302301

Dependable, easy-to-use Estes igniters in a convenient 6 pack. It is always a good idea to have few spares.





ELECTRON BEAM®

LAUNCH ACCESSORIES

ELECTRON BEAM® LAUNCH CONTROLLER EST 302220

Launch controller comes complete with safety key, continuity light, push button launch button, safety decals, 17 feet (5.2 m) of cable and micro-clips for igniter hook up. No assembly required! Requires four AA alkaline batteries (Not Included).

PORTA-PAD® II LAUNCH PAD EST 302215

Sturdy, bright plastic tripod design with tilt adjustment (up to 30° from vertical). Easy to set up and take down - no tools required! Comes complete with blast deflector with standoff, two-piece 1/8′ (3 mm) launch rod and safety cap and key. Porta-Pad® II can accommodate a 3/16′ (5 mm) launch rod - (not included)

ELECTRON BEAM®/PORTA-PAD® II COMBO EST 302218

Contains a complete Electron Beam® and Porta-Pad® II launch pad system. Requires four AA alkaline batteries (Not Included).

1/8" (3 MM) TWO-PIECE LAUNCH ROD EST 302243

Replacement rod; ideal for most rockets.

3/16" (5 MM) TWO-PIECE MAXI" LAUNCH ROD EST 302244

Launch rod with extra strength and stiffness for larger rockets.

LAUNCH ROD SAFETY CAP AND KEY EST 302205

Always keep an extra one handy!


BLAST DEFLECTOR WITH STANDOFF EST 302241

Replaces that worn-out deflector.

PORTA-PAD® II LAUNCH PAD

OCKET TI

You must use a launch pad and a launch controller to fly your model rockets. On this page, you will find all the equipment you need to fly your rockets safely.



Model rocket kits are constructed of lightweight materials such as paper, balsa and plastic. The diagram above shows how parts fit together. Nearly all Estes parts that have the same series description number fit together. For instance, a BT-20 body tube will fit a NC-20 nose cone. An AR2050 centering ring will center a BT-20 into a BT-50.

BODY TUBES

High quality spiral wound paper tubes. Use tube couplers to connect tubes of the same diameter.

Four tubes per package with BT-5 & BT-20, three per package with BT-50, BT-55 & BT-60. Two per package in BT-80.

Product Number	Body Tube Size	Inside Dimension in./mm	Outside Dimension in./mm	Length in./cm
303084	BT-5	0.518/13.2	0.544/13.8	18.0/45.7
303085	BT-20	0.710/18.0	0.736/18.7	18.0/45.7
303086	BT-50	0.950/24.1	0.976/24.8	18.0/45.7
303087	BT-55	1.283/32.6	1.325/33.7	18.0/45.7
303088	BT-56	1.304/33.1	1.346/34.2	18.0/45.7
303089	BT-60	1.595/40.5	1.637/41.6	18.0/45.7
303090	BT-80	2.588/65.7	2.600/65.7	14.2/36.1
	1000			

SMALL TUBE COUPLERS

EST 302297

Two couplers each for BT-5, BT-20 and BT-50.

LARGE TUBE COUPLERS

EST 303196

Two couplers for BT-55, BT-56 and BT-60; One for BT-80.

NOSE CONE ASSORTMENTS

Each package of nose cones contains a variety of shapes. Some are one piece, others two-piece. All have eyelets for shock cord and shroud line attachments.

NC-5 Nose Cone Assortment EST 303160

Five cones per pack

NC-20 Nose Cone Assortment EST 303161

Five cones per pack

NC-50 Nose Cone Assortment

Five cones per pack

EST 303162

NC-55 Nose Cone Assortment EST 303163

Four cones per pack

NC-56 Nose Cone Assortment EST 303164

Four cones per pack Same cone shape, different colors.

NC-60A Nose Cone Assortment EST 303165

Two cones per pack Big Bertha™ and Bailout™ style.

NC-60B Nose Cone Assortment EST 303166

Two cones per pack Mean Machine™ and Tomcat™ (without canopy) style

NC-80A Nose Cone EST 303167

One cone per pack Phoenix[™] style


NC-80B Nose Cone EST 303168

One cone per pack Fat Boy™ style









RECOVERY SYSTEM KITS

PLASTIC PARACHUTES

Colorful chutes complete with tape rings, shroud lines, snap swivel (for quick changes) and instructions.

Product No.	Parachute Diamete
EST 302264	12° (30 cm)
EST 302267	18" (45 cm)
EST 302271	24" (60 cm)

NYLON PARACHUTES

Red, ripstop nylon chutes, pre-assembled. Fits rockets with a BT-60 (1.6" or 42 mm) or greater body tube.

Product No.	Parachute Diameter
EST 302260	18" (45 cm)
EST 302261	24" (60 cm)

STREAMER KITS

EST 302275

Contains two different types of streamer material: One 2" X 90" (5 cm x 230 cm) red crepe paper and two 1.75° X 36" (4.5 cm X 91 cm) metalized plastic streamers (One gold, one red). Comes complete with snap swivels.

SHOCK CORDS AND MOUNT PACK EST 302278

Contains two 1/8" X 18" (3 X 450 mm), and one 1/4" X 36" (6 mm X 910 mm) elastic shock cords (enough for four shock cords). Includes mounts and instructions.

ENGINE MOUNT KITS

Engine mounts for conversions and original designs. Easy to assemble with complete instructions. Each kit has enough parts for two complete mounts.

MINI-ENGINE MOUNT

EST 303157

Fits BT-20 tubes. Also can be used to fly lightweight standard engine kits with mini-engines.

STANDARD ENGINE MOUNT EST 303158

Fits BT-50, 55, 56 & 60 tubes. Plus can be used to make a conversion mount for lightweight D powered rockets.

D ENGINE MOUNT KIT EST 303159

Heavy duty engine mounts for D engines. Fits BT-55, 60 and 80 tubes.

PARTS

PAYLOAD SECTION KITS Payload Section PS-20 & PS-50/55

EST 303194

Complete with two clear payload sections (BT-20 and BT-50 size). Fits BT-20 and BT-50-sized rockets -- 0.74" (18.7 mm) and 0.98" (24.8 mm) diameters plus includes a transition section to

fit the BT-50 sized clear tube onto a BT-55 (1.33° or 33.7 mm) body tube. Kit includes plastic bulkheads and instructions. Nose cones not included!

Payload Section PS-55/60 EST 303195

Large BT-60 (1.6" or 40 mm) clear tube to fit BT-55 and BT-60 size rockets. Complete with bulkheads, transitions and nose cone.

DOWELS, FIN STOCK & PATTERNS PACK EST 303193

Includes three different sheets of balsa:

- 3° X 12° X 3/32° (75 mm X 305 mm X 2 mm)
- 3" X 12" X 1/8" (75 mm X 305 mm X 3 mm)
- 3" X 12" x 3/16" (75 mm X 305 mm X 3.5 mm); and two different dowel stock:
- 1/12" X 12" (2 mm X 305 mm)
- 1/8" X 12" (3 mm X 305 mm);

and includes pattern sheets containing many popular fin shapes.

CENTERING RING PACK EST 302296

Heavy duty centering rings for centering tubes in other tubes or for making custom engine mounts. Includes rings that center BT-5 in BT-20 (six each), BT-20 In BT-50 (12 each) and BT-50 in BT-55 (six each).

FLAT CENTERING RING PACK

EST 302295

Die-cut card stock rings for centering tubes in other tubes or for making custom engine mounts. Includes instructions and pattern sheet to make paper shrouds for transitions and boat tails. Rings will center BT-20 in BT-50, 55, 56 and 60 and BT-50 centered in BT-60 and BT-80.

ENGINE HOOK PACK EST 303143

Hooks for engine mounts - Fits mini-engines (one each), regular and D engines (three each) and 3-1/2" long hooks for special applications (two each). Includes spacer for long engine hooks.

LAUNCH LUG PACK

EST 302320

Contains eight 1/8" (3 mm), four 3/16" (5 mm) and two 1/4" (6 mm) launch lugs.

DECALS

Apply these boldly colored decals anywhere -- on rockets, model cars, airplanes, notebooks, etc.

Assortment 1 EST 302995

Water transferable decals with US Flags, military "Stars and Bars", letters and numbers plus more!

Assortment 2 EST 302996

Self-adhesive chrome foil decals with hatches, cockpits and



Convert your favorite rockets over to carry payloads! Just look for your rocket's diameter in the rocket specs in this catalog. Select the payload section that fits.





77-			_									_				_									_				
4200	1511	1510	1507	1504	1503	1473	1467	1465	1463	1456	1449	1410	1406	1382	1381	1380	1327	1295	1292	1284	1256	1225	0886	0882	0835	0834	0802	0801	EST
ADAGO Francis	A10-3T Engines (4 pack)	A10-0T Engines (4 pack)	A3-4T Engines (4 pack)	1/2A3-4T Engines (4 pack)	1/2A3-2T Engines (4 pack)	Sabre TM Starter Set	Space Shuttle™ Starter Set	HeliCat™ Starter Set	Designer's Special TM	Estes Teacher's Starter Set	Super Shot™ Starter Set	Airwalker™ Starter Set	Alpha III® Starter Set	Comanche-3 TM	Yankee™	Phoenix™	Astrocam® 110 (Made in China)	Mean Machine TM	Wizard™	Space Shuttle TM	Alpha III@	Alpha®	Gnome***	Ninja®	Nike Arrow TM	X-Ray ^{*M}	Quark ^{3M}	Mosquito TM	ES® MODEL ROCKETRY PRODUCTS
I NE F	4,79	4.79	4.79	4.79	4.79	29.99	36.99	33.89	44.09	38.95	34.99	32.89	31.79	14.79	5,09	24.39	30.69	23.29	5.09	27.59	9,99	8.09	5,29	5.09	6.99	5.49	3.49	\$3,19	CIS
1003	2000	2802	802	2002	2702	1102	2702	2070	002	2002	2020	2002	2002	2000	1000	1000	1020	1940	191/	1/07	170	1784	1783	1781		1780	1771	1770	1768

9.99	Turbo Copter™	9602
9.99	Mongoose TM	2092
14.79	Maniac TM	1602
17,99	Tomcat TM	2086
15.89	Omloid™	2078
16,69	Sky Winder™	2077
13.29	A.R.V. Condor***	2075
15.59	Bail-Out ^{rM}	2070
12.19	Rampage™	2061
10.99	Bandit [™]	2060
10.59	Athena™	2026
8.99	Yellow Jacket TM	2008
5.09	Tornado TM	2004
4.79	Reliant™	1986
10.59	Nova Payloader TM	1960
14.19	Black Brant II TM	1958
4.79	Viking™	1949
11,89	Big Bertha™	1948
5.09	Zinger™	1917
43,29	C5-3 Engines Bulk Pack (24 Pack)	1785
38.89	86-0/86-6 Eng. Bulk Pack (12 each per Pack)	1784
38.89	B6-4 Engines Bulk Pack (24 Pack)	1783
37,99	A8-3 Engines Bulk Pack (24 Pack)	1781
27.39	1/2A3-2T Engines Bulk Pack (24 Pack)	1780
109.99	Omloid™ Bulk Pack (12 Pack)	1771
69,99	Venom™ Bulk Pack (12 Pack)	1770
119.99	Mach-12™ Bulk Pack (12 Pack)	1769
Retail	Description	No.







listed 5 number sequence

Shrike® w/Mini Starting Kit Nitro Cat¹™ Nitro Cat¹™ w/Mini Starting Kit Sky Pirate F8F Bearca¹™ w/o Battery
C09161 SH C09200 NII C09261 NII C09500 SK C09501 F8
2.29
Rings Pack ack (6 Pack)
Jering Jer P
ready Duty Centering Small Tube Coupler P. Model Rocket Igniters Launch Lug Pack Decal Pack

78D+ 8.49 8.49 6.49 6.49 24.99 24.99 59.99 59.99 99.99 149.99 rol Line Control Line ighter tation R/C rol Line

ти & © Lucasfilm Ltd. All Rights Reserved. Used under authorization.

*TBD = To be determined.

Prices are subject to change without notice.

(1-97) 906352

0 00	(Manda in Obina)	902201		Transroc II™ Rocket Locator	2237	81.99	(12 Pack)	0.00
0.00		2000064	TBD*	Star Booster™	2145		Bull Pup 12D™ Bulk Pack	1767
л 00	(Made in China)	302260	19.99	Silver Comet TM	2141	93.99	(12 Pack)	1700
6,69			8.49	Venom™	2140	07.00		4765
	3/16" Two-Piece Maxi™	302244	11.99	Fat Boy™	2139	67.00	(12 Pack)	1764
5,29	1/8" Two-Piece Launch Rod	302243	10.99	Firebird TM	2138	138.29		1760
3.59	Blast Deflector Plate	302241	10.99	Flash™	2137	36,99		8471
7.59	Emergency Repair Kit	302233	11.99	Gemini DCTM	2136	103,99	(12 Pack)	
18.89	AltiTrak™	302232	13.99	AstroSat LSXTM	2133		Nova Payloader™ Bulk Pack	1757
19.69	Fin Alignment Guide TM	302231	9.99	Banshee™	2132	62.29	Alpha® Bulk Pack (12 Pack)	1756
5.79	Rocket Builder's Marking Guide	302227	9.99	Mk-109 Stingray™	2131	34.09	Viking™ Bulk Pack (12 Pack)	1755
22,29	(Made in Mexico)		14.99	Mach-12 TM	2130	41.59	Wizard™ Bulk Pack (12 Pack)	1754
	Electron Beam® Launcher	302220	16.99	Python™	2129	87.69	Bandit™ Bulk Pack (12 Pack)	1752
31.79	Combo		19.99	Longshot TM	2128	72.29	Alpha III® Bulk Pack (12 Pack)	1751
10000	Electron Beam®/Porta-Pad® II	302218	12.99	Sizzler®	2127	36,89	Gnome™ Bulk Pack (12 Pack)	1750
18.89	Porta-Pad® II Launch Pad	302215	11.99	AIM-9 Sidewinder TM	2125	35.99	Blast-Off® Flight Pack	1672
1.79		302205	11.99	F-22 Air Superiority Fighter™	2124	8.79	D11-P Engines (3 pack)	1669
178.00	9039 (4ea. IBM)	SCOR		Raider™ - not available	2123	8.79	D12-7 Engines (3 pack)	1668
170,00	According to the second of the	0000	7.99	Invader™	2122	8.79	D12-5 Engines (3 pack)	1667
478 00	Assortment of 9041, 9042 &	9052	21.99	Venus Probe™	2120	8.79	D12-3 Engines (3 pack)	1666
11.90	Physics of Model Rocketry (Mac)	9043		F-117 Nighthawk TM - not available	2117	8.79	D12-0 Engines (3 pack)	1665
23.85			105.99	Sweet Vee™ R/C Rocket Glider	2116	5,69	C5-3 Engines (3 pack)	1617
	Aerodynamics of Model Rocketry	9042	26.49	SR-XTM	2115	5.69	C6-0 Engines (3 pack)	1616
11,90	(Mac)		11.89	Corkscrew®M	2114	5.69	C6-7 Engines (3 pack)	1615
		9041	17.99	Trans Wing™ Super Glider	2112	5.69	C6-5 Engines (3 pack)	1614
9,50	AstroCad™ (Mac)	9040	50.89	Mercury Atlas TM	2111	5.69	C6-3 Engines (3 pack)	1613
23.85	(IBM)		11.89	Fire Streak™	2107	5.09	B6-0 Engines (3 pack)	1608
	Aerodynamics of Model Bocketry	9039	13.79	Hijax™	2105	5.09	B6-6 Engines (3 pack)	1607
11 90	(IBM)	8038	28.59	Commemorative		5.09	B6-4 Engines (3 pack)	1606
9.50	AstroCad'm (IBM)	7506	-	Star Wars R2-D2™	2104	5.09	B6-2 Engines (3 pack)	1605
11.90	Physics of Model Hocketry (IBM)	9036	18.99	Commemorative	0010	5.09	B4-4 Engines (3 pack)	1602
9.50	AstroCad'm (Apple)	8208	24,00	Ster Were Y-wine fighteria	20102	5.09	B4-2 Engines (3 pack)	1601
08.11	rnysics of wiodel Hocketry (Apple)	1208	24 20	Commemorative	2102	4.79	A8-3 Engines (3 pack)	1598
200		2000		CALL MALE THE STATE OF THE STAT	0400	4.13	Inches enillines to beaut	COCI



ROCKET BUILDER'S MARKING GUIDE™ EST 302227

Easy way to mark fin and launch lug placement lines. Fits all current Estes body tubes. Marks fins at 90° and 120° apart. The angled ruler measures metric and inches. A pencil holder to mark tube circumferences and a fin gluing jig are also included. Molded out of durable plastic. A must for any rocket builder!

FIN ALIGNMENT GUIDE™ EST 302231

Allows you to position and glue 3/32" (2 mm) and 1/8" (3 mm) thick fins quickly and easily. Designed to fit all current Estes body tubes, aligning fins at 90" and 120". Molded out of durable plastic.

DESIGNER'S SPECIAL™

EST 1463

Design and build your own rockets! Contains nose cones and body tubes for BT-5, BT-20, BT-50, BT-55 and BT-60 designs. Also contains parachute and streamer kits, engine mounts, launch lugs, fin stock, tube couplers, centering rings and much more!

EMERGENCY REPAIR KIT

Contains many things you need on the launch pad or to make field repairs on your rockets. Comes in a handy reclosable pouch. Contains: Shock cord mounts, tape rings. safety key, recovery wadding, 12° (30 cm) parachute kit, shroud line, launch lugs, shock cords, launch rod safety cap and more!

ALTITRAKTM

EST 302232

How high did it really go? Next time, measure it with this easy to use device. Follow the rocket in the sights to apogee. release the trigger to lock the reading. Easy-to-read display gives you your altitude in meters along with the elevation angle. Use two Altitraks for greater accuracy, Great for school and science projects!

TRANSROC II™ ROCKET LOCATOR

On-board sonic unit fits any BT-20 (3/4" or 18 mm) or larger body tube. Unit emits high pitched tone to aid in recovery. Use the directional locating device with the included headphones to make finding your rocket easier. Requires one 9 volt battery and one 6 volt (type 2CR1/3N) battery -- NOT INCLUDED

VARE

ur knowledge of model rocketry!

ADTM

program for basic model rocket performance ich as: Apogee Determination, Drag and ce Prediction, Flight Simulation, Rocket Design, ic Stability, Optimum Weight and Elliptical fin itten by Michael Gasperi

							*			ŀ			×			EST	9028	
								*				*				EST	9040	
		,		,	٠	*	*				ŀ				*	EST	9037	

ut the principles of aerodynamics, physics and it with these three programs.

S OF MODEL ROCKETRY™

tion; reaction; inertia; momentum; acceleration;

							4				EST 9027
											EST 9043
											EST 9036

AERODYNAMICS OF ROCKETS™

ces; aerodynamics; stability; drag; center of

		10.0	-												
						٠	,				,		EST 9	026	
													EST 9	042	
													EST 9		

CH OF SPACE - INTRODUCTION EL ROCKETRY™

int profile; parts; engine and classification; safety sonus program on multi-staging and igniter and function.

7	77		**	 ••	 35	٠.										
	,							,						EST	9025	
				*										EST	9041	
					,								į	EST	9038	

oftware, see the Estes Educator Catalog.



PUBLICATIONS

Model Rocketry Technical Manual EST 2819
Guide for construction and flying of model rockets. Tips
for scratch building, launch systems, tracking, staging,
boost gliders and more.

Alpha Book	Of Model	Rocketr	y		 EST	282
Information	packed gu	ide for b	eginner	S		

The Laws Of Motion and Model Rocketry . . . EST 2821
The three laws of motion are explored in easily
understood terms. Includes simple experiments.

Estes Guide For Aerospace Clubs EST 2817 Source book for organizing and operating a model rocket club.

Model Rocket Contest Guide. EST 2815
A primer on model rocket contests with details and suggestions on organizing events.

Events Score	Sheets			EST 282
A perfect way	to keep track	of contest	events.	

Projects In Model Rocketry EST 2831 Suggestions on how to plan, prepare and present model rocket research projects.

Model Rocketry Study Guide (TR-8)..... EST 2841
A logical program for those who want the most from model rocketry. Guides a beginner on the path to become an expert.

Flight Data Sheets												EST	282	4
Log in all the data a	boi	ıt	VC	u	r f	lia	ht	S.						

Altitude Prediction Charts (TR-10)..... EST 2842
A simple method of predicting altitude by taking drag effects into account.

Aerodynamic Drag Of Model Rockets (TR-11) EST 2843 A detailed explanation of drag and its effects on model

A detailed explanation of drag and its effects on model rockets, written by one of the top aerodynamicist in the country.

Model Rocket Launch Systems EST 2811

How electrical launch systems work. Complete with graphs and schematics.

For additional publications, see the Estes Educator Catalog.



ESTES EDUCATOR*





PERFORMANCE™

Many schools, clubs, and summer camps use model rocketry. Discover this enriching, hands-on educational tool for your own class, club or camp. Model rocket bulk packs and curricula make it easy. For more details and information on our model rocket educational supplies see our Estes Educator Catalog. See your local hobby retailer for more details or write to:

Estes Industries, Attn.: Educational Services, 1295 H Street, Penrose, CO 81240.

CURRICULA

Science and Model Rocketry $^{\text{TM}}$ EST 2847 (For grades 5, 6, 7 & 8)

Physics and Model Rockets™ EST 2848 (For grades 8, 9, 10, 11)

Mathematics and Model Rockets™ EST 2849 (For grades 5-12)

Industrial Technology and Model Rockets™. . EST 2850 (For grades 6-12)

BULK PACKS

12 rockets per pack, complete with 12 sets of instructions and extra parts. See Estes Educator Catalog for more details.

ALMOST READY TO FLY (E2X® SERIES)

X-RayTM Bulk Pack (See page 13 for rocket description) EST 1768

SKILL LEVEL 1 (BETATM SERIES)

Wizard™ Bulk Pack (See page 15 for rocket description) EST 1754 Viking™ Bulk Pack (See page 21

for rocket description) EST 1755

Alpha® Bulk Pack (See page 17 for rocket description) EST 1756

Performance™ Bulk Pack (pictured at left) . . . EST 1765

Venom™ Bulk Pack (See page 19 for rocket description) EST 1770

For more details, see the Estes Educator Catalog.

EL 2 (EXPLORER™ SERIES)

Bulk Pack (See page 25	
t description)	EST 1758
Bulk Pack (Pictured)	EST 1760
2D™ Bulk Pack (See page 27	

ROCKET ENGINE BULK PACKS

I engines and igniter plugs, 30 igniters and a recovery wadding (enough for 25 flights).

ulk Pack	 . EST 1780
Pack	 . EST 1781
² ack	 . EST 1783
Pack	 EST 1785

32-34 for additional engine information)



EACHER'S I SET

Generic E2X® rocket ady-To-Fly) and an Alpha® Level 1).

Beam® Launch Controller id® II Launch Pad ndpaper and razor blade recovery wadding. and plugs -- enough unches and Youth Group Guide, Science and plications plus more!



NE YEAR WARRANTY

product is warranted against defects in materials or workmanship for one year from the date of the original ny Estes product, except computer software, which, because of a manufacturing mistake, malfunctions or e defective within the one-year warranty period will be repaired or replaced, at Estes' option and at no charge rided it is returned to Estes with proof of purchase,

ty does not cover incidental or consequential damage to persons or property caused by the use, abuse, are to comply with operating instructions or improper storage of the warranted product. Some states do not clusion or limitation of incidental or consequential damages, so the above exclusion may not apply to you.

ty gives you specific legal rights and you may also have other rights which vary from state to state.

replacement under this warranty, please return the defective part of your Estes product with proof of Estes Industries, Customer Service Department, 1295 H Street, P.O. Box 227, Penrose, CO 81240-0227

- 1. Materials-My model rocket will be made of lightweight materials such as paper, wood, rubber, and plastic suitable for the power used and the performance of my model rocket. I will not use any metal for the nose cone. body, or fins of a model rocket.
- 2. Motors/Engines--I will use only commercially-made NAR certified model rocket engines in the manner recommended by the manufacturer. I will not after the model rocket engine, its parts, or its ingredients in any way.
- 3. Recovery-I will always use a recovery system in my model rocket that will return it safely to the ground so it may be flown again. I will use only flame-resistant recovery wadding if required.
- 4. Weight and Power Limits-My model rocket will weigh no more than 1500 grams (53 oz.) at lift-off, and its rocket engines will produce no more than 320 Newton-seconds (4.45 Newtons equal 1.0 pound) of total impulse. My model rocket will weigh no more than the engine manufacturer's recommended maximum lift-off weight for the engines used, or I will use engines recommended by the manufacturer for my model rocket.
- 5. Stability-I will check the stability of my model rocket before its first flight, except when launching a model rocket of already proven stability.
- 6. Payloads--Except for insects, my model rocket will never carry live animals or a payload that is intended to be flammable, explosive, or harmful.
- 7. Launch Site-I will launch my model rocket outdoors in a cleared area, free of tall trees, power lines, buildings, and dry brush and grass. My launch site will be at least as large as that recommended in the following table.

LAUNCH SITE DIMENSIONS

		Mir	nimum	
Installed	Equivalent	:	Site	
Total Impulse	Engine	Dim	ension	
(Newtons-seconds)	Туре	(feet)	(meters)
0.00 1.25	1/4A & 1/2A	50	15	
1.26 2.50	A	100	30	
2.51- 5.00	В	200	60	
5.01 10.00	C	400	120	
10.01 20.00	D	500	150	3
20.01 40.00	E	1000	300	
40.01 80.00	F	1000	300	
80.01160.00	G	1000	300	
160.01-320.00	2Gs	1500	450	

8. Launcher-- | will launch my model rocket from a stable launching device that provides rigid guidance until the model rocket has reached a speed adequate to ensure a safe flight path. To prevent accidental eve injury, I will always place the launcher so that the end of the rod is above eye level or I will cap the end of the launch rod when approaching it. I will cap or disassemble my launch rod when not in use and I will never store it in an upright position. My launcher will have a jet deflector device to prevent the engine exhaust from hitting the ground directly. I will always clear the area around my launch device of brown grass, dry weeds, and other easy-to-burn materials.

- 9. Ignition System -- The system I use to launch my model rocket will be remotely controlled and electrically operated. It will contain a launching switch that will return to "off" when released. The system will contain a removable safety interlock in series with the launch switch. All persons will remain at least 15 feet (5 meters) from the model rocket when I am igniting model rocket engines totalling 30 Newton-seconds or less of total impulse and at least 30 feet (9 meters) from the model rocket when I am igniting model rocket engines totalling more than 30 Newton-seconds of total impulse. I will use only electrical igniters recommended by the engine manufacturer that will ignite model rocket engine(s) within one second of actuation of the launching switch.
- 10. Launch Safety--I will ensure that people in the launch area are aware of the pending model rocket launch and can see the model rocket's liftoff before I begin my audible five-second countdown. I will not launch a model rocket using it as a weapon. If my model rocket suffers a misfire, I will not allow anyone to approach it or the launcher until I have made certain that the safety interlock has been removed or that the battery has been disconnected from the ignition system. I will wait one minute after a misfire before allowing anyone to approach the
- 11. Flying Conditions--I will launch my model rocket only when the wind is less than 20 miles (30 kilometers) an hour. I will not launch my model rocket so it flies into clouds, near aircraft in flight, or in a manner that is hazardous to people or property.
- 12. Pre-Launch Test--When conducting research activities with unproven model rocket designs or methods I will, when possible, determine the reliability of my model rocket by pre-launch tests. I will conduct the launching of an unproven design in complete isolation from persons not participating in the actual launching.
- 13. Launch Angle--My launch device will be pointed within 30 degrees of vertical. I will never use model rocket engines to propel any device horizontally.
- 14. Recovery Hazards--If a model rocket becomes entangled in a power line or other dangerous place. I will not attempt to retrieve it.

As a member of the Estes Model Rocketry Program, I promise to faithfully follow all rules of safe conduct as established in the above code.

Signature

*This is the official Model Rocketry Safety Code of the National Association of Rocketry and the Model Rocket Manufacturers Association

Important Note: "G" engines must be sold to and used by adults (18 and up) only.

To launch large model rockets weighing more than one lb. (453 g) but no more than 3.3 lbs. (1500 g) including propellant or rockets containing more than 4 oz. (113 g) but no more than 4.4 oz. (125 g) of propellant (net weight), you must notify and perhaps obtain authorization from the Federal Aviation Administration (FAA). Check your telephone directory for the FAA office nearest you or contact Estes Industries for further information.





U.S.NAVY

F8F BEARCAT

CONTROL LINE AIRPLANES -ELECTRIC POWERED

THE ULTIMATE IN READY TO FLY

These Cox control line airplanes are ready to fly right out of the box. Just connect the power lines, plug in a fully-charged Cox Super Power 9.6 volt battery pack and push the button on the Cox exclusive Touch & Go D-handle, Smooth take-offs and three point landings are as easy as pushing a button. With the Super Power battery pack clipped to your belt, long flight times are no problem.

- · Each plane comes fully assembled and ready to fly out of the box
- · Quiet electric power will not disturb the neighborhood
- · Factory-installed motor assembly
- . Just supply battery and charger and you're ready to fly!

(Super Power 9.6V battery pack and charger not included -- available separately as C00330)



SKY PIRATE (09500 Wingspan: 23.0" (56.4 cm) Length: 16.0" (40.6 cm)

F8F BEARCAT COSSOI

Length: 14.75" (37.5 mm)

F8F BEARCAT W/BATTERY AND CHARGER

SUPER POWER (1883) 9.6 Y BATTERY PACK AND QUICK CHARGER



Touch & Go D-Handle





SUPER POWER 9.6 V BATTERY PACK AND QUICK CHARGER

Recommended for ages 8 and up

E-Z FLYERS®

With the roar of a glow fuel ongine and the propeller chopping through the air, you can take command of the sky with these high performance control line airplanes.

- . Each one is equipped with our famous Snap Starter® .049 engine.
- . Rubber band assembly and lough molded polystyrene withstand the rigors of flight training.
- . Quick to assemble and only to fly! Complete assembly and flight instructions.
- . Glow fuel and starting balling not included. You will need the Cox 405 or 885 Starting kit. See page 61!

E-Z Flyers is a registered Cox trademark.



THUNDERBOLT



CESSNA SKYMASTER



FIREBIRD C04050

With the Reno Unlimited racing look of this control line plane, you come on strong!

Length: 13.5* (34.3 cm) Wingspan: 13.5" (34.3 cm)

AEROBAT C04060

Own your own private plane - classic high wing design.

Length: 12.5' (31.8 cm) Wingspan: 16.0° (40.6 cm)

THUNDERBOLT C04040

Race your own plane! Racing airplane styling in a tough

rugged design. Length: 16.51 (41.9 cm) Wingspan: 15.0' (38.1 cm)

CESSNA SKYMASTER C04070

Scale model of famous civilian and military aircraft. Includes multiple decals and a second propeller for

advanced flight performance. Length: 13' (33 cm) Wingspan: 15.9° (40.4 cm)

FORMULA ONE CO6010

Sleek pylon racer design complete with multiple decals and a streamer for custom flying.

Length: 13.5° (34.3 cm) Wingspan: 13.5" (34.3 cm)

PIPER COMANCHE CO4080

Own this model of a popular low-wing private airplane!

Multiple decals for custom decorating! Length: 13" (33 cm)

Wingspan: 16.1" (40.9 cm)



AEROBAT TA










PIPER COMANCHE

FORMULA ONE™

-##

Thunderbok

EACH NEW KIT COMES WITH TWO SETS OF COLORFUL



CRUSADER



Mini Starter Kit includes: 4/2 part of Super Power, Fuel®, battery box, Glow Plus Clib two engine wrenches and fuel filler hose. Requires 2. 0 Cell Alkaline Batteries (not included). (Fuel bottle may vary in appearance.)

Super Power Fuel is a registered trademark of Cox.

CORSAIR

CONTROL LINE SCALE MODELS

PT-19 TRAINER™ C05700

Great control line airplane for the first timer. Generations of model flyers have learned with this one. Rubber band pop-apart assembly for the rigors of flight.

training

Length: 16.5" (41.9 cm) Wingspan: 22.5" (57.1 cm)

PT-19 TRAINER® WITH MINI STARTER KIT

AT-6 TEXAN™ C09800

Modeled after the famous AT-6 Reno pylon racers, Wonderful beginner's airplane. Rubber band pop-apart assembly for the rigors of flight training and racing.

Length: 15.0° (52.0 cm)
Wingspan: 20.5° (52.0 cm)
AT-6 TEXAN® W/ MINI

CORSAIR

WITH MINI STARTER KIT C09000

Own a piece of WWII history with this control line model. Rugged enough for beginners yet challenging enough for experienced pilots!

Length: 15.0° (38.1 cm) Wingspan: 19.0° (48.3 cm)

CONTROL LINE STUNT FLYERS

CRUSADER C05600

Features a control system that can be set from ultra stable level flight to full maneuverability.

Length: 17.5° (44.5 cm) Wingspan: 21.5° (55.2 cm)

ME-109** C05400

Features a fuel tank that will allow sustained inverted flight and full aerobatic maneuvers!


Length: 20.0" (50.8 cm) Wingspan: 30.5" (77.4 cm)



Recommended for ages 10 and up









COX ENGINES

BABE BEE .049	C00350
BLACK WIDOW .049 . Reed valve engines for all-round Control Line, R/C and Flight flying	

TEXACO .049	
The standard in R/C duration	

TEE DEE®	.020				,	 ļ,					 C00160
TEE DEE®	.049		1	32	2				15		 C00170
TEE DEE®	.051	. ,									 C00200
TEE DEEP	nn										000040

Tee Dee® engines - precision machined for intense competition

The ultimate competition engine - ultra high RPM's on small props with high nitro fuel and high compression glow head. Multiple head gaskets allow lower compressions, lower nitro and bigger props.










TEE DEE® .020

TEE DEE® .049

TEE DEE® .051

TEE DEE® .09










TEE DEE® .010



ACCESSORIES

Contains: 1/2 pint of Super Power Fuel®, fuel filler hose, battery case holder for 2 "D" size alkaline batteries (not included), exclusive Cox Starter Stick™, glow head clip and two multi-purpose .049 engine wrenches.

Deluxe reusable plastic field box contains; 1/2 pint of Super Power Fuel®, fuel filler hose, battery case holder for 2 "D" size alkaline batteries (not included), exclusive Cox Starter Stick™, glow head clip and two multi-purpose .049 engine wrenches.





DELUXE STARTING KIT

NITROCAT" C09200

If you don't want to fly, how about ripping over water, snow or grass in the this Cox .049 powered air boat complete with an easy-to-use single channel, single stick radio control. You can run this boat year around! Easy to build, Comes complete with radio system and .049 Cox engine with Snap Starter®. (Requires Cox C00405 or Cox C00885 Starting Kit)

SHRIKE® C09100

Cox .049 prop powered, free running race car for high speed action. Go for your own land speed records — tether this hot red howler and watch the speed build.

COX 90 DAY WARRANTY

NITRO CAT™

SHRIKE®


For 90 days from the date of purchase, Cox will repair or replace any factory defects without charge. If you find a defect or need replacement parts, please contact the Cox Customer Service Department. If you wish to return a defective part, send only the affected part along with proof of purchase to: Cox Customer Service, 1295 H Street, Penrose, CO 81240. Please do not send the entire model. There may be an additional handling charge if you send the entire model kit.

This warranty applies only if the product is operated in accordance with the enclosed assembly and operating instructions provided with each model. Cox assumes no liability except for the exclusive remedy of repair or replacement of parts as specified above. Cox shall not be liable for consequential or incidental damages. Some states do not allow the exclusion of consequential or incidental damages so the above limitation may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

The above warranty excludes all glow heads used on glow fuel powered models.

Read enclosed instructions and safety information before using this product.





BURST INTO THIS GALAXY WITH Star Wars ACTION® MODELS!

WEST WINGS Star Wars FLYING ACTION MODELS

- . Profile flying kits from the Star Wars movies
- · Precision die-cut balsa with printed details and makings
- · Easy to build and fly!
- The catapult launched models include plasticmolded launcher and heavy-duty rubber band

X-WING FIGHTER

> Y-WING FIGHTER

STAR DESTROYER

> A-WING FIGHTER

All kits require assembly and construction supplies. Hand launched kits for ages 8 and up. Catapult kits for ages 10 and up

Actual product may vary slightly in appearance.




X-WING

STARTER SET

ESTES STARTER SETS

All Starter Sets include Electron Beam® Launch Controller, Porta-Pad® II Launch Pad, engines and flight supplies for multiple missions! 4 AA alkaline batteries required-not included!



X-WING FIGHTER EST 5022

Fly this key Rebel righter craft. Hand launched gliding model printed in Rebel blue ink.

Y-WING FIGHTER EST 5023

Add to your Rebel fleet with this lighter. Hand launched gliding model - printed in Rebel blue ink

STAR DESTROYER EST 5020
Command your own Star Destroyer against the Rebel fleet!
Catapult launched gliding model - printed in Imperial black ink.

A-WING FIGHTER EST 5021

Ply one of the Rebel's fastest fighters. Cataputt launched gliding model - printed in Rebel blue ink.

ESTES STARTER SETS

X-WING STARTER SET EST 1490

Be Luke Skywalker and fly his X-wing! Easy to build with detailed plastic construction! Parachula recovery. Soars to over 400 feet (122 meters)!

DEATH STAR STARTER SET EST 1493 Fly the Death Star and watch it burst apart in the sky. Multiple pieces return on streamers. Reassemble and fly again and

C-WING STARTER SET EST 1492

Be a part of the famous Gold Squadron during the attack on the Death Star. Rocket powered with detailed plastic parts. Easy to build! Parachute recovery.


A-WING STARTER SET EST 1491
Built for speed and Rebel flighter support! Defend the Alliance! Accurately detailed in plastic. Easy to build! Parachute recovery.



A-WING STARTER SET

DEATH STAR STARTER SET

Ages 10 and up. Adult supervision for thus, under 12.









STERLING™ MODELS CONTROL LINE FLIERS

Build and fly your own profile Star Wars control line fighters. All balsa parts are precision die cut. Engine mount, wheels and control system are molded in lough nylon and included in each kit. Requires a Cox Babe Bee .049 engine (not included). Each kit includes full plans; instructions and highly detailed decal sheet.



. NORTH COAST ROCKETRY .

High powered model rocket fun for the adult rocket modeler

STERLINGT MODELS

X-WING FIGHTER

CONTROL LINE

Expanience, the Force as you build and fly your own X-wing

Y-WING FIGHTER

Fiv this unique fiving model of this Rebel mainstay righter Fight.

NORTH COAST ROCKETRY

X-WING FIGHTER

HIGH IMPULSE** ROCKET NCR 3540.
Hugal Actual sup of the movie special affects model, increasible

decilling, Rear ejection parachular recovery, SPECS: Length: 20" (61 cm); Wingspant 18" (46 cm); WL 18 or (454 g); Recovery; 36" (90 cm) Mykan Parachular Recommended Motors: F82-4 (177-5

F & G POWER FOR FANTASTIC FLIGHTS!

. X-WING FIGHTER

MODELS

Y-WING FIGHTER

Recommended for those 10 years of age and up. Adult supervision recommended for those under 12 years of age.

Actual product may vary slightly in appearance.

IHII (FIH

Kit requires assembly. Modeling tools, glue and paint not included. Recommended for ages 18 and up.


X-WING FIGHTER

MORE FUN, MORE GALAXIES TO EXPLORE

There is more to the Estes hobby universe than Estes model of your nearest hobby retailer and see more exciting hobby products



STERLING™ MODELS PLANES AND BOATS





WESTON UK MODEL PRODUCTS



HIGH PERFORMANCE MODEL ENGINES

STERLING MODELS

Discover the adventure of model aviation and boating with STERLING™ MODELS by ESTES®. The Sterling™ Modeling world of balsa, wood and precision plastic models includes rubber band powered free flight aircraft of WWI, WWII aerobatic and civilian favorites: control line flying models of famous trainers, stunters and scale aircraft designed for .049 to .36 model engines plus model sail boats, racing boats and battleships for action on the "high seas".

MDS R/C MODEL ENGINES

When you need an R/C Model engine Designed for Success, choose MDS Model Engines: Engineered and manufactured in Russia by the aerospace conglomerate SAVMA. MDS model engines are the choice for your model aircraft, helicopter and soon...car and boat Every MDS engine is manufactured for performance with features like Schnuerle ported "ABC" design, ball bearing crankshaft support and a tough investment cast crankcase.

WESTON UK MODEL PRODUCTS

WESTON

Imported from England, this series of superior quality "Genesis" and "Viper" replacement mufflers add power and reduce noise to your model engine; Soft Mount engine mounts mini-

mize engine vibration damage and the R/C Delta Wing "Tigershark** adds thrills to delta wing R/C flying!



sized models thunder off the pad! For adults, North Coast rockets are bigger, stronger more powerful rockets with all the safety and features of Estes model rocket quality. Get started in High Impulse™ rocketry with North Coast Rocketry™ products

NORTH COAST **ROCKETRY™**

INDEX

-		
	Aerobal TM (Cox).	
	AIM-9 Sidewinder TM (Estes)	
	Air Rescue th (Cox)	
	Airwalker™ Starter Set (Estes)	
	Alpha® (Estes)	
	Alpha® III Starter Set (Estes)	
	Alpha® III (Estes)	
	Altirak™ (Estes)	
	Apache Helicopter (Cox)	-
	A.R.V. Condor™ (Estes)	1000
	Astrocad™ (Estes)	
	Astrocam® 110 (Estes)	
	Astrosat LSX TM (Estes)	
	AT & Town D. (Coul)	
	AT-61 Texan 1st (Cox)	
	Alhena TM (Estes)	
	Attack Cobra TM (Cox).	
	A-wing fighter (West Wings)	
	A-wing fighter Starter Set (Estes)	
	Babe Bee ;049 Engine (Cox)	minist
	Backdraft™ (Cox)	
	Ball-Out™ (Estes)	
	Bandif™ (Estes)	
	Banshee™ (Estes)	muj
	Basic Starting Kit (Cox)	him
	Beta™ Senes Rockets (Estes).	15-1
	Big Bertha TM (Estes)	
	Black Brant II TM (Estes)	
	Black Widow ,049 Engine (Cox)	
	Blast Deflector Plate (Estes)	2
	Blast-Off th Flight Pack (Estes)	
	Body Tubes (Estes)	11.3
	Bulk Packs (Estes)	41-4
	Bull Pup 12D ¹³⁴ (Estes)	111/2
	C-130 Hercules (West Wings)	-8
3	Centering Rings (Estes)	3
	Cessna [™] (Cox).	A
r	Cessna Classic™ (Cox)	4
1	Cessna Skymaster™ (Cox)	4
(Challenge™ Series Rockets (Eslas)	2
-	Comanche-3 tm (Estes)	2
1	Computer Software (Estes)	4
(Control Line - Electric (Cox)	48-4
1	Control Line Scale Models (Cox)	50-5
1	Corkscrew™ (Estes)	1
(Corsair (Cox)	5
(Cox Products	14:6
(5
	Curricula (Estes)	
	Cyclone TM (Light Gliders)	
1	Parth Vader's TIE fighter (Cox).	7
	Darth Vader's TIE fighter (Estes)	
F		
P	Death Star (Estes)	
T	Death Star Battle Station (Cox)	1112
		35
4.10	Deluxe Starting Kit (Cox)	
18	Designer's Special TM (Estes)	35

Dowels (Estes)	
E2X® Series Rockets (Estes)	B-
Electron Beam® Launch Controller (Estes)	
Emergency Repair Kit (Estes)	
Engines (Cox)	
Engines (Estes)	32-0
Engine Bulk Packs (Estes)	
Engine Hooks (Estes)	
Engine Mounts (Estes)	
Explorer™ Series Rockets (Estes)	24-2
E-Z Flyers® (Cox)	48-4
Fat Boy™ (Estes)	1
F8F Bearcat™ (Cox)	4
F-14 Tomcat (West Wings)	6
F-15 Eagle (West Wings)	
F-16 Falcon (West Wings)	6
F-18 Hornet (West Wings)	6
F-22 Air Superiority Fighter™ (Estes)	2
F-111 Aardvark (West Wings)	6
F-117 Nighthawk™ (Estes)	2
Fin Alignment Guide (Estes)	3
Fin Stock (Estes)	3
Flash [™] (Estes)	
Firebird™ (Cax)	4
Firebird™ (Estes)	
Firestreak TM (Estes)	1
Flight Sequence (Estes)	-
right Master'" (Light Gilders)	6
Ty Boy™ (Gox)	50
Formula One™ (Cox)	41
ree Flight Helicopters (Cox)	54/E-64
Tun Chinas (Caul	111111111111111111111111111111111111111
un Flyers (Cox)	4
Semini DC™ (Estes)	4!
Semini DC™ (Estes)	24
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes)	24 3-4
Gemini DC™ (Estes) General Rocket Information Generic E2X® Bulk Pack (Estes) Gnome™ (Estes)	4! 3-4
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Snome™ (Estes) Helicat™ Starter Set (Estes)	4! 3-4 41
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Snome™ (Estes) Helicat™ Starter Set (Estes)	4! 41 41 10
Gemini DC™ (Estes) General Rocket Information Generic E2X® Bulk Pack (Estes) Genome™ (Estes) Helicat™ Starter Set (Estes) Hillax™ (Estes) Hillax™ (Estes)	
Gemini DC™ (Estes) General Rocket Information Generic E2X® Bulk Pack (Estes) Genome™ (Estes) Helicat™ Starter Set (Estes) Hillax™ (Estes) Hillax™ (Estes) Hillax™ (Estes) Hillax™ (Estes)	
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Seneric E2X® Bulk Pack (Estes) Seneric Estes) Selection (Estes) Selection (Estes) Selection (Estes) Selection (Estes) Selection (Estes) Selection (Estes)	
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Snome™ (Estes) Sinoma™ Starter Set (Estes) Illijax™ (Estes) Illijax™ (Estes) Inter® (Light Gliders) Inter® (Estes) Inter® (Estes) Inter® (Estes) Invader™ (Estes)	45 24 3-4 10 62 34 32 12
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Snome™ (Estes) Sinoma™ Starter Set (Estes) Illiax™ (Estes) Illiax™ (Estes) Initers (Estes) Initers (Estes) Initer Plugs (Estes) Initer Plugs (Estes) Initer Bee 049 Engine (Cox)	45 24 3-4 10 62 63 43 43 43 43 43 43 44 45 47 47 47 47 47 47 47 47 47 47
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Snome™ (Estes) Helicat™ Starter Set (Estes) Hilliax™ (Estes) HilliaxWelli	41 24 41 10 62 34 32 42 60 71
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Snome™ (Estes) Silipax™ Starter Set (Estes) Silipax™ (Estes)	45 3-4 41 10 62 34 32 12 60 71 38
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Sinome™ (Estes) Selicicat™ Statrer Set (Estes) Silipax™ (Estes)	49 24 41 10 62 63 34 32 12 60 71 38 35
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Sinome™ (Estes) Sinome™ (Estes) Sinome™ (Estes) Siliza™ Starter Set (Estes) Siliza™ (Estes) Silizam (Estes) Sili	49 24 34 10 62 34 32 34 32 33 35 35 38
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Sinome™ (Estes) Sinome™ (Estes) Sinome™ (Estes) Sinome™ (Estes) Sinome™ (Estes) Siliax™ (Estes)	49 24 34 10 62 34 32 34 32 34 32 35 35 62-63
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Snome™ (Estes) Sinome™ (Estes) Sinome™ (Estes) Sinome™ (Estes) Sinome™ (Estes) Siliax™ (Estes) S	49 24 41 10 62 34 32 42 60 71 38 35 62-63 42
Gemini DC™ (Estes) General Rocket Information Generic E2X® Bulk Pack (Estes) Generic E2X® Bulk Pack (Estes) Generic E2X® Bulk Pack (Estes) Generic Matter Set (Estes) Gelicat™ Starter Set (Estes) Gelicat™ (Estes) Gelicat™ (Estes) Generic Matter Matter Matter Matter Generic Matter Matter Generic Matter Matter Generic Mat	44 24 3-4 10 66 62 34 32 32 32 35 58 62 62 62 62 62 62 62
Gemini DC™ (Estes) General Rocket Information Generic E2X® Bulk Pack (Estes) Generic E2X® Bulk Pack (Estes) Generic E2X® Bulk Pack (Estes) Generic Matter Set (Estes) Generic Matter S	44 24 41 10 66 62 34 32 32 56 60 71 71 71 71 71 71 71 71 71 71 71 71 71
Semini DC™ (Estes) Seneral Rocket Information Seneric E2X® Bulk Pack (Estes) Shome™ (Estes) Shome Sho	44 24 3-4 41 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18
Semini DC™ (Estes) Seneral Rocket Information Seneral Rocket Seneral	44 24 3-4 41 10 11 12 13 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18
Semini DC™ (Estes) Seneral Rocket Information S	44 24 3-4 41 10 11 12 13 14 13 14 15 16 16 17 17 17 17 17 17 17 17 17 17
Fun Flyers (Cox) Semini DCTM (Estes) Seneral Rocket Information Sinome M (Estes) Sinome M (E	44 3-4 41 10 10 13 13 14 12 13 14 14 15 15 16 16 16 17 17 17 17 17 17 17 17 17 17 17 17 17

Mercury Atlas (Estes)	2
Millennium Falcon (Estes)	5
Mini Starting Kit (Cox)	5
Mirage™ (Light Gliders)	6
Mk-109 Stingray™ (Estes)	
Mongoose TM (Estes)	- 2
Mosquito [™] (Estes)	1
Nike Arrow™ (Estes)	7.
Ninja™ (Estes)	-
Nitrocat TM (Cox)	THE PERSON NAMED IN
North Coast Rocketry™	***************************************
Nose Cones (Estes)	1111115
Nova Payloader™ (Estes)	0
Ominidity (Estes)	
Omloid™ (Estes)	
Ported Codes (Fitted)	
Payload Sections (Estes)	3
Performance Bulk Pack (Estes)	
Phantom ™ (Light Gilders)	8
Phoenix TM (Estes)	23
Piper TM (Cox)	- 4
Piper Comanche™ (Cox)	45
Piper Cruiser™ (Cox)	- 4
Porta-Park® II Launch Pard (Estes)	
PT-19 Trainer ¹⁴ (Cox)	50
Publications	4(
Python TM (Estes)	2
Quark*** (Estes)	16
R/C Electric Models (Cox)	56-5
R/C Gas Models (Cox)	58-59
R/C E-Z Bee II™ (Cox)	58
R/C E-Z Bee Sport™	55
R/C Flyer™ (Cox)	57
R/C Gliders (Estes)	30
R/C Skybird™ Electric (Cox)	
R/C Skybird™ Gas (Cox)	
R2-D2 (Estes)	
R2-D2™ (Estes Commemorative)	31
Raider TM (Estes)	15
Rampage™ (Estes)	11
Recovery Wadding (Estes)	2
Reliant TM (Estes)	21
Rocket Builder's Marking Guide (Estes)	90
Sabre™ Starter Set (Estes)	T. T.
Safety Cap and Key (Estes)	
Safety Code (Estes)	43
Shock Cords and Mounts (Estes)	
and the handless of	
Shuttle Tydinum (Estes)	
	68
Silver Comet TM (Estes)	24
Sizziero (Estes)	
Sky Jumperii (Cox)	54
Sky Pirate™ (Cox)	46
Skywinder TM (Estes)	14
Slipstream™ (Cm)	52
Snowspeeder (Cox)	-70
Space Shuttle TM (Estes)	
Space Shuttle (West Wings)	65

Cones Chattle Chatte Cottle (Catalit	
Space Shuffle Starter Set** (Estes)	
SR-71 Blackbird (Estes)	2
SR-X TM (Estes)	111 2
Star Booster (Estes)	
Star Destroyer (Estes)	
Star Destroyer (West Wings)	
Star Wars Products 3	
Starter Sets (Estes)	
Sterling TM Models	
Streamers (Estes)	3
Super Power 9.6V Battery Pack	
and Quick Charger (Gox)	4
Supershot ^{tw} Starter Set (Estes)	
Sure Start™ Models (Cox)	
Sweet Vee™ (Estes)	
Table of Contents	
Teacher's Starter Set (Estes)	42
Tee Dee® .010 Engine (Cox)	- 46
The Block 200 Carrier (Con)	
Tee Deel8 .020 Engine (Cox)	- 65
Tee Dee® .049 Engine (Cox)	- 5
Tee Deed .051 Engine (Cox)	100
Tee Deeth 09 Engine (Cox) Tee Deeth R/C 09 Engine (Cox)	- 6
Tee Deets R/C 09 Engine (Cox)	
Texaco .049 Engine (Cox)	- 60
Thunderbolt ^{IM} (Cox)	48
TIE fighter™ (Estes Commemorative)	31
TIE fighter/X-wing fighter Combat Set (Cox)	71
Tomcat TM (Estes)	28
Tornado™ (Estes)	25
Tornado (West Wings)	RE
Transroc III th (Estes)	
Transwing TM (Estes)	
Tube Couplers (Estes)	38
Turbo Copter ^{to} (Estes)	
West Will Falses)	1
Venom™ (Estes)	18
Venus Probe™ (Estes)	
Viking™ (Estes)	
Warranty (Gox)	
Warranty (Estes)	42
Western UK Model Products	
West Wings™	64-65
Whirlwind TM (Light Gliders).	
Wizard** (Estes)	15
X-Ray™ (Estes)	
X-wing fighter (Cox)	
X-wing fighter™ (Estes Commemorative)	20
X-wing fighter Starter Set (Estes)	
X-wing fighter (North Coast Rocketry)	
	73
X-wing fighter (Sterling)	72
X-wing fighter (West Wings)	.66
Yankae TM (Estes)	10
Yesow Jacket (Estes)	
Y-wing fighter Starter Set (Estes)	.67
Y-wing fighter (Sterling) Y-wing fighter (West Wings)	111 72
Y-wing fighter (West Wings)	
Zinger™ (Estes)	



ESTES SPACE CORPS

EMBARK UPON HUMANKIND'S GREATEST
ADVENTURE! MANY FAMOUS ASTRONAUTS
STARTED WITH ESTES MODEL ROCKETS!
BLAST-OFF WITH YOUR OWN
EXPLORATION OF SPACE – JOIN
THE ESTES SPACE CORPS!

ESTES MODEL ROCKETS

OFFICIAL MODEL ROCKETS OF THE UNITED STATES SPACE FOUNDATION!

ESTES AIR FORCE

SOAR HIGH WITH THE ESTES AIR
FORCE. EXPERIENCE THE FUN AND
EXCITEMENT OF FLYING MODEL
AIRPLANES WITH ESTES LIGHT
GLIDERS AND WEST WINGS MODEL
AIRPLANE KITS.

COX FLYING MODELS

FOR OVER 50 YEARS, COX HAS

FILLED THE AIR WITH THE SOUND

OF PROPELLERS AND THE FANTASY OF

FLIGHT. COX BRINGS THAT FANTASY OF

FLIGHT TO LIFE WITH NITRO POWERED

GLOW ENGINES, THE WHIR OF ELECTRIC

POWER AND THE GENTLE PULL OF

RUBBER POWER.



1295 H Street, Penrose, CO 81240 Made and printed in USA











Horthst Rocketny



MDS

Weston U.K.