



www.estesrockets.com

ESTES AIR™

READY TO FLY ROCKETS

SKILL LEVEL KITS

ROCKET CARS

SPECIALTY



www.coxmodels.com

CONTROL LINE

FREE FLIGHT

RADIO CONTROL

REMOTE CONTROL

2001 Catalog

ESTES AIR™



1853 Cyclone™
Water Powered Glider
Wingspan: 15.5 in. (39.4 cm)



1854 Jet Stix™
Air Powered Glider
Length: 6.25 in.
(15.9 cm)

1875 GL-X200™
AIR ROCKET SYSTEM
Max Alt.: 250 ft.
(76 m)



READY-TO-FLY

ROCKET CARS

2030 Screamin' Eagle™
Land Speed Race Set
Car Length: 16.5 in. (41.9 cm)
Track Length: 500 ft. (152 m)
For Estes® D11-P
Rocket Motors ONLY!



9114 Blurzz™ ROCKET CAR ASSORTMENT
Car Length: 12.5 in. (31.8 cm) Track Length: 90 ft. (27.4 m)



Three different colored cars.
Each sold as a separate set.

Blurzz™ Race Engine A10-PT sold separately.

SPECIALTY



9117 Spicy Wings™
Rechargeable Mini
Electric Free Flight Airplanes
Wingspan: 13 in. (33 cm)

8300 Kick Dis™ Power Puck™
Floating Play Puck
Includes Rechargeable NiCd
Battery and Charger



Rockets and rocket kits require launch equipment and supplies for flight - sold separately.

READY-TO-FLY STARTER SETS



1811 Tidal Wave™

Length: 18 in. (45.7 cm)
Max Alt.: 600 ft. (183 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-5



1812 Ionizer™

Length: 18 in. (45.7 cm)
Max Alt.: 600 ft. (183 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-5

EVERY STARTER SET INCLUDES LAUNCH EQUIPMENT & FLIGHT SUPPLIES!



4 "AA" Batteries required - not included



1813 AstroCom® RTF

Length: 18.38 in. (46.7 cm)
Max Alt.: 500 ft. (152 m)
12 in. (30 cm) Parachute
C6-7 ONLY



1814 Recon™

Length: 17.5 in. (44.5 cm)
Max Alt.: 555 ft. (169 m)
12 in. (30 cm) Parachute
B4-2, B6-2, C6-3, C6-5



1816 Free Fall™

Length: 18 in. (45.7 cm)
Max Alt.: 500 ft. (152 m)
12 in. (30 cm) Parachute
B4-2, B6-2, C6-3, C6-5



1818 Missile Command™

Army Length: 16.6 in. (42.2 cm)
Max Alt.: 1100 ft. (335 m)
Navy Length: 16 in. (40.6 cm)
Max Alt.: 1000 ft. (305 m)
Two-12 in. (30 cm) Parachutes
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



1824 Code Red™

Length: 18 in. (45.7 cm)
Max Alt.: 600 ft. (183 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-5



1841 Mighty Miles® Outlaw™

Length: 5.13 in. (13 cm)
Max Alt.: 600 ft. (183 m)
Streamer Recovery
1/4A3-3T, 1/2A3-2T, A3-4T, A10-3T
(Comes with special launcher - not pictured)

READY-TO-FLY ROCKETS



1804 Hyper X™

Length: 19.5 in. (49.5 cm)
Max Alt.: 535 ft. (163 m)
12 in. (30 cm) Parachute
B4-2, B6-2, B6-4, C6-3, C6-5



1806 X-Flyers™

X-Flyer 1 Length: 15.3 in. (38.9 cm)
Max Alt.: 1425 ft. (434 m)
X-Flyer 2 Length: 15.8 in. (40.1 cm)
Max Alt.: 1280 ft. (390 m),
A8-3, B6-6, C6-7



1807 Snitch™



1809 Jinx™



1826 Mini Marz Lander™



1840 Torque™ & Fury™



1847 Cruise Missile™

Unless specified otherwise, all products require assembly. Construction supplies required - not included.

ESTES® and COX® products are recommended for ages 10 and up.
Adult supervision for those under 12.
Quantities of some products are limited.



www.estesrockets.com

EZX[®] SERIES STARTER SETS

NO PAINTING REQUIRED! Each kit includes plastic fins, nose cone & precolorled body tube.



1410 Airwalker™

Length: 20 in. (50.8 cm)
Max Alt.: 1000 ft. (305 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-3, C6-5



1449 Super Shot™

Super Shot™ Length: 16.5 in. (41.9 cm)
Max Alt.: 1000 ft. (305 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7
Twister™ Length: 9.5 in. (24.1 cm)
Max Alt.: 1000 ft. (305 m)
Helicopter Recovery
A8-3, B4-4, B6-4, B6-6



1466 Helicat™

Length: 33.5 in. (85.1 cm)
Max Alt.: 485 ft. (148 m)
Rocket Recovery:
18 in. (46 cm) Parachute
Nose Cone Recovery:
Helicopter
B4-2, B6-2, C6-3, C6-5



1467 Space Shuttle™

Length: 14.75 in. (37.5 cm)
Max Alt.: 300 ft. (91 m)
Shuttle Recovery: Glider
Power Pod:
18 in. (46 cm) Parachute
C6-3 ONLY



1472 Scorpion™

Length: 15 in. (38.1 cm)
Max Alt.: 1200 ft. (366 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-5, C6-7



1474 Mega Max™

Goliath™ Length: 28 in. (71.1 cm)
Max Alt.: 500 ft. (152 m)
18 in. (46 cm) Parachute
B4-2, B4-4, B6-2, B6-4, C6-5
Spitfire SSI™ Length: 16.25 in. (41.3 cm)
Max Alt.: 900 ft. (274 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-5, C6-7



Every Starter Set Includes:
**LAUNCH
EQUIPMENT AND
FLIGHT SUPPLIES!**

4 "AA" Batteries required -
not included

E2X® SERIES ROCKET KITS

NO PAINTING REQUIRED! Each kit includes plastic fins, nose cone & precolor body tube.



834 X-Ray™
Length: 14.8 in. (37.6 cm)
Max Alt.: 500 ft. (152 m)
Streamer Recovery
1/2A3-2T, A3-4T, A10-3T



86 Gnome™
Length: 10.3 in. (26.0 cm)
Max Alt.: 800 ft. (244 m)
Streamer Recovery
1/2A3-4T, A3-4T, A10-3T



1256 Alpha III®
Length: 12.3 in. (31.1 cm)
Max Alt.: 1100 ft. (335 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



2060 Bandit™
Length: 16.6 in. (42.2 cm)
Max Alt.: 1000 ft. (305 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



2137 Flash™
Length: 28.3 in. (71.9 cm)
Max Alt.: 1000 ft. (305 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



2158 AGM-57X Heatseeker™
Length: 18.6 in. (47.2 cm)
Max Alt.: 800 ft. (244 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



2159 FireFlash™
Length: 41.6 in. (105.7 cm)
Max Alt.: 800 ft. (244 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-5, C6-7

2130 Mach-12™

2131 Mk-109 Stingray™

2132 Banshee™

2133 AstroSat LSX™

2077 Skywinder™

ROCKET KITS-Skill Level 1

QUICK & EASY TO BUILD! Some sanding, cutting & painting required.



801 Mosquito™
Length: 3.9 in. (9.9 cm)
Max Alt.: 800 ft. (244 m)
Featherweight Recovery
1/4A3-3T, 1/2A3-4T, A3-4T, A10-3T



802 Quark™
Length: 5.2 in. (13.2 cm)
Max Alt.: 700 ft. (213 m)
Featherweight Recovery
1/4A3-3T, 1/2A3-4T, A3-4T, A10-3T



1225 Alpha™
Length: 12.3 in. (31.2 cm)
Max Alt.: 1000 ft. (305 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



1292 Wizard™
Length: 12 in. (30.5 cm)
Max Alt.: 1500 ft. (457 m)
Streamer Recovery
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



www.estesrockets.com

ROCKET KITS-Skill Level 1

QUICK & EASY TO BUILD! Some sanding, cutting & painting required.



1381 Yankee™

Length: 11 in. (27.9 cm)
Max Alt.: 1400 ft. (427 m)
Streamer Recovery
A8-3, B4-4, B6-4
B6-6, C6-5, C6-7



1948 Big Bertha®

Length: 24 in. (61 cm)
Max Alt.: 500 ft. (152 m)
18 in. (46 cm) Parachute
B4-2, B4-4, B6-2, B6-4, B6-6, C6-5



1949 Viking™

Length: 12.1 in. (30.7 cm)
Max Alt.: 1470 ft. (448 m)
Streamer Recovery
A8-3, B4-4, B6-4, C6-5, C6-7



1960 Nova Payloader™

Length: 21 in. (53.6 cm)
Max Alt.: 1000 ft. (305 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-5
With Payload: B4-2, B6-2,
C6-3



2092 Mongoose™

Length: 26.5 in. (67.3 cm)
Max Alt.: 1600 ft. (488 m)
Streamer Recovery
1 Stage: A8-3, B4-4, B6-4, C6-5
2 Stages, Booster: C6-0
2nd Stage: B6-6, C6-7



2139 Fat Boy™

Length: 12.9 in. (32.8 cm)
Max Alt.: 925 ft. (282 m)
18 in. (46 cm) Parachute
B4-2, B6-2, C6-3



2170 Star Dart™

Length: 12.75 in. (32.4 cm)
Max Alt.: 2010 ft. (613 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, B6-6
C6-5, C6-7



2171 Sizzler®

Length: 11.75 in. (29.9 cm)
Max Alt.: 2040 ft. (622 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, B6-6,
C6-5, C6-7



2172 Monarch™

Length: 17.25 in. (43.8 cm)
Max Alt.: 1225 ft. (373 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-5

2112 Trans Wing™ Super Glider™

2120 Venus Probe™

2153 AIM-120 AMRAAM

2163 Exo Skell™

ROCKET KITS-Skill Level 2

FIRST LEVEL OF CRAFTSMANSHIP. Requires skill in building & painting.



1295 Mean Machine™

Length: 78.75 in. (200 cm)
Max Alt.: 600 ft. (183 m)
24 in. (61 cm) Parachute
D12-5 ONLY



1958 Black Brant II™

Length: 24.9 in. (63.2 cm)
Max Alt.: 1170 ft. (357 m)
18 in. (46 cm) Parachute
D12-5 ONLY



2075 A.R.V. Condor™

Booster: 18.5 in. (47 cm)
Drone: 6.1 in. (15.5 cm)
Max Alt.: 700 ft. (213 m)
Drones: Glider Recovery
Booster: Streamer Recovery
B4-2, B6-2, C6-3



2136 Gemini DC™

Length: 21.5 in. (54.6 cm)
Max Alt.: 800 ft. (244 m)
Two 12 in. (30 cm) Parachutes
B4-2, B4-4, B6-2, B6-4, C6-5

ROCKET KITS-Skill Level 2

FIRST LEVEL OF CRAFTSMANSHIP. Requires skill in building & painting.



2162 Big Daddy™

Length: 19 in. (48.3 cm)
Max Alt.: 350 ft. (107 m)
24 in. (61 cm) Parachute
D12-3, D12-5



2167 Mercury Redstone™

Length: 23.5 in. (59.7 cm)
Max Alt.: 500 ft. (152 m)
12 in. (30 cm) Parachute
18 in. (46 cm) Parachute
B6-4, C6-3, C6-5



2173 Menace™

Length: 18 in. (45.7 cm)
Max Alt.: 650 ft. (198 m)
18 in. (46 cm) Parachute
A8-3, B4-4, B6-4, C6-5



2174 Polaris™

Length: 18.75 in. (47.6 cm)
Max Alt.: 1000 ft. (305 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-5



2175 Nemesis™

Length: 16.25 in. (41.3 cm)
Max Alt.: 1225 ft. (373 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-5



7000 Bull Pup 120™

Length: 15.6 in. (39.6 cm)
Max Alt.: 675 ft. (206 m)
12 in. (30 cm) Parachute
A8-3, B4-4, B6-4, C6-5



2199 The Dude™

Length: 88 in. (223.5 cm)
Max Alt.: 300 ft. (91 m)
12 in. (30 cm) Parachute
D12-3 ONLY

ROCKET KITS-Skill Level 3

SECOND LEVEL OF CRAFTSMANSHIP.
Requires higher level of skill in building & painting.



1380 Phoenix™

Length: 30 in. (76.2 cm)
Max Alt.: 350 ft. (107 m)
18 in. (46 cm) Parachute
D12-3 ONLY



1382 Comanche™

Length: 41 in. (104.1 cm)
Max Alt.: 2600 ft. (793 m)
2 Streamers
1 Stage: A8-3, B4-4, B6-4, C6-5
2 or 3 Stages: Booster - D12-0
2nd Stage - C6-0
3rd Stage - B6-6, C6-7



2176 EchoStar™

Length: 29 in. (73.7 cm)
Max Alt.: 1200 ft. (366 m)
18 in. (46 cm) Parachute
1 Stage: B4-4, B6-4, C6-5
2 Stages: Booster - C6-0
2nd Stage: B6-6, C6-7



2177 Night Wing™

Length: 19 in. (48.3 cm)
Max Alt.: 650 ft. (198 m)
18 in. (46 cm) Parachute
B4-4, B6-4, C6-5



For more information on all
Estes® and Cox®
products, visit us at:

www.estesrockets.com

RADIO CONTROL ELECTRIC AIRPLANES



6203 X8-29 Airlifter™
Wingspan: 50 in. (127 cm)



6206 Boomerang™
Wingspan: 33.5 in. (85.1 cm)



6207 Air-O-Commander™
Wingspan: 32 in. (81.3 cm)



6212 Electro™ J3 Cub
Wingspan: 29.5 in. (75 cm)



6214 Black Maxx™
Wingspan: 32 in. (81.3 cm)

EACH RADIO CONTROL ELECTRIC AIRPLANE COMES COMPLETE WITH RADIO, FLIGHT PACK & CHARGER!



SKY CRUISERS™ ELECTRIC FLYING AIRPLANES



5841 Highway Patrol Free Flight
Wingspan: 21.5 in. (54.6 cm)



5842 Viper™ Free Flight
Wingspan: 20.5 in. (52.1 cm)



5843 ElectroStar™ Control Line
Wingspan: 18.25 in. (46.4 cm)



6205 Lector Liners™ A-7 Bomb Drop
Wingspan: 9.5 in. (24.1 cm)

CONTROL LINE AIRCRAFT-GLOW



6030 Backdraft™
Wingspan: 18 in. (45.7 cm)



6040 Slipstream™
Wingspan: 22 in. (55.9 cm)



6050 Apache Helicopter
Rotor Span: 15 in. (38.1 cm)



9880 Extra 300s
Wingspan: 19.5 in. (49.5 cm)



405 Starting Kit Pictured
Products using .049 glow fuel engines require a 405 or 885 Starting Kit - Sold separately.

FREE FLIGHT AIRCRAFT-GLOW



4420 Comanche Helicopter



4500 Attack Cobra Helicopter



4800 Sky Jumper® Helicopter

Free Flight Helicopters have 19.5 (49.5 cm) Rotor Span.



5300 Recon™
Wing Span: 47 in (119.4 cm),
Length: 31 in (78.7 cm)



Camera not included



1295 H Street
Penrose, CO 81240
www.coxmodels.com