Dimplex®

Revillusion® 36" Built-in Electric Firebox

RBF36WC Weathered Concrete



Building on the innovative Revillusion® ThruView™ full-depth design, the new Weathered Concrete Series strikes a more contemporary chord. The poured concrete features subtle detail and a neutral palette that provides a dramatic contrast for the lifelike flames. This playful use of an industrial material is a unique way to give any space some stylish, industrial flair.







Revillusion® 36" Built-in Electric Firebox

RBF36WC Weathered Concrete

Capacitive touch built-in controls. 7 IF RBF36WC Weathered concrete firebox interior 37-1/4* 94.4 cm 12-1/8* 30.7 cm



Mood-maker Remote

Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,300 W | 4,400 BTU 208 V | 1,975 W | 6,745 BTU 240 V | 2,575 W | 8,794 BTU

Also available in Herringbone Brick - RBF36
The state of the s

Model #	Description	Lbs / Kg	UPC	Wty⁺	Carton Dimensions (WxHxD)		Cube		
					Inches	cm	ft³	m³	
RBF36WC	36" Built-in Electric Firebox - Weathered concrete interior	74.7 / 34.0	781052 129856	2 yrs.	41-1/4 x 15-1/4 x 31-7/8	104.6 x 38.7 x 81.0	11.6	0.3	
RBF36	36" Built-in Electric Firebox - Herringbone brick interior	74.9 / 34.0	781052 104723	2 yrs.	41-1/4 x 15-1/4 x 31-7/8	104.6 x 38.7 x 81.0	11.6	0.3	
RBFL42BR	Birch Log Set	15 / 6.8	781052 129993	2 yr.	29-7/8 x 17-1/2 x 15	75.9 x 44.1 x 38.1	4.52	0.13	
RBFL42FC	Fresh Cut Log Set	15 / 6.8	781052 129986	2 yr.	29-7/8 x 17-1/2 x 15	75.9 x 44.1 x 38.1	4.52	0.13	
RBFPLUG	Plug Kit	0.6 / 0.3	781052 107656	1 yr.	7 x 3 x 4	17.8 x 7.6 x 10.2	0.05	0.00	
RBFGLASS36	Single Glass Pane	25.1 / 11.4	781052 108011	1 yr.	42-1/8 x 29-1/4 x 4-1/4	106.8 x 74.2 x 10.6	3.0	0.08	
RBFDOOR36	36" Glass Door	32.7 / 14.7	781052 108059	1 yr.	41-7/8 x 30-1/8 x 4-5/8	106.3 x 76.4 x 11.6	3.3	0.09	
Charlifornians finished and dimensions are subject to shapes It imited warranty @0010 Clap Dimpley Americas									

Specifications, finishes and dimensions are subject to change. † Limited warranty. @2019 Glen Dimplex Americas.

Features

Revillusion® Flame Technology
Flames are larger, brighter and more
random, appearing from within the logs.

Mirage™ Flame Panel
Partially frosted acrylic panel is clearly better than a mirror, showing only

dazzling flames and no reflections.

ThruView™ Full-depth Design See clear through the flames to the back of the firebox for a more authentic experience.

Mood Lighting
Customize the firebox glow with a choice of warm hues, plus midnight mode.

Color Enhancement
Adjust the flame base color to red or blue.

Realogs® Plus

A full grate of life-size hardwood-cast logs, tiered for greater depth.

Full Surround Firebox

More authentic day or night;

270-degree surround with natural soot markings.

Brightness and Flicker
Adjust light level to suit the room and choose flicker effect for enhanced firelight.

Ambient Light Sensor
Automatically adjusts firebox light to suit the room day to night.

Quick and Easy Installation
Simply frame, wire and finish – no
venting, gas lines or safety screens.

Primary Heat
Option to use 240 volt supply for up
to 8,800 BTU - use as part of primary
heating plan; heater also operates
without flame and can be deactivated.

All-season Flames
Enjoy the unique charm of a fireplace
365 days a year using the flames
without the heat.

Direct-wire
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).

Low Carbon Footprint
The most sustainable fireplace option;
no emissions and 100% efficient.

SE-455-R00-073019





Revillusion® 36" Built-in Electric Firebox

RBF36WC Weathered Concrete

Accessories



RBFGLASS36 - 36" Tempered Front Glass Dimensions: 35-1/8" W x 22-1/8" H x 3/8" D (89.1 cm x 56.1 cm x 1.1 cm)



RBFDOOR36 - 36" Functional Doors with Tempered Glass Dimensions: 39-3/4" W x 27-1/4" H x 1-1/4" D (101.1cm x 69.4cm x 3.7cm)







