

ETHOS

Contemporary design with subtle details characterise the Ethos collection. Clear glass shades are a magically illuminated from a recessed light source giving the shades an ethereal quality. Finishes include Chrome or Brushed Nickel. Ethos is equipped with the latest in energy saving, long life LED technology.

Brushed Nickel




A.

	Product	Bulbs/Wattage	Source Lumens	CCT	CRI	L/ext.	W	H	Wall Plate Size
A	1921-1S-BN-LED	(1) 8W-LED	600LM	3000K	>90	5 3/4"	4 3/4"	8 1/4"	3 3/4"W x 6 1/4"H
B	1921-2V-BN-LED	(2) 8W-LED	1200LM	3000K	>90	5 3/4"	13"	8 1/4"	6 1/4"W x 3 1/4"H
C	1921-3V-BN-LED	(3) 8W-LED	1800LM	3000K	>90	5 3/4"	22"	8 1/4"	6 1/4"W x 3 1/4"H
D	1921-4V-BN-LED	(4) 8W-LED	2400LM	3000K	>90	5 3/4"	32"	8 1/4"	6 1/4"W x 3 1/4"H
E	1921-5V-BN-LED	(5) 8W-LED	3000LM	3000K	>90	5 3/4"	40"	8 1/4"	6 1/4"W x 3 1/4"H



B.

These fixtures can be mounted up or down. Please note: For up facing mounting, the ring cannot be used since it is not fastened to glass.



C.



Color Temperature - 3000K
CRI (Color Rendering Index) >90
Dimmable Light Source
Replaceable Components



D.



E.

Chrome




F.

	Product	Bulbs/Wattage	Source Lumens	CCT	CRI	L/ext.	W	H	Wall Plate Size
F	1921-1S-CH-LED	(1) 8W-LED	600LM	3000K	>90	5 3/4"	4 3/4"	8 1/4"	3 3/4"W x 6 1/4"H
G	1921-2V-CH-LED	(2) 8W-LED	1200LM	3000K	>90	5 3/4"	13"	8 1/4"	6 1/4"W x 3 1/4"H
H	1921-3V-CH-LED	(3) 8W-LED	1800LM	3000K	>90	5 3/4"	22"	8 1/4"	6 1/4"W x 3 1/4"H
I	1921-4V-CH-LED	(4) 8W-LED	2400LM	3000K	>90	5 3/4"	32"	8 1/4"	6 1/4"W x 3 1/4"H
J	1921-5V-CH-LED	(5) 8W-LED	3000LM	3000K	>90	5 3/4"	40"	8 1/4"	6 1/4"W x 3 1/4"H



G.

These fixtures can be mounted up or down. Please note: For up facing mounting, the ring cannot be used since it is not fastened to glass.



H.



Color Temperature - 3000K
CRI (Color Rendering Index) >90
Dimmable Light Source
Replaceable Components



I.



J.

ETHOS

Contemporary design with subtle details characterise the Ethos collection. Seedy glass shades are a magically illuminated from a recessed light source giving the shades an ethereal quality. Finishes include Chrome or Brushed Nickel. Ethos is equipped with the latest in energy saving, long life LED technology.

Brushed Nickel




A.

	Product	Bulbs/Wattage	Source Lumens	CCT	CRI	L/ext.	W	H	Wall Plate Size
A	1922-1S-BN-LED	(1) 8W-LED	600LM	3000K	>90	5 3/4"	4 3/4"	8 1/4"	3 3/4"W x 6 1/4"H
B	1922-2V-BN-LED	(2) 8W-LED	1200LM	3000K	>90	5 3/4"	13"	8 1/4"	6 1/4"W x 3 1/4"H
C	1922-3V-BN-LED	(3) 8W-LED	1800LM	3000K	>90	5 3/4"	22"	8 1/4"	6 1/4"W x 3 1/4"H
D	1922-4V-BN-LED	(4) 8W-LED	2400LM	3000K	>90	5 3/4"	32"	8 1/4"	6 1/4"W x 3 1/4"H
E	1922-5V-BN-LED	(5) 8W-LED	3000LM	3000K	>90	5 3/4"	40"	8 1/4"	6 1/4"W x 3 1/4"H



B.

These fixtures can be mounted up or down. Please note: For up facing mounting, the ring cannot be used since it is not fastened to glass.



C.



Color Temperature - 3000K
CRI (Color Rendering Index) >90
Dimmable Light Source
Replaceable Components



D.



E.

Chrome




F.

	Product	Bulbs/Wattage	Source Lumens	CCT	CRI	L/ext.	W	H	Wall Plate Size
F	1922-1S-CH-LED	(1) 8W-LED	600LM	3000K	>90	5 3/4"	4 3/4"	8 1/4"	3 3/4"W x 6 1/4"H
G	1922-2V-CH-LED	(2) 8W-LED	1200LM	3000K	>90	5 3/4"	13"	8 1/4"	6 1/4"W x 3 1/4"H
H	1922-3V-CH-LED	(3) 8W-LED	1800LM	3000K	>90	5 3/4"	22"	8 1/4"	6 1/4"W x 3 1/4"H
I	1922-4V-CH-LED	(4) 8W-LED	2400LM	3000K	>90	5 3/4"	32"	8 1/4"	6 1/4"W x 3 1/4"H
J	1922-5V-CH-LED	(5) 8W-LED	3000LM	3000K	>90	5 3/4"	40"	8 1/4"	6 1/4"W x 3 1/4"H



G.

These fixtures can be mounted up or down. Please note: For up facing mounting, the ring cannot be used since it is not fastened to glass.



H.



Color Temperature - 3000K
CRI (Color Rendering Index) >90
Dimmable Light Source
Replaceable Components



I.



J.

ETHOS

Contemporary design with subtle details characterize the Ethos collection. Chiseled glass shades are a magically illuminated from a recessed light source giving the shades an ethereal quality. Finishes include Chrome or Brushed Nickel. Ethos is equipped with the latest in energy saving, long life LED technology.

Brushed Nickel




A.

	Product	Bulbs/Wattage	Source Lumens	CCT	CRI	L/ext.	W	H	Wall Plate Size
A	1923-1S-BN-LED	(1) 8W-LED	600LM	3000K	>90	5 3/4"	4 3/4"	8 1/4"	3 3/4"W x 6 1/4"H
B	1923-2V-BN-LED	(2) 8W-LED	1200LM	3000K	>90	5 3/4"	13"	8 1/4"	6 1/4"W x 3 1/4"H
C	1923-3V-BN-LED	(3) 8W-LED	1800LM	3000K	>90	5 3/4"	22"	8 1/4"	6 1/4"W x 3 1/4"H
D	1923-4V-BN-LED	(4) 8W-LED	2400LM	3000K	>90	5 3/4"	32"	8 1/4"	6 1/4"W x 3 1/4"H
E	1923-5V-BN-LED	(5) 8W-LED	3000LM	3000K	>90	5 3/4"	40"	8 1/4"	6 1/4"W x 3 1/4"H



B.

These fixtures can be mounted up or down. Please note: For up facing mounting, the ring cannot be used since it is not fastened to glass.



C.



Color Temperature - 3000K
CRI (Color Rendering Index) >90
Dimmable Light Source
Replaceable Components



D.



E.

Chrome




F.

	Product	Bulbs/Wattage	Source Lumens	CCT	CRI	L/ext.	W	H	Wall Plate Size
F	1923-1S-CH-LED	(1) 8W-LED	600LM	3000K	>90	5 3/4"	4 3/4"	8 1/4"	3 3/4"W x 6 1/4"H
G	1923-2V-CH-LED	(2) 8W-LED	1200LM	3000K	>90	5 3/4"	13"	8 1/4"	6 1/4"W x 3 1/4"H
H	1923-3V-CH-LED	(3) 8W-LED	1800LM	3000K	>90	5 3/4"	22"	8 1/4"	6 1/4"W x 3 1/4"H
I	1923-4V-CH-LED	(4) 8W-LED	2400LM	3000K	>90	5 3/4"	32"	8 1/4"	6 1/4"W x 3 1/4"H
J	1923-5V-CH-LED	(5) 8W-LED	3000LM	3000K	>90	5 3/4"	40"	8 1/4"	6 1/4"W x 3 1/4"H



G.

These fixtures can be mounted up or down. Please note: For up facing mounting, the ring cannot be used since it is not fastened to glass.



H.



Color Temperature - 3000K
CRI (Color Rendering Index) >90
Dimmable Light Source
Replaceable Components



I.



J.