

Forest


The Forest collection conjures up images of uncomplicated beauty. Each appendage that flows from these pendants include the latest in LED energy saving technology. Many single and multiple hanging combinations available. Finishes for the single pendants include Chrome, White, Pearl Black, Matte Black and Brushed Nickel, multi point ceiling canopies available.



Color Temperature - **3045±75K**
 CRI (Color Rendering Index) **>80**
Dimmable Light Source



| A |



| G |



| B |



| C |



| D |



| E |



| F |

	Product	Bulbs/Wattage	Source Lumens	CCT	CRI	L/ext.	W	H	Overall-H	Wire Length	Ceiling Plate Size
A	917-6CH-LED	(6) 5W-LED	2700LM	3000K	>80	---	20.25"	24.25"	144.5"	118"	4.5" diameter
B	917S-BN-LED	(2) 5W-LED	900LM	3000K	>80	3"	4.75"	14"	---	---	4.75" diameter
C	917S-CH-LED	(2) 5W-LED	900LM	3000K	>80	3"	4.75"	14"	---	---	4.75" diameter
D	917S-MB-LED	(2) 5W-LED	900LM	3000K	>80	3"	4.75"	14"	---	---	4.75" diameter
E	917S-PBL-LED	(2) 5W-LED	900LM	3000K	>80	3"	4.75"	14"	---	---	4.75" diameter
F	917S-WH-LED	(2) 5W-LED	900LM	3000K	>80	3"	4.75"	14"	---	---	4.75" diameter
G	917-6CH-LED-2LCH	(12) 5W-LED	5400LM	3000K	>80	43.75"	20.25"	24.25"	139.5"	118"	26.75" x 4.5"



| J |



| A |



| B |



| C |



| D |



| E |



| F |



| G |



| H |



| I |



Color Temperature - **3045±75K**
 CRI (Color Rendering Index) **>80**
Dimmable Light Source

	Product	Bulbs/Wattage	Source Lumens	CCT	CRI	W	H	Overall-H	Wire Length	Ceiling Plate Size
A	917MP12-CH-LED	(1) 5W-LED	450LM	3000K	>80	4.75"	12"	131.5"	118"	4.75" diameter
B	917MP12-WH-LED	(1) 5W-LED	450LM	3000K	>80	4.75"	12"	131.5"	118"	4.75" diameter
C	917MP12-PBL-LED	(1) 5W-LED	450LM	3000K	>80	4.75"	12"	131.5"	118"	4.75" diameter
D	917MP12-MB-LED	(1) 5W-LED	450LM	3000K	>80	4.75"	12"	131.5"	118"	4.75" diameter
E	917MP12-BN-LED	(1) 5W-LED	450LM	3000K	>80	4.75"	12"	131.5"	118"	4.75" diameter
F	917MP24-CH-LED	(1) 5W-LED	450LM	3000K	>80	4.75"	24"	143.25"	118"	4.75" diameter
G	917MP24-WH-LED	(1) 5W-LED	450LM	3000K	>80	4.75"	24"	143.25"	118"	4.75" diameter
H	917MP24-PBL-LED	(1) 5W-LED	450LM	3000K	>80	4.75"	24"	143.25"	118"	4.75" diameter
I	917MP24-MB-LED	(1) 5W-LED	450LM	3000K	>80	4.75"	24"	143.25"	118"	4.75" diameter
J	917MP24-BN-LED	(1) 5W-LED	450LM	3000K	>80	4.75"	24"	143.25"	118"	4.75" diameter



	Product	Available Pendant Finish	Bulbs/Wattage	Source Lumens	CCT	CRI	L/ext.	W	H	Overall-H	Wire Length	Ceiling Plate Size
A	917MP12-CH-LED-2LCH	CH, BN, WH, PBL, MB	(2) 5W-LED	900LM	3000K	>80	30"	4.5"	12"	131.5"	118"	30" x 4.5"
B	917MP12-PBL-LED-3LBN	CH, BN, WH, PBL, MB	(3) 5W-LED	1350LM	3000K	>80	46"	4.5"	12"	131.5"	118"	46" x 4.5"
C	917MP12-MB-LED-4SCH	CH, BN, WH, PBL, MB	(4) 5W-LED	1800LM	3000K	>80	---	9.5"	12"	131.5"	118"	9.5" x 9.5"
D	917MP12-WH-LED-9SCH	CH, BN, WH, PBL, MB	(9) 5W-LED	4050LM	3000K	>80	---	14"	12"	131.5"	118"	14" x 14"
E	917MP12-BN-LED-5RCH	CH, BN, WH, PBL, MB	(5) 5W-LED	2250LM	3000K	>80	---	13.5"	12"	131.5"	118"	13.5" diameter



Color Temperature - **3045±75K**
 CRI (Color Rendering Index) **>80**
Dimmable Light Source



| F |



| G |



| H |




| I |



| J |

	Product	Available Pendant Finish	Bulbs/Wattage	Source Lumens	CCT	CRI	L/ext.	W	H	Overall-H	Wire Length	Ceiling Plate Size
F	917MP12-CH-LED-9RCH	CH, BN, WH, PBL, MB	(9) 5W-LED	4050LM	3000K	>80	---	16"	12"	131.5"	118"	16" diameter
G	917MP12-PBL-LED-8LCH	CH, BN, WH, PBL, MB	(8) 5W-LED	3600LM	3000K	>80	44.25"	4.25"	12"	131.5"	118"	44.25" x 4.25"
H	917MP12-MB-LED-10LCH	CH, BN, WH, PBL, MB	(10) 5W-LED	4500LM	3000K	>80	56.5"	4.25"	12"	131.5"	118"	56.5" x 4.25"
I	917MP12-WH-LED-11LCH	CH, BN, WH, PBL, MB	(11) 5W-LED	4950LM	3000K	>80	24"	9.75"	12"	131.5"	118"	24" x 9.75"
J	917MP12-BN-LED-14LCH	CH, BN, WH, PBL, MB	(14) 5W-LED	6300LM	3000K	>80	32.25"	9.75"	12"	131.5"	118"	32.25" x 9.75"



	Product	Available Pendant Finish	Bulbs/Wattage	Source Lumens	CCT	CRI	L/ext.	W	H	Overall-H	Wire Length	Ceiling Plate Size
A	917MP24-CH-LED-2LCH	CH, BN, WH, PBL, MB	(2) 5W-LED	900LM	3000K	>80	30"	4.5"	24"	143.25"	118"	30" x 4.5"
B	917MP24-PBL-LED-3LBN	CH, BN, WH, PBL, MB	(3) 5W-LED	1350LM	3000K	>80	46"	4.5"	24"	143.25"	118"	46" x 4.5"
C	917MP24-MB-LED-4SCH	CH, BN, WH, PBL, MB	(4) 5W-LED	1800LM	3000K	>80	---	9.5"	24"	143.25"	118"	9.5" x 9.5"
D	917MP24-WH-LED-9SCH	CH, BN, WH, PBL, MB	(9) 5W-LED	4050LM	3000K	>80	---	14"	24"	143.25"	118"	14" x 14"
E	917MP24-BN-LED-5RCH	CH, BN, WH, PBL, MB	(5) 5W-LED	2250LM	3000K	>80	---	13.5"	24"	143.25"	118"	13.5" diameter



| F |




Color Temperature - **3045±75K**
 CRI (Color Rendering Index) **>80**
Dimmable Light Source



| G |



| H |



| I |



| J |

	Product	Available Pendant Finish	Bulbs/Wattage	Source Lumens	CCT	CRI	L/ext.	W	H	Overall-H	Wire Length	Ceiling Plate Size
F	917MP24-CH-LED-9RCH	CH, BN, WH, PBL, MB	(9) 5W-LED	4050LM	3000K	>80	---	16"	24"	143.25"	118"	16" diameter
G	917MP24-PBL-LED-8LCH	CH, BN, WH, PBL, MB	(8) 5W-LED	3600LM	3000K	>80	44.25"	4.25"	24"	143.25"	118"	44.25" x 4.25"
H	917MP24-MB-LED-10LCH	CH, BN, WH, PBL, MB	(10) 5W-LED	4500LM	3000K	>80	56.5"	4.25"	24"	143.25"	118"	56.5" x 4.25"
I	917MP24-WH-LED-11LCH	CH, BN, WH, PBL, MB	(11) 5W-LED	4950LM	3000K	>80	24"	9.75"	24"	143.25"	118"	24" x 9.75"
J	917MP24-BN-LED-14LCH	CH, BN, WH, PBL, MB	(14) 5W-LED	6300LM	3000K	>80	32.25"	9.75"	24"	143.25"	118"	32.25" x 9.75"