

CLOVER LIGHT

Made from thin layers of hand-formed maple veneer and rattan woven cane, Clover Light by Alexander White houses soft LED diffused bulbs to create a captivating midground wall light.



W305 x D155 x H350mm
W12 x D6.1 x 13.7inches
Weight 2.6kg

- *SKU codes:* AWW006, AWW007, AWW008
- *Material:* Cane, laminated maple, patinated brass, eggshell paint (black, bottle green & oxide red)
- *Lead time:* 8 weeks
- *Flex length:* Provided with 150mm of flex to wire into wall
- *Country of wiring & plug available:* UK (international wiring available)
- *Bulb included:* Built in - Two LED Luminaires (70Lm at the top and bottom of each section)
- *Backplate finish:* Patinated brass
- *Bulb recommended:* (Supplied) LED from Hafele Looc system, 12 V Colour rendering 90Wattage, 3.0 Luminous flux, 210Lm Luminous efficiency - 70lm/white light Dia. - 65.0mm
- *Fuse recommended:* Mains installed - MAX 2.5A
- *Wattage:* 90W off an 12v 30W LED driver
- *Voltage:* PRI - 220-230Vac 50/60Hz

Customisable Options:

- Custom lengths can be discussed but would need to be prototyped to check light dispersion
- Comes in 3 standard colours black, bottle green and oxide red. Custom RAL matching can be discussed (POA).

For more information please contact

trade@thenewcraftsmen.com



CLOVER LIGHT

Made from thin layers of hand-formed maple veneer and rattan woven cane, Clover Light by Alexander White houses soft LED diffused bulbs to create a captivating midground wall light.

Additional notes & guidelines:

- Cane weave may vary slightly because it is a natural material, but panels are carefully selected for consistency. Due to the technique and it's hand-made nature there may be slight imperfections in the weave.
- Shade material has been treated with a fire retardant product to conform to British Standards. Certification with every order traceable to A UKAS accredited laboratory.
- This lighting fixture must be earthed and installed by a qualified electrician in accordance with current and local wiring and building regulations.
- Do not exceed the maximum - wattage that is shown on the label on the LED Driver.
- Packaged in a sturdy cardboard box with bespoke inserts and tissue paper within to support and protect the light.

Installation Guidelines:

- A mounting plate is provided (please see diagram on overleaf)
- Screw plate onto the wall over the wall outlet, feeding the isolated main cable through the central mounting plate hole
- Connect the electrics to the back of the main Clover light body
- Once connected, hang the shade body on the metal plate hanging hooks

Handling Guidance:

- This product is fragile. Handle with care, do not squeeze or lie on the cane weave
- Gloves must be worn whilst handling this product
- Please handle light from the top and bottom when installing or rewiring
- Clean with a feather duster
- As this is a natural material, a warm and natural patina will develop over time.
- Suitable for dry indoor environments only



CLOVER LIGHT

