


An aerial photograph of a beach. The top half of the image shows turquoise water with white foam from breaking waves. The bottom half shows a wide expanse of golden sand. The horizon line is slightly wavy, following the edge of the beach.

HARIO


SINCE 1921

HARIO has been dedicated to the design and production of quality heatproof glass since its founding in 1921. HARIO also currently operates the only heatproof glass factory in Japan.

MORE ABOUT HARIO

玻璃王

HARIO (玻璃王) is Japanese for "king of glass". HARIO lives up to this name through its continued tradition of innovative, beautiful and high-quality heatproof glass.



HISTORY

Since 1921

HARIO began its history as a manufacturer of laboratory glassware. In 1948, the company expanded production to include household items, starting with the coffee syphon. HARIO also began producing lenses for automotive headlights in 1980. Today, HARIO continues to make a wide variety of products, from coffee- and tea-related products to microwave-safe kitchenware, and from aromatherapy to pet products.




HEATPROOF GLASS

Components for Heatproof Glass Production



Silica sand



Borax



Boric acid

+




Cullet


Recycled glass
from the production
process



All-electric melting furnace



<Diagram of a Heated Glass Cup>



Heat causes glass to expand. When a hot liquid is poured into a regular glass cup, the inner surface expands at a greater rate than the outer surface, causing it to break. The surfaces of heatproof glass expand and contract at similar rates regardless of which is closest to the heat source, preventing breakage.

Special Characteristics of HARIO's Heatproof Glass Products

1. Microwave-safe
2. Prevents the transfer of odour and colour
3. Dishwasher-safe

CLEAN INITIATIVES

A Factory Without Chimneys

In 1972, after much trial and error, HARIO became a glassmaking pioneer by successfully transitioning to a technique using all-electric melting furnaces. Until that time, glass factories were known for air pollution with dust and smoke, but HARIO's breakthrough led to safer conditions for the surrounding environment as well as for the workers inside.



Safe and Eco-Friendly Heatproof Glass

HARIO glass is made with 100% natural minerals and is safe for daily use, as well as the environment. We add 100% natural salt to prevent bubbles from forming within the glass, making our products stronger and safer to use. Our glass is corrosion-resistant as well as heatproof, for fully microwave-safe products.




COFFEE



HARIO

HAND-BREWING EQUIPMENT



ACCESSORIES

Paper	Server	Grinder	Kettle	Canister
Scale	Stand	Glass	Milk Frother	



OUTDOOR PRODUCTS





O-VOCB

C/T4 018020

O-VCB-B/O-VDM-02-HSV/

VCF-02-40M/O-VCSM-50-HSV/

O-VKB-70-HSV



O-VOCF

C/T4 018037

O-VCB-B/O-VDM-02-HSV/

VCF-02-40M/O-VCSM-50-HSV/

O-VKB-70-HSV/O-VMM-1-HSV/

O-VSM-30-HSV×2



OUTDOOR PRODUCTS



O-VDM-02-HSV

C/T12 040014

W145 / D120 / H90

Opening diameter top: 120mm

Ground coffee: 48g

(Stainless steel)



O-VMM-1-HSV

C/T24 040021

W130 / D47 / H160

Opening diameter top: 47mm

Ground coffee: 17g

Washable grinder



O-VKB-70-HSV

C/T12 040038

W215 / D115 / H140

Opening diameter top: 71mm

Practical capacity: 500mL



new

O-VCF-02-W

C/T100 040090

W180 / D30 / H225



new

O-DCB-30

C/T288(12 × 24) 040083

W110 / H108

1 cup



O-VCSM-50-HSV

C/T24 040045

W170 / D126 / H120

Opening diameter top: 78

Practical capacity: 500mL



O-VSM-30-HSV

C/T24 040069

W116 / D87 / H85

Opening diameter top: 87

Practical capacity: 320mL



O-VCB-B

C/T18 018013

W330 · D290 · H170

Capacity: 14L



OUTDOOR PRODUCTS



new

ZB-VDF-01B

C/T36 4573533860725
W121 / D92 / H70

Opening diameter top: 92mm
1-2 cups



new

ZB-VDFF-02B

C/T36 4573533860732
W132 / D125 / H88

Opening diameter top: 125mm
1-4 cups



new

ZB-HCM-2B

C/T24 4573533860596
W150 / D53 / H190

Opening diameter top: 46mm
Ground coffee: 24g



new

ZB-SMCM-300B

C/T24 4573533860596
W120 / D93 / H107

Opening diameter top: 85mm
Practical capacity: 300mL



new

ZB-CC-50B

C/T48 4573533860688
W72 / D72 / H62

Opening diameter top: 72mm
Ground coffee: 50g



new

ZB-MDP-35B

C/T24 4573533860572
W177 / D78 / H128

Opening diameter top: 78mm
Practical capacity: 350mL



new

ZB-DK-MB

C/T12 4573533860817
W279 / D145 / H154

Opening diameter top: 77mm
Practical capacity: 800mL



new

ZB-VCF-01-50W

C/T300 4573533860749
1-2 cups 50 sheets



new

ZB-VCF-02-50W

C/T200 4573533860589
1-4 cups 50 sheets



MUGEN

V60 Single Pour Dripper MUGEN

HARIO is proud to present the MUGEN, a brand new coffee dripper. What sets the MUGEN dripper apart from regular V60 drippers is that it is designed for one single pour, with no blooming required. As opposed to the regular V60 Dripper's spiralled ribs, the MUGEN has star-shaped ribs, allowing the paper of the filter to stick closely to the sides of the dripper. This in turn allows for a slower flow of water, resulting in a longer time for the coffee and the water to be in contact.



VDMU-02-TB
C/T48 031302
W142 / D116 / H94
Opening diameter top: 116mm
1-2 cups
(Plastic)



VDMU-02-CW
C/T24 031326
W143/ D117/ H95
Opening diameter top: 117mm
1-2 cups
(Ceramics)



VDMU-2018-TB
C/T18 031357
W142/ D116/ H180
Dripper: 1-2 cups
Server: Practical capacity 300mL
Paper: 40 sheets



HARIO's Action for SDGs

BATON

The Baton series features products created using 50% recycled materials, such as coffee grounds and bamboo. Furthermore, these products do not require paper filters, making it even more eco-friendly. We take action now, so that we can pass on the Baton to the future.



new

BT-MCD-01
C/T24 171589
φ 100/ H144



new

BT-CFOD-01
C/T24 171565
W111/ D110/ H87
1 cup



new

BT-CFOD-02
C/T24 171534
W121/ D135/ H105
1-4 cups



new

BT-OCM-01
C/T24 171572
W118/ D93/ H93
Opening diameter top: 80mm
Practical capacity: 170mL



The 2016 World Brewers Cup Champion, Tetsu Kasuya, has collaborated with HARIO to create a user-friendly mini-kettle, thoughtfully designed cupping tools, and a special dripper for his "4:6 method"- a brewing method based on the idea that anyone can make delicious coffee at home.

KASUYA SERIES

Designed by Tetsu Kasuya





KDD-02-HSV
C/T48 729001
W120 / D100 / H100
Opening diameter top: 90mm
1-4 cups



KPK-600-HSV
C/T12 010697
W270 / D150 / H127
Opening diameter top: 70mm
Practical capacity: 600mL



KDC-02-B
C/T36 010628
W140 / D120 / H102
Opening diameter top: 116mm
1-4 cups



KDK-300-MB
C/T24 010611
W165 / D90 / H100
Opening diameter top: 70mm
Practical capacity: 300mL



KDK-500-MB
C/T24 010666
W196 / D100 / H110
Opening diameter top: 80mm
Practical capacity: 500mL



KCB-260-B
C/T36 010635
φ93 / H65
Opening diameter top: 93mm
Max. capacity: 260mL



KCS-1-MB
C/T48 010642
W166 / D44 / H26

World Barista Collaboration
with Pete Licata



Pete Licata

World Barista Championship Champion 2013
US Barista Championship Champion 2011
Nomad Coffee Group Consultant



PDC-02-W
C/T18 010086
W160/ D127 / H109
Opening diameter top: 116mm
1-4 cups
(Ceramics)



PDA-02-T
C/T36 010079
φ109/ H51
Opening diameter top: 87mm
1-4 cups



PDA-1524-T
C/T24 010062
W137/ D117/ H140
1-4 cups
Includes 40 sheets of VCF-02W



Odd-Steinar Tøllefsen

World Brewers Cup Champion 2015

Norwegian Brewers Cup Champion 2014 - 2017

Co-Owner of Supreme Roastworks (Oslo)



OSM-270-B
C/T24 222854
φ77/ H106
Opening diameter top: 66mm
Practical capacity: 270mL



OSM-270-YEL
222861



OSM-270-BG
222878



Simply HARIO

Simply HARIO's elegance, simplicity and functionality will create a moment of tranquility during your busy day.

HARIO's heat-resistant glass products are made from 100% natural minerals, with pure and minimalist shapes inspired by functionality, allowing you to experience calm, quiet moments to recharge yourself.

Relax and revitalize with the pure beauty of Simply HARIO.





S-VGBK-02-T
C/T12 151376
W146 / D120 / H195
Practical capacity: 600mL
1-4 cups
Includes 40 sheets of
VCF-02W



S-STP-600-W
C/T12 151413
W196 / D116 / H187
Opening diameter top:
101mm
Practical capacity: 600mL



S-GCN-200-OV
C/T24 151406
φ102/ H138
Opening diameter top:
96mm
Max. capacity: 800mL



S-GCM-40-W
C/T24 151383
W132 / D110 / H164
Opening diameter top:
100mm
Practical capacity: 400mL



S-GTM-40-T
C/T24 151390
W124 / D82 / H158
Opening diameter top:
74mm
Practical capacity: 400mL



new
S-GG-300
C/T24 151468
φ 80 / H130
Opening diameter top:
80mm
Max. capacity: 300mL



new
S-GCBC-90-T
C/T12 151444
φ 94/ H304
Opening diameter top:
82mm
Finished capacity: 800mL




new
S-CCG-2-W
C/T12 151451
W157/ D80 /H220
Ground coffee: 30g



V60

SPECIAL FEATURES



Cone Shape



The cone shape allows for better immersion, promoting maximum contact with water for optimal extraction.

Spiral Ribs



The spiral ribs allow for maximum coffee expansion.

Single Large Opening




The larger opening allows water to flow easily, giving you greater control over your brewing time. This allows you to achieve different flavours.

TASTE

The V60 method results in milder coffee, and allows for a greater variety of recipes and flavours.

HOW TO USE

1



2




3



Wet the coffee and wait 30 seconds.

4



5



3 minutes

6





VD-01W
C/T48 724204
W115 / D100 / H82
Opening diameter top:
95mm
Ground coffee: 24g
(Plastic)



VD-01R
724228



VD-02W
C/T48 724303
W137 / D116 / H102
Opening diameter top: 116mm
Ground coffee: 48g
(Plastic)



VD-02R
724327



VD-01T
C/T48 723016
W115 / D100 / H82
Opening diameter top:
95mm
Ground coffee: 24g
(Plastic)



VD-02T
C/T48 723023
W137 / D116 / H102
Opening diameter top:
116mm
Ground coffee: 48g



VD-03T
C/T36 723030
W157 / D137 / H122
Opening diameter top:
137mm
Ground coffee: 72g



VDC-01W
C/T40 723115
W119 / D100 / H82
Opening diameter top:
95mm
Ground coffee: 24g
(Porcelain)



VDC-01R
724013



VDC-02W
C/T36 723122
W140 / D120 / H102
Opening diameter top:
116mm
Ground coffee: 48g
(Porcelain)



VDC-02R
724037



DT-1W
CT36 723962
φ115 / H42
Opening diameter top:
115mm
Practical capacity: 120mL
(Porcelain)



VPS-100W
CT24 723924
W165 / D68 / H100
For 100 sheets of
VCF paper filters
(Porcelain)



VDG-01W
C/T24 724402
W124 / D110 / H78
Opening diameter top:
97mm
Ground coffee: 24g
(Heatproof glass)



VDG-01B
724419



VDG-02W
CT24 724426
W128 / D115 / H95
Opening diameter top:
115mm
Ground coffee: 48g
(Heatproof glass)



VDG-02B
724433



VDG-03B
C/T24 724525
W165 / D138 / H115
Opening diameter top:
136mm
Ground coffee: 72g
(Heatproof glass)



VDG-01-OV
C/T24 724532
φ120 / H77
Opening diameter top:
97mm
Ground coffee: 24g
(Heatproof glass)



VDG-02-OV
C/T24 724549
φ120 / H95
Opening diameter top:
115mm
Ground coffee 48g



VDM-02HSV
C/T12 724129
W145 / D120 / H90
Opening diameter top:
120mm
Ground coffee: 48g
(Stainless steel)



VDM-02-MB
726697



VDP-02CP
VDPC-02CP
C/T12 W135 / D120 / H92
Opening diameter top: 120mm
Ground coffee: 48g
(Copper)



V60 Colour Drippers



VDC-02-PPR-EX
729827



VDC-02-PUH-EX
730908



VDC-02-SG-EX
731004



VDC-02-YEL-EX
731004



VDC-02-BU-EX
729735



VDC-02-TQ-EX
729858



VDC-02-IBU-EX
729766



VDC-02-GR-EX
729759



VDC-02-GR-EX
729780

01 Size Paper Filters 1-2 cups



40 sheets

VCF-01-40W
C/T10X30 723214
Ground coffee: 24g



40 sheets

VCF-01-40M
C/T10X30 723245
Ground coffee: 24g



100 sheets

VCF-01-100WK
C/T5X20 728769
Ground coffee: 24g



100 sheets

VCF-01-100MK
C/T5X20 723801
Ground coffee: 24g



100 sheets

VCF-01-100W
C/T150 723313
Ground coffee: 24g



100 sheets

VCF-01-100M
C/T150 723344
Ground coffee: 24g

02 Size Paper Filters 1-4 cups



40 sheets

VCF-02-40W
C/T10X24 723221
Ground coffee: 48g



40 sheets

VCF-02-40M
C/T10X24 723252
Ground coffee: 48g



100 sheets

VCF-02-100WK
C/T5X16 728776
Ground coffee: 48g



100 sheets

VCF-02-100MK
C/T5X16 723818
Ground coffee: 48g



100 sheets

VCF-02-100W
C/T120 723320
Ground coffee: 48g



100 sheets

VCF-02-100M
C/T120 723351
Ground coffee: 48g

03 Size Paper Filters 1-6 cups



40 sheets

VCF-03-40W
C/T10X18 723238
Ground coffee: 72g



40 sheets

VCF-03-40M
C/T10X18 723269
Ground coffee: 72g



100 sheets

VCF-03-100W
C/T100 723337
Ground coffee: 72g



100 sheets

VCF-03-100M
C/T100 723368
Ground coffee: 72g



VCS-01B
C/T24 019119
W162 / D114 / H110
Opening diameter top:
92mm
Practical capacity: 450mL



VCS-02B
C/T24 019126
W180 / D125 / H133
Opening diameter top:
92mm
Practical capacity: 700mL



VCS-03B
C/T24 019133
W185 / D137 / H157
Opening diameter top:
92mm
Practical capacity:
1,000mL



XVD-36B
C/T24 019805
W130 / D107 / H106
Opening diameter top:
85mm
Practical capacity: 360mL



XVD-60B
C/T24 019812
W137 / D121 / H128
Opening diameter top:
85mm
Practical capacity: 600mL



XVD-80B
C/T24 019829
W143 / D132 / H145
Opening diameter top:
85mm
Practical capacity: 800mL



XGS-36TB
C/T24 020108
W130 / D107 / H99
Opening diameter top:
77mm
Practical capacity: 360mL



XGS-60TB
C/T24 020115
W145 / D121 / H120
Opening diameter top:
77mm
Practical capacity: 600mL



XGS-80TB
C/T24 020122
W150 / D129 / H138
Opening diameter top:
77mm
Practical capacity: 800mL



VCWN-40-OV
C/T24 019324
W177 / D118 / H104
Opening diameter top:
88mm
Practical capacity: 400mL



VCWN-60-OV
C/T24 019331
W182 / D128 / H121
Opening diameter top:
88mm
Practical capacity: 600mL



HCD-2T
C/T24 514164
W111 / D90 / H138
Opening diameter top:
72mm
Practical capacity: 400mL



HCD-600T
C/T24 514157
W125 / D104 / H165
Opening diameter top:
86mm
Practical capacity: 600mL



VDD-02B
C/T12 142558
W135 / D125 / H198
Opening diameter top: 115mm
Practical capacity:
700mL(below band)
Includes 40 sheets of VCF-02W



VSS-1T
C/T12 021228
W132 / D140 / H180



VSS-1206-OV
C/T6 0212599
W156 / D160 / H248
Includes 100 sheets of VCF-02M
and V60 measuring spoon



VCND-02B-EX
C/T18 728301
W170 / D125 / H220
Practical capacity: 600mL
Includes 40 sheets of
VCF-02W
(Resin dripper)



XVDD-3012W
C/T12 020290
W140 / D121 / H210
Practical capacity: 600mL
Includes 100 sheets of
VCF-02M
(Ceramic dripper)



VDS-3012R
C/T12 142268
W130 / D107 / H174
Practical capacity: 360mL
Includes 40 sheets of
VCF-01M
(Resin dripper)



VCSD-02R-EX
C/T18 020665
W180 / D125 / H220
Opening diameter top:
92mm(Server)
Practical capacity:
700mL(below band)
Includes 40 sheets of VCF-02M
and measuring spoon
(Resin dripper)



VCSD-02CBR-EX
C/T18 020658



VHS-60W
C/T12 220560
W161 / D127 / H142
Opening diameter top:
80mm
Practical capacity: 550mL



VHS-60B
220584



VHSN-60-W
C/T12 220034
W182 / D135 / H155
Opening diameter top:
73mm
Practical capacity: 600mL



VHSN-60-B
220041



VHS-80W
C/T12 220973
W164 / D132 / H162
Opening diameter top:
80mm
Practical capacity: 750mL



VHS-80B
220591



VHSN-80-W
C/T12 220058
W182 / D135 / H172
Opening diameter top:
73mm
Practical capacity: 800mL



VHSN-80-B
220065



STF-300-GR
C/T24 222564
W79 / D76 / H150
Opening diameter top:
74mm
Practical capacity: 300mL



STF-300-B
222557



SMF-300-GR
C/T24 222502
W119 / D88 / H102
Opening diameter top:
85mm
Practical capacity: 300mL



SMF-300-B
222496

IMMERSION DRIPPERS

SPECIAL FEATURES


1. Hybrid method of immersion and pouring.
2. Allows anyone to extract coffee evenly.
3. Pour coffee with the press of a switch.

TASTE

Makes a clean and consistent brew without sediment.
Your favourite taste is easily reproduced with a standard recipe.



HOW TO USE





SSD-200-B

C/T12 728165

W118 / D115 / H133

Opening diameter top: 115mm

Finished capacity: 200mL

Includes 40 sheets of VCF-02W



SSD-5012-B

C/T12 728172

W130 / D115 / H215

Opening diameter top: 115mm

Finished capacity of dripper: 200mL

Practical capacity of server: 300mL

Includes 40 sheets of VCF-02W



SSD-360-B

C/T12 528789

W136 / D136 / H152

Opening diameter top: 136mm

Finished capacity: 360mL

Includes 40 sheets of VCF-03W



NEL DRIP POTS



SPECIAL FEATURES

- 1.You can achieve different flavours with different pour techniques.
- 2.Reusable cloth filter.
- 3.Traditional brewing method.

TASTE

The cloth filter allows for maximum expansion of your coffee during the bloom, resulting in a rich and smooth cup.



DPW-1
C/T12 331723
φ95 / H168
Opening diameter top: 93mm
Practical capacity: 240mL



DPW-3
C/T12 331730
φ110 / H195
Opening diameter top: 101mm
Practical capacity: 480mL



FD-1
C/T100 916371
W136 / H103

FD-3
C/T100 916388
W148 / H110



STAINLESS STEEL DRIPPERS



SPECIAL FEATURES

- 1.The same basic brewing method as the V60.
- 2.Reusable filter — no paper filters needed.
- 3.Less sediment for a cleaner cup.

TASTE

Whereas paper filters filter out most of the coffee oils, the stainless steel filter allows the oils to seep through, resulting in a creamier mouthfeel.



DMD-01-HSV
C/T48 727960
W132 / D109 / H81
Opening diameter top:
94mm
Ground coffee: 24g



DMD-02-HSV
C/T48 727977
W148 / D123 / H96
Opening diameter top:
108mm
Ground coffee: 24g

FRENCH PRESSES

SPECIAL FEATURES

1. Can be used for both coffee and tea.
2. One of the simplest and most effortless ways of brewing a hot cup of coffee by hand.
3. No additional equipment is needed to brew coffee of loose leaf tea.


TASTE - COFFEE

Unlike with paper and cloth filters, the stainless steel filters allow coffee oils to seep into your brew, resulting in a creamier mouthfeel.

TASTE - TEA

Lowering the plunger halts the tea brewing process, making it easier to adjust the strength of your tea.

HOW TO USE





new

CPU-2-B
C/T24 105843
W139 / D93 / H116
Opening diameter top: 90mm
Practical capacity: 300mL



new

CPU-4-B
C/T24 105898
W139 / D93 / H172
Opening diameter top: 90mm
Practical capacity: 600mL



new

THSV-2-HSV
C/T24 105911
W136 / D92 / H128
Opening diameter top: 90mm
Practical capacity: 300mL



new

THSV-4-HSV
C/T12 105928
W136 / D92 / H184
Opening diameter top: 90mm
Practical capacity: 600mL



THJ-2-HSV
C/T12 105713
W110 / D87 / H166
Opening diameter top: 73mm
Practical capacity: 300mL



THJ-4-HSV
C/112 105720
W139 / D113 / H183
Opening diameter top: 90mm
Practical capacity: 600mL



THJN-2HSV
C/T12 221253
W110 / D78 / H179
Opening diameter top: 73mm
Practical capacity: 300mL



SYPHONS




SPECIAL FEATURES

1. High temperature brewing.
2. A visually striking brewing process.

TASTE

Makes a clean coffee with no sediment, while maintaining pronounced flavours.

HOW TO USE





MCA-3
C/T10 525016
W165 / D115 / H290
Opening diameter top: 72mm
(upper)
Practical capacity: 360mL
Includes a 50 sheets of paper
filter



TCA-2
C/T12 503014
W160 / D95 / H340
Opening diameter top: 87mm
(upper)
Practical capacity: 240mL
Includes a cloth filter



TCA-3
C/T12 503113
W160 / D95 / H350
Opening diameter top: 87mm
(upper)
Practical capacity: 360mL
Includes a cloth filter



TCA-5
C/T12 503212
W160 / D110 / H360
Opening diameter top: 101mm
(upper)
Practical capacity: 600mL
Includes a cloth filter



NXA-5
C/T12 502918
W115 / D180 / H390
Opening diameter top: 109mm
(upper)
Practical capacity: 600mL
Includes a metal filter and a
cloth filter



CF-103E
C/T100 915367
φ80



FS-103
C/T100 915350
φ108



COLD BREW COFFEE BOTTLES



SPECIAL FEATURES

1. Easy to use.
2. A fine mesh filter, specially designed for ground coffee.
3. Allows you to make a cold brew using only ground coffee and cold water.

TASTE

Mild flavour with a hint of bitterness. Iced coffee brewed without added ice cubes does not become as diluted and can have a richer taste.

HOW TO USE

1



2



3



4



5

Brew in the
refrigerator
for 8 hours.



6





new

FIC-70-MC-EU
C/T24 033436
W87 / D84 / H300
Opening diameter top:
71mm
Finished capacity: 650mL
5 cups



new

FIC-70-CBR-EU
033443



new

FIC-70-B-EU
037441



KAC-70-MC
C/T24 730199
W90 / D90 / H320
Opening diameter top: 85mm
Finished capacity: 1,000mL
8 cups



new

MCPN-7-MC-EU
C/T24 143449
W138 / D94 / H208
Opening diameter top:
88mm
Finished capacity: 600mL
5 cup



new

MCPN-7CBR
164307



new

MCPN-14-CBR-EU
C/T24 164338
W138 / D94 / H294
Opening diameter top:
88mm
Finished capacity:
1,000mL
8 cups



new

MCPN-14-MC-EU
164321



CBSN-10-HSV
C/T24 038424
W100 / D94 / H290
Opening diameter top:
88mm
Finished capacity: 1,000mL
8 cups

SCALES

SPECIAL FEATURES

- 1.Integrated timer makes following coffee recipes easy.
- 2.Sensitive to changes of 0.1g, from a min. of 2g to a max. of 2,000g.

SPECIFICATION

	VSTN-INT	VSTMN-INT
Minimum-maximum weight	2-2,000g	
Unit of display	2-200g: 0.1g / 200-500g: 0.5g / 500-2,000g: 1g	
Maximum timer count	90 minutes, 59 seconds	
Power source	DC3V 2 xAAA batteries *Batteries not included	DC4.5V 3 xAAA batteries *Batteries not included



VSTN-2000B
C/T20 021907
W120 / D190 / H29
Unit of display: 2-2000g
Maximum timer count:
99 minutes, 59 seconds



VSTMN-2000HSV
C/T20 022461
W120 / D175 / H31
Unit of display: 2-2000g
Maximum timer count:
99 minutes, 59 seconds



COLD BREW DRIP TOWERS




SPECIAL FEATURES

1. Visually appealing as well as functional.
2. Change the taste of your coffee by adjusting the drip rate.
3. Provides a distinct taste that is unique to slow drip cold brew.

TASTE

The slow drip method for cold brew results in a thinner cup with complex flavours and reduced bitterness.

HOW TO USE





SBS-5B
C/T12 163263
φ116 / H360
Opening diameter
top: 73mm
Practical capacity:
600mL
Includes 50 sheets
of paper filter
5 cups



WDC-6
CT6 163201
W150 / D129 / H455
Opening diameter
top: 77mm
Finished capacity:
780mL
Includes 50 sheets
of paper filter
2-6 cups



WDW-6
C/T6 163225
W205 / D135 / H475
Opening diameter
top: 77mm
Finished capacity:
780mL
2-6 cups



WDW-20
C/T1 163232
W290 / D230 / H980
Opening diameter
top: 105mm
Finished capacity:
2,000mL
Includes 50 sheets
of paper filter




VIC-02B
C/T18 142138
W180 / D120 / H220
Opening diameter
top: 116mm
Practical capacity:
700mL
Includes 40 sheets
of VCF-02M

GRINDERS



SPECIAL FEATURES


- 1.The ceramic burrs are washable and more durable.
- 2.Gives an even grind every time.
- 3.Grind size is easy to adjust.



HOW TO CHANGE THE GRIND SIZE


Grind-size-adjustment dial ①

Turn the dial clockwise for a fine grind, or counterclockwise for a coarse grind. Lock the grind-adjustment dial in the desired position.



Grind-size-adjustment dial ②

Rotate clockwise for a finer grind, or to counterclockwise for a coarser grind.



Equipment-appropriate grind size chart				
Equipment \ Particle size	Fine	Medium fine	Medium	Coarse
Paper filter		●	●	
Mesh/steel filter			●	
Nel drip		●	●	
Syphon		●	●	
Water drip	●	●		
Coffee maker		●	●	



MSG-2-T
C/T24 707894
W150 / D53 / H190
Opening diameter top:
46mm
Ground coffee: 24g
Washable grinder



MSG-2-TB
C/T24 707887



MSS-1DTB
C/T24 707726
W150 / D72 / H220
Opening diameter top:
70mm
Ground coffee: 24g
Washable grinder



MSCS-2DTB
C/T12 707733
W172 / D93 / H231
Opening diameter top:
90mm
Ground coffee: 100g
Washable grinder burr-
stabilizer plate



MMCS-2B
C/T12 707740
W167 / D95 / H195
Opening diameter top:
88mm
Ground coffee: 100g
Washable grinder
Die-cast aluminum handle



CM-502C
C/T12 707467
W152 / D104 / H231
Ground coffee: 40g



MCD-2
C/T12 707337
W143 / D88 / H208
Ground coffee: 35g



MXR-2TB
C/T12 707627
W183 / D75 / H175
Ground coffee: 40g
Washable grinder



CMHN-4
C/T20 707320
W208 / D105 / H215
Opening diameter top:
79mm
Ground coffee: 120g
Not heatproof glass



MCWN-2-OV
C/T12 707436
W167 / D85 / H215
Ground coffee: 30g



Hopper cover: Made in Arita



SPECIAL FEATURES

- 1.Transform your hand grinder into an electric grinder with the Electro Solo.
- 2.The powerful motor can easily grind even light-roasted beans, allowing for fast and convenient grinding.
- 3.The compact design and rechargeable lithium battery make the Electro Solo portable and convenient.



EMS-1B
C/T12 708273
W36 / D36 / H180
This is an electric motor for use with hand grinders (models MSG-2 and MSS-1). This device cannot be used to grind coffee beans by itself.

Supported items



MSG-2-T
MSG-2-TB

MSS-1DTB

SPECIAL FEATURES

- 1.The grind setting can be adjusted from medium- to fine grind sizes, which are optimal for pour over brewing.
- 2.This grinder features a stainless steel cone-shaped burr designed for pourover brewing.
- 3.Comes equipped with a switch pad, designed for V60 drippers. (EVCG model)



EVC-8B
C/T2
W130 / D185 / H335
Ground coffee: 100g



EVCG-8B
C/T2
W133 / D220 / H390
Ground coffee: 240g



KETTLES



SPECIAL FEATURES

- 1.Slim spout for an accurate and precise pour.
- 2.Easy-to-hold handle.
- 3.Compatible with various heat sources.
- 4.The electric kettle shuts off automatically after a set amount of time.

Supported Heat Sources			
Product	VKB/VKF/BDK/VKW	VKBN-90CP/ VKB-70HSV	EVKB/EVKT
Heat Source			
GAS 	●	●	×
ELECTRIC 	●	●	×
SHEATHED 	●	●	×
HALOGEN 	●	●	×
RADIANT 	●	●	×
INDUCTION 	●	×	×
PLUG 	×	×	●



VKB-100HSV
C/T12 021136
W295 / D144 / H130
Opening diameter top: 77mm
Practical capacity: 600mL



VKB-120HSV
C/T12 021006
W274 / D144 / H147
Opening diameter top: 77mm
Practical capacity: 800mL



VKB-120-MB
C/T12 021563
W292 / D144 / H147
Opening diameter top: 77mm
Practical capacity: 800mL



VKBN-90CP
C/T6 021099
W290 / D126 / H145
Opening diameter top: 71mm
Practical capacity: 700mL



EVKB-80HSV
C/T6 021341
W300 / D156 / H175
Opening diameter top: 77mm
Capacity : 150mL min.
800mL max.



EVT-80-HSV
C/T6 021686
W300 / D190 / H185
Opening diameter top: 77mm
Capacity : 300mL min.
800mL max.



VKF-120-HSV
C/T12 021570
W263 / D144 / H150
Opening diameter top: 77mm
Practical capacity: 800mL



VKF-120-MB
021587



BDK-80-W
C/T6 021501
W280 / D136 / H170
Opening diameter top: 77mm
Practical capacity: 800mL



VKA-35-TB
C/T24 021754
W177 / D78 / H128
Opening diameter top: 78mm
Practical capacity: 350mL



KDK-300-MB
C/T24 010611
W165 / D90 / H100
Opening diameter top: 70mm
Practical capacity: 300mL



KDK-500-MB
C/T24 010666
W196 / D100 / H110
Opening diameter top: 80mm
Practical capacity: 500mL



KDK-600-MB
C/T24 010697
W270 / D150 / H127
Opening diameter top: 70mm
Practical capacity: 600mL




TEA



HARIO

HAND BREWING EQUIPMENT



ACCESSORIES

Kettle

Stand

Warmer

Glass

Canister

CHA CHA Dripper Bouquet



CDB-02-W
C/T24 730205
φ125 / H125
Opening diameter top: 125mm
1-4 cups



new

CDB-3012-W
C/T12 730298
φ125 / H224
1-4 cups
Practical capacity(Server): 500mL
Includes 40 sheets of VCF-02W

COLD BREW TEA BOTTLES




SPECIAL FEATURES

1. Features a mesh filter attached to the silicone spout.
2. Clog-resistant filter.
3. Suitable for any kind of tea.

TASTE

Cold-steeped tea is less bitter than tea brewed with hot water, so it has a gentler aftertaste.

HOW TO USE





new

FIB-75-OG-EU
C/T24 034426
W87 / D84 / H300
Opening diameter top:
71mm
Practical capacity: 750mL



new

FIB-75-R-EU
034419



new

FIB-75-W
038356



new

FIB-75-SPR
038363



new

FIB-75-SG
038370





KAB-120-W
C/T24 037571
W90 / D90 / H320
Opening diameter top:
85mm
Practical capacity:
1,200mL
<Tritan plastic>



KAB-120-SPR
037595



KAB-120-SG
037588



FIBP-16-SPR
C/T24 038288
φ65 / H180
Opening diameter top:
56mm
Practical capacity: 160mL



FIBP-16-SG
038271



FIBP-40-SPR
C/T24 037830
φ74 / H240
Opening diameter top:
65mm
Practical capacity: 400mL



FIBP-40-SG
037847



TEAPOTS



With a heatproof glass teapot, you can enjoy the variety of colours in the tea. The teapot comes with a large tea strainer so that the tea leaves can expand easily.



CHJMN-30T
C/T24 093102
W143 / D98 / H98
Opening diameter top: 94mm
Practical capacity: 300mL



CHJMN-45T
C/T24 093119
W155 / D118 / H95
Opening diameter top: 94mm
Practical capacity: 450mL



CHJMN-70T
C/T24 093126
W173 / D132 / H108
Opening diameter top: 107mm
Practical capacity: 700mL



TEO-45-OV
C/T24 154117
W150 / D116 / H138
Opening diameter top: 82mm
Practical capacity: 450mL



TEO-70-OV
C/T24 154124
W160 / D125 / H156
Opening diameter top: 82mm
Practical capacity: 700mL

TEA DRIPPERS




SPECIAL FEATURES

1. Brew tea with the press of a switch.
2. A gradual drip into an ice-filled server allows for faster cooling.
3. The server's spout is specially contoured to hold the ice while pouring.

TASTE

Regular teapots cause stronger tea to concentrate in the bottom, where it settles. For this reason, the traditional method of serving Japanese tea is to pour a bit into every cup, and then pour into each cup once more. The Tea Dripper itself pours from the bottom, allowing for an even pour with just one press of a button.

HOW TO USE





TDR-35B

C/T12 022331

W123 / D114 / H120

Opening diameter top: 110mm

Practical capacity: 350mL



TDR-5012B

C/T12 022348

W150 / D116 / H205

Practical capacity of dripper: 350mL

Practical capacity of pitcher: 450mL



TDR-80B

C/T12 022300

φ130 / H165

Opening diameter top: 100mm

Practical capacity: 800mL



TDR-8006T

C/T6 022317

W170 / D134 / H309

Practical capacity of dripper: 800mL

Practical capacity of pitcher: 800mL





DRINK



HU-2-EX
C/T24 836914
φ86 / H63
Opening diameter top: 86mm
Practical capacity: 170mL



WPC-90-W
C/T24 812475
W91 / D80 / H265
Opening diameter top: 80mm
Practical capacity: 900mL



new

XRCP-1
C/T12 421059
W200/ D160/ H143
Opening diameter top: 150mm
0.5-1 cup (1 cup $\approx$ 150g)



COOKING POTS



HOW TO PREPARE RICE

1. Rinse the rice several times, drain the water and add the rice to the pot.
2. Add fresh water to the pot and allow the rice to soak for 30 mins.
3. Place on medium heat for 7-10 mins, until the built-in whistle starts to go off.
4. After boiling and hearing the whistle blowing (or when you see bubbling inside the pot), wait for one minute, then stop the heat.
5. Remove from the heat source and allow the rice to sit for 15 mins.

HOW TO USE





GNER-150-B
C/T6 803855
W210 / D174 / H190
Opening diameter top: 150mm
2-4 servings



GNER-200-B
C/T4 803862
W270 / D230 / H210
Opening diameter top: 200mm
4-6 servings



GIS-200
C/T6 803992
W260 / D216 / H200
Opening diameter top: 208mm
Max. capacity: 2,800mL
2-6 servings



GDN-165-B
C/T12 803619
φ210 / H140
Opening diameter top: 165mm
Max. capacity: 700mL



GDN-225-B
C/T6 803626
φ275 / H170
Opening diameter top: 225mm
Max. capacity: 2,000mL



GDN-255-B
C/T4 803633
φ310 / H185
Opening diameter top: 255mm
Max. capacity: 3,000mL



MIS-23
C/T6 803978
φ285 / H144
Opening diameter top: 225mm
Max. capacity: 1,900mL



MIS-26
C/T6 803985
φ315 / H156
Opening diameter top: 255mm
Max. capacity: 2,600mL

	GAS	INDUCTION
		
GNR	○	×
GIS	○	○
GDN	○	×
MIS	○	○



DBS-120-PGR

C/T24 532441

φ55 / H135

Opening diameter top:
37mm

Practical capacity: 120mL



DBS-120B

531208



DBS-240-PGR

C/T24 532465

φ55 / H203

Opening diameter top:
37mm

Practical capacity: 240mL



DBS-240B

531215



SMG-120-PGR

C/T48 708044

φ55 / H153

Opening diameter top:
37mm

Practical capacity: 120mL
for sesame



SMS-120-B

C/T48 708037

φ55 / H153

Opening diameter top:
37mm

Practical capacity: 120mL
for salt & pepper



VFP-500-B

C/T24 511262

W125/ D90/ H140

Opening diameter top: 73mm
Practical capacity: 500mL



VFP-1000-B

C/T24 511279

W141/ D110/ H165

Opening diameter top: 73mm
Practical capacity: 1000mL



TGS-800-T

C/T12 097896

φ102 / H135

Opening diameter top:
96mm
Max. capacity: 800mL



Tailor-Made Products

All HARIO items can be customised to your specific needs.

CONDITIONS

MOQ: Starting at 3000 pcs

Production time: At least 5 months after all specifications have been decided upon.

(Three months for production, two months for shipping)

PROCESS

- 1: Choose the item to customise.
- 2: Select product colours and any (laser) prints.
- 3: Select box specifications. (Offset print 4C/ 2C/1C, or Flexio graphic print 2C/1C)
- 4: Specify the numbers of languages to be included in the manual.
- 5: Finalise outer box custom design (if applicable).

Original product



Customised product



FIB with custom lid colour and print.



Flexio 2C



Offset printing 4C



Offset printing 4C



Offset printing 2C



Flexo printing 1C



Flexo printing 2C

How to read specifications



Product Number — **XGS-INT-02TB** — Colour Code
Quantity per Carton — **C/T24 020115** — JAN Code No.
Dimensions (mm) — **W145 / D121 / H120** — *The last six numbers of JAN code are mentioned. The first 7 common numbers are 4977642.
Opening diameter top: 77mm
Practical capacity: 600mL

※ The amount of ground coffee listed indicates the recommended quantity.

Colour and material Symbols

W: White	BR: Brown	CP: Copper
OW: Off-White	CBR: Chocolate Brown	SV: Silver
TW: Transparent White	MC: Mocha	HSV: Hairline Silver
NW: Natural White	R: Red	GD: Gold
PGR: Pale Grey	SPR: Smokey Pink	OV: Olive Wood
CGR: Charcoal Grey	PC: Cherry Pink	
B: Black	OG: Olive Green	
MB: Matte Black	SG: Smokey Green	
TB: Transparent Black	DG: Dark Green	
T: Transparent	NV: Navy	
	TNV: Transparent Navy	





HARIO products are used in over

75

countries worldwide.



HARIO Europe B.V.

Professor J.H. Bavincklaan 2

1183 AT Amstelveen

The Netherlands

eu.info@hario.com

Visit our
website!



global.hario.com



@hario_official



@harioeurope



HARIO Europe
Parts Shop



HARIO OFFICIAL