Revised 07.21.2025 windhamfabrics.com



Baskets of Fun

designed by Wendy Sheppard featuring Make Merry fabric collecton by Maria Carluccio $_{\text{SIZE: 57}^{\prime\prime}\,\times\,68^{\prime\prime}}$



FREE PROJECT



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





TIP: SINCE PATTERN REQUIRES VARIOUS PIECES, ORGANIZE THEM BY DIMENSIONS.

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
Α	ol.	37098-16 Cherry FROM PALETTE	1/3	(3) 2" x WOF strips. Subcut (56) 2" squares. (1) 1-1/2" x WOF strip. Subcut (14) 1-1/2" squares.
В		37098-69 Cornflower FROM PALETTE	1/3	(2) 2" x WOF strips. Subcut (24) 2" squares. (1) 1-1/2" x WOF strip. Subcut (6) 1-1/2" squares.
С		50087-4 Pure Gold FROM BEDROCK	1/3	 (1) 3" x WOF strip. Subcut (2) 3" x 10-1/2" rectangles. (1) 2" x WOF strip. Subcut (2) 1" x 2", (2) 2" x 4-1/2" and (2) 2" x 6" rectangles. (1) 1-1/2" x WOF strip. Subcut strip as follows: (2) 1-1/2 x 4-1/2", (4) 1-1/2" x 2-1/2", (2) 1-1/2" x 2", (2) 1" x 1-1/2"; (2) 1-1/2" and (8) 1" squares.
D		50087-14 Hydrangea FROM BEDROCK	1/3	 (1) 3" x WOF strip. Subcut (2) 3" x 10-1/2" rectangles. (1) 2" x WOF strip. Subcut (2) 1" x 2", (2) 2" x 4-1/2" and (2) 2" x 6" rectangles. (1) 1-1/2" x WOF strips. Subcut strip as follows: (2) 1-1/2 x 4-1/2", (4) 1-1/2" x 2-1/2", (2) 1-1/2" x 2", (2) 1" x 1-1/2"; (2) 1-1/2" and (8) 1" squares.
E		50087-23 Sunshine FROM BEDROCK	1/3	 (1) 3" x WOF strip. Subcut (3) 3" x 10-1/2" rectangles. (1) 2" x WOF strip. Subcut (3) 1" x 2", (3) 2" x 4-1/2" and (3) 2" x 6" rectangles. (2) 1-1/2" x WOF strips. Subcut strips as follows: (3) 1-1/2" x 4-1/2", (6) 1-1/2" x 2-1/2", (3) 1-1/2" x 2", (3) 1" x 1-1/2" rectangles; (3) 1-1/2" and (12) 1" squares.
F		50087-38 Gravel FROM BEDROCK	1/3	 (1) 3" x WOF strip. Subcut (3) 3" x 10-1/2" rectangles. (1) 2" x WOF strip. Subcut (3) 1" x 2", (3) 2" x 4-1/2" and (3) 2" x 6" rectangles. (2) 1-1/2" x WOF strips. Subcut strips as follows: (3) 1-1/2" x 4-1/2", (6) 1-1/2" x 2-1/2", (3) 1-1/2" x 2", (3) 1" x 1-1/2" rectangles; (3) 1-1/2" and (12) 1" squares.

WOF=WIDTH OF FABRIC



KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
G		50087-42 White FROM BEDROCK	2-1/4	 (4) 5-1/2" x WOF strips. Subcut (40) 1" x 5-1/2", (40) 2" x 5-1/2" and (20) 1-1/2" x 5-1/2" rectangles. (1) 4-1/2" x WOF strip. Subcut (20) 1-1/2" x 4-1/2" rectangles. (2) 2" x WOF strips. Subcut (40) 2" squares. (9) 1-1/2" x WOF strips. Subcut (60) 1-1/2" squares, (40) 1" x 1-1/2" and (15) 1-1/2" x 10-1/2" rectangles. SASHING STRIPS: (5) 1-1/2" x WOF strips. Piece strips via short ends. (6) 2-1/2" x WOF strips. Piece strips via short ends.
Н		51152-1 Red	3/4	(6) 3-1/2" x WOF strips. Piece strips via short ends.
ı	*	51153-4 Light Blue	1/4	(1) 4-1/2" x WOF strip. Subcut (4) 4" x 4-1/2" rectangles. (1) 1-1/2" x WOF strip. Subcut (16) 1-1/2" squares and (4) 1" x 3-1/2" rectangles.
J		51153-5 Blue	1/2	(1) 4-1/2" x WOF strip. Subcut (2) 4" x 4-1/2" and (2) 1" x 3-1/2" rectangles, and (8) 1-1/2" squares. (1) 3" x WOF strip. Subcut (2) 3" x 10-1/2" rectangles. (1) 2" x WOF strip. Subcut strip as follows: (2) 1" x 2", (2) 2" x 4-1/2" and (2) 2" x 6" rectangles. (1) 1-1/2" x WOF strip. Subcut strip as follows: (2) 1-1/2" x 4-1/2", (4) 1-1/2" x 2-1/2", (2) 1-1/2" x 2", (2) 1" x 1-1/2" rectangles; (2) 1-1/2" and (8) 1" squares.
K		51154-2 Green	1/2	 (1) 4-1/2" x WOF strip. Subcut (2) 4" x 4-1/2" and (2) 1" x 3-1/2" rectangles, and (8) 1-1/2" squares. (1) 3" x WOF strip. Subcut (3) 3" x 10-1/2" rectangles. (1) 2" x WOF strip. Subcut (3) 1" x 2", (3) 2" x 4-1/2" and (3) 2" x 6" rectangles. (2) 1-1/2" x WOF strips. Subcut strips as follows: (3) 1-1/2" x 4-1/2", (6) 1-1/2" x 2-1/2", (3) 1-1/2" x 2", (3) 1" x 1-1/2" rectangles; (3) 1-1/2" and (12) 1" squares.



KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
L	200	51154-3 White	3/8	(6) 1-1/2" x WOF strips. Piece strips via short ends.
М		51154-5 Blue	1	 (1) 4-1/2" x WOF strip. Subcut (2) 4" x 4-1/2" and (2) 1" x 3-1/2" rectangles, and (8) 1-1/2" squares. (1) 3" x WOF strip. Subcut (2) 3" x 10-1/2" rectangles. (7) 2-1/4" x WOF strips for binding. (1) 2" x WOF strip. Subcut strip as follows: (2) 1" x 2", (2) 2" x 4-1/2" and (2) 2" x 6" rectangles. (1) 1-1/2" x WOF strip. Subcut strips as follows: (2) 1-1/2" x 4-1/2", (4) 1-1/2" x 2-1/2", (2) 1-1/2" x 2", (2) 1" x 1-1/2" rectangles; (2) 1-1/2" and (8) 1" squares.
N		51155-1 Red	1/4	(1) 4-1/2" x WOF strip. Subcut (3) 4" x 4-1/2" and (3) 1" x 3-1/2" rectangles, and (12) 1-1/2" squares.
0		51155-5 Blue	1/2	(1) 4-1/2" x WOF strip. Subcut (2) 4" x 4-1/2" and (2) 1" x 3-1/2" rectangles, and (8) 1-1/2" squares. (6) 1-1/2" x WOF strips. Piece strips via short ends.
P		51156-1 Red	1/2	(1) 4-1/2" x WOF strip. Subcut (3) 4" x 4-1/2" and (3) 1" x 3-1/2" rectangles, and (12) 1-1/2" squares. (1) 3" x WOF strip. Subcut (3) 3" x 10-1/2" rectangles. (1) 2" x WOF strip. Subcut (3) 1" x 2", (3) 2" x 4-1/2" and (3) 2" x 6" rectangles. (2) 1-1/2" x WOF strips. Subcut strips as follows: (3) 1-1/2" x 4-1/2", (6) 1-1/2" x 2-1/2", (3) 1-1/2" x 2", (3) 1 x 1-1/2" strips; (3) 1-1/2" and (12) 1" squares.
Q	***	51156-2 Green	1/4	(1) 4-1/2" x WOF strip. Subcut (2) 4" x 4-1/2" and (2) 1" x 3-1/2" rectangles, and (8) 1-1/2" squares.
		Backing	3-3/4	Batting 65" x 76"



BASKET HANDLE AND BOW ASSEMBLY

NOTE: Instructions include block assembly variations for Cat #1 Blocks and Cat #2 Blocks (reversed).



1. GM Strip: Sew together (1) **G** 1-1/2" square and (1) **M** 1-1/2" x 4 1/2" rectangle. Set aside.

2. AG Unit: Draw a diagonal line on wrong side of (1) A 2" square. Place A square, right sides together, at a corner of (1) **G** 2" x 5-1/2" rectangle and sew as shown in diagram. Trim 1/4" away from sewn line. Open and press to reveal **A** corner triangle. Repeat **AG1** assembly to make mirror AG2 unit, as shown in diagram below. Set aside.












3. Center Unit: Sew (1) **A** 1-1/2" square between (1) **M** 1-1/2" x 2-1/2" rectangle and (1) M 1-1/2" x 2" rectangle, see diagram.




4. Bottom Unit: Similar to AG corner assembly make AM unit, using (1) M 2" x 4-1/2" rectangle and (2) A 2" squares. Add (1) M 1" x 2" rectangle to left side of AM unit.

TOP UNIT





SECTION 1





MAKE 1 M


- **5. Top Unit:** Sew together (1) **G** 1" x 5-1/2" strip, GM and AG1 and AG2 units to complete Top Unit.
- **6. Section 1:** Sew Top, Center and Bottom Units together to complete Basket Handle and Bow assembly. Section 1 should measure 5" x 8" unfinished.
- 7. Repeat Section 1 assembly for the units shown in diagrams below (for Cat #1 blocks):











MAKE 3 K

MAKE 2 P

4




8. Repeat steps 1 and 2 to make the **GM** strips and **AG1** and **AG2** units.




9. Center Unit: Sew (1) **A** 1-1/2" square between (1) **M** 1-1/2" x 2-1/2" rectangle and (1) **M** 1-1/2" x 2" rectangle, see diagram.




10. Bottom Unit: Similar to AG corner assembly make AM unit, using (1) M 2" x 4-1/2" rectangle and (2) A 2" squares. Add (1) M 1" x 2" rectangle to right side of AM unit.








- **11. Top Unit:** Sew together (1) each **GM** and **AG1** and **AG2** units and (1) **G** 1" x 5-1/2" strip to complete Top Unit.
- **12. Section 1:** Sew Top, Center and Bottom Units together to complete Reverse Basket Handle and Bow assembly.
- **13.** Repeat Reverse Section 1 assembly for the units shown in diagrams below (for Cat #2 blocks):




REVERSED










MAKE 1 **F** REVERSED

MAKE 2 J MAKE 1 P REVERSED REVERSED

CAT IN BASKET ASSEMBLY



- **14. Ears:** Similar to **AG** corner assembly make **GQ** ears, using (1) **G** 1-1/2" x 4-1/2" strip and (2) **Q** 1-1/2" squares.
- **15. Face:** Similar to **AG** corner assembly make **GQ** face, using (1) **Q** 4" x 4-1/2" rectangle and (2) 1-1/2" **G** squares.




16. Neck: Using diagonal seams, sew (1) **G** 1" x 1-1/2" rectangle to opposite sides of (1) **Q** 1" x 3-1/2" strip. Neck unit should measure 1" x 4-1/2" unfinished.





17. Paws: Similar to AG corner assembly make MQ paw unit, using (1) Q 1-1/2" square and (2) M 1" squares. Make 2 Paws.



18. Paw Unit: Sew (1) **M** 1" \times 1-1/2" rectangle, (1) **M** 1-1/2" \times 2-1/2" rectangle and (1) M 1-1/2" square to MQ paws, as shown in diagram. Add (1) M 2" x 6" rectangle to bottom of MQ paws strip.







diagram. Add (1) G 1" x 5-1/2" strip to left side of Head unit and (1) G 1-1/2" x 5-1/2" strip to right side.


19. Cat Head: Sew Cat ears, face, and neck units together as shown in


- 20. Section 2: Add Paw Unit to the bottom of the Cat Head unit. as shown in diagram. Section 2 should measure 6" x 8" unfinished.
- 21. Repeat steps 14-20 to complete remaining Section 2 units for Cat #1 blocks, as shown in diagrams below:











MAKF 1 MQ

SECTION 2


MAKE 3 KN


MAKE 3 FP

MAKE 3 EI


MAKE 2 CJ

MAKE 1 IP





MAKE 2 **JK** MAKE 2 DO MAKE 2 MP





SECTION 2 REVERSED MAKE 1 MQ REVERSED

- 23. Cat Head Reversed: Sew Cat ears, face, and neck units together as shown in diagram. Add (1) G 1-1/2" x 5-1/2" strip to left side of Head unit and (1) \mathbf{G} 1" x 5-1/2" strip to right side.
- 24. Section 2 Reversed: Add Paw Unit to the bottom of the Cat Head unit, as shown in diagram. Section 2 reversed should measure 6" x 8" unfinished.




25. Make the remaining Section 2 reversed units for Cat #2 blocks, as shown in diagrams below:






- **26. Section 3:** Similar to **AG** corner assembly make **GM** bottom unit, using (1) **M** 3" x 10-1/2" rectangle and (2) **G** 2" squares.
- **27. Cat #1 Block:** Sew Sections 1-3 as shown in diagram. Repeat for remaining Cat #1 Blocks. Block should measure 10-1/2" square unfinished.



28. Cat #2 Block: Sew reverse Sections 1-2 and Section 3 as shown below. Repeat for remaining Cat #2 Blocks. Block should measure 10-1/2" square unfinished.






QUILT AND BORDER ASSEMBLY

- **29. Pieced Rows:** Arrange and sew together Cat Blocks and (15) **G** 1-1/2" x 10-1/2" sashing strips into five rows, as shown in Quilt Diagram, page 7. Note proper placement of Cat #1 and Cat #2 blocks in each row.
- **30. G Sashing:** From long **G** 1-1/2" strip cut (4) at 43-1/2". Sew together block rows alternating with sashing strips.
- **31. G Border:** From long **G** 2-1/2" strip cut (2) at 54-1/2" and sew one to each side of quilt top. Cut (2) at 47-1/2" and sew one to top and to bottom of quilt top.
- **32. O Border:** From long **O** 1-1/2" strip cut (2) at 58-1/2" and sew one to each side of quilt top. Cut (2) at 49 1/2" and sew one to top and to bottom of quilt top.
- **33.** L Border: From long L 1-1/2" strip cut (2) at 60-1/2" and sew one to each side of quilt top. Cut (2) at 51-1/2" and sew one to top and bottom of quilt top.
- **34. H Border:** From long **H** 3-1/2" strip cut (2) at 62-1/2" and sew one to each side of quilt top. Cut (2) at 57-1/2" and sew to top and to bottom of quilt top.



QUILT DIAGRAM



FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **M** 2-1/4" strips.