

Prepared for:
GREENIVE

1160 E. 990 S.
EDEN, ID USA 83325

BS 450mg

Batch ID or Lot Number:	Test: Potency	Reported: 14Dec2022	USDA License: N/A
Matrix: Unit	Test ID: T000229816	Started: 12Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 09Dec2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.363	5.421	<LOQ	<LOQ	# of Servings = 1, Sample Weight=29.89g
Cannabichromenic Acid (CBCA)	1.246	4.958	ND	ND	
Cannabidiol (CBD)	5.297	15.400	606.320	20.30	
Cannabidiolic Acid (CBDA)	5.433	15.795	ND	ND	
Cannabidivarin (CBDV)	1.253	3.642	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	2.266	6.589	ND	ND	
Cannabigerol (CBG)	0.774	3.078	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	3.234	12.866	ND	ND	
Cannabinol (CBN)	1.009	4.015	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	2.207	8.778	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	3.853	15.327	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.500	13.920	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.101	12.333	ND	ND	
Tetrahydrocannabivarin (THCV)	0.704	2.799	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	2.735	10.878	ND	ND	
Total Cannabinoids			606.320	20.30	
Total Potential THC			ND	ND	
Total Potential CBD			606.320	20.30	

Final Approval



Karen Winternheimer
14Dec2022
02:07:00 PM MST

PREPARED BY / DATE



Sam Smith
14Dec2022
02:08:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/4084af1f-35ca-4202-ae1e-3c981da57764>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
4084af1f35ca4202ae1e3c981da57764.1