



FULL NAME: _____

COMPANY: _____

ADDRESS: _____

CITY: _____

ZIP CODE: _____

STATE: _____

PHONE: _____

EMAIL: _____

INDUSTRY: _____

ORDER INFORMATION:

Design Choice: ☐ **STOCK** ☐ **CUSTOM** ☐ **BOTH**

Please use the other side of this page to indicate your design preferences and selection.

Stock Design Codes: _____

Quantity: _____

Min. order is 1000 pieces.

Token Size: _____

See page 3 for size guide.

Alloy:

☐ Alloy 260 ☐ Alloy 260 NP ☐ Alloy ZCP

High Security Alloys (Car Wash Industry):

☐ Alloy 230 ☐ HM1 ☐ HM2 ☐ HM4 ☐ HM5

Note: Order will not be processed until payment has been provided.

FOB Fort Lauderdale, Florida, USA. We typically ship FedEx unless otherwise requested.

By signing below, you are agreeing to Hoffman Mint's General Terms & Conditions of Sale. View at HoffmanMint.com.

SIGNATURE: _____

PAGE 1 OF 3

DATE: _____




SALES@HOFFMANMINT.COM




WWW.HOFFMANMINT.COM



+1 (954) 917-5451



SIDE 1



SIDE 2

Select Design Preference:

- ☐ STOCK
- ☐ CUSTOM
- ☐ FRONT STOCK, BACK CUSTOM

FULL NAME: _____

COMPANY: _____

For Stock Design Orders: Indicate which design you are selecting by writing the design code inside each circle. Please reference our Stock Design Sheet for more information and for design codes.

For Custom Orders: Use circles to rough sketch your design. Include any camera-ready art (logo, monogram, etc.) that you wish to appear on your token when you submit your order to sales@hoffmanmint.com.

Comments/Notes:

By signing below, you are agreeing to Hoffman Mint's General Terms & Conditions of Sale. View at HoffmanMint.com.

SIGNATURE: _____

PAGE 2 OF 3

DATE: _____



Token Dimensions & Weights

Images below are a guideline and are not true to size. On-screen and print sizes may vary.



DIAMETER
.750" or 19.05 mm
THICKNESS
.06" or 1.52 mm
WEIGHT 2.50G



DIAMETER
.800" or 20.32 mm
THICKNESS
.075" or 1.90 mm
WEIGHT 4.50G



DIAMETER
.835" or 21.21 mm
THICKNESS
.077" or 1.95 mm
WEIGHT 5.00G



DIAMETER
.882" or 22.40 mm
THICKNESS
.067" or 1.70 mm
WEIGHT 4.80G



DIAMETER
.900" or 22.86 mm
THICKNESS
.067" or 1.70mm
WEIGHT 5.00G



DIAMETER
.955" or 24.26 mm
THICKNESS
.069" or 1.75 mm
WEIGHT 5.67G



DIAMETER
.984" or 24.99 mm
THICKNESS
.062" or 1.57 mm
WEIGHT 5.40G



DIAMETER
1.000" or 25.40 mm
THICKNESS
.062" or 1.57 mm
WEIGHT 5.58G



DIAMETER
1.043" or 26.50 mm
THICKNESS
.079" or 2.00 mm
WEIGHT 8.10G



DIAMETER
1.073" or 27.25 mm
THICKNESS
.064" or 1.62 mm
WEIGHT 8.10G



DIAMETER
1.125" or 28.57 mm
THICKNESS
.065" or 1.65 mm
WEIGHT 7.45G



DIAMETER
1.180" or 29.97 mm
THICKNESS
.075" or 1.90 mm
WEIGHT 9.80G



DIAMETER
1.205" or 30.61 mm
THICKNESS
.085" or 2.15 mm
WEIGHT 11.34G



DIAMETER
1.250" or 31.75 mm
THICKNESS
.095" or 2.41 mm
WEIGHT 13.72G



DIAMETER
1.375" or 34.92 mm
THICKNESS
.085" or 2.15 mm
WEIGHT 14.94G



DIAMETER
1.469" or 37.31 mm
THICKNESS
.101" or 2.56 mm
WEIGHT 22.00G



DIAMETER
1.512" or 38.40 mm
THICKNESS
.102" or 2.59 mm
WEIGHT 26.00G