



**OFFICINE
PAROLIN**





**OFFICINE
PAROLIN**

TRADITION AS AN INNOVATIVE INGREDIENT

WORK PHASES

The HEART of your product comes from here.

Laser cutting, tube bending, shot peening, welding, aesthetic finishing are our “cutting-edge” metalworking techniques. Assembly, testing and shipping ensure the “quality” of our workmanship on the finished product.

APPLICATION SECTORS

We have specialised in iron and sheet metal processing for many years, venturing into various production sectors both with complete items and with subcontracting of parts. We work drawn iron, stainless steel and aluminium of any shape, which makes us versatile and technically set-up to meet any request.

EXPERIENCE TEACHES TECHNIQUE BUILDS



LASER CUTTING

LT5 is a machine belonging to lasertube family designed for small to medium diameters and thicknesses - its ease of use being the main strength. Ideal in all situations where you do not need to change production often.



TUBE BENDING

Tube bending is carried out with numerical control, both with fixed radius and with variable radius in the chosen materials and profiles. Cutting-edge high precision electrical machinery allows us to achieve uniform results that meet required dimensional tolerances.



MICRO SHOT PEENING

The high-pressure micro shot peening system and the use of ceramic micro balls with exceptional abrasive properties allow homogenised stainless steel and aluminium surfaces with a shiny finish.



WELDING

Performed using MIG/MAG robotic cells and manual TIG/MAG. The in-house metalworking department creates various welding bushes.



AGILIS POWER

INNOVATION. TECHNIQUE. SIMPLICITY

Ever since the launch of AGILIS, Officine Parolin's technicians have never stopped improving it. Agilis Power is the results of numerous prototypes, researching market needs, numerous adaptations and three years of testing. A lift workbench that incorporates all AGILIS' strengths plus a range of technical and functional improvements to facilitate maintenance, especially for e-bikes, in specialist Service Centres.

Zero effort with Agilis Power! Thanks to the automatically operated platform, tilting part, and electric motor it is now possible to effortlessly lift a bike with the worktop up to a height of 80cm without ever having to lift the bike itself.

CE CERTIFICATION

The AGILIS POWER workbench has been approved according to CE certification regulations for safety at work, using all our experience and knowledge in working materials, paying attention to quality and versatility.



MECHANICAL PISTON

The electric motor, operated by the practical remote control, allows you to lift the work surface completely in just 8 seconds and adjust the height to make quick adjustments; this lets you work on each part ensuring truly ergonomic maintenance.



ELECTRIC AND INDEPENDENT

Agilis Power is powered by a cable that can be connected to a standard 220V socket. Agilis Power also comes in the full version with battery incorporated; this lets you make over 100 lifts without any mains connection.



ADAPTERS


On our workbench you can carry out maintenance on any bicycle, thanks to the exclusive fixing system and adapters available for all the main forks on the market.



SUPPORTS AND HOOKS

Agilis Power has 4 different anchoring systems: one for the hub, the front axle, the central block and the rear axle. Hooks are quick and easy to use for truly versatile maintenance on all bicycles.





AGILIS POWER WORK BENCH

DESCRIPTION

AGILIS POWER

Workbench made to solve the problem of e-bike weight and poor ergonomics and stability of traditional workbenches, Agilis Power lets you work on any bike, from racing to the very latest e-mtb.

The accessory kit actually contains numerous adapters and the patented fork fixing system lets you carry out maintenance on e-bikes, racing bikes, city bikes and any MTB model in a practical, stable and safe way.

TECHNICAL DATA

MATERIAL Steel S235

COATING powder

DIMENSIONS CLOSED 150 x 60 x H 25 cm

DIMENSIONS OPEN 150 x 60 cm
 H 80 work surface

PACKAGING 60 x 150 x H 30 cm


WEIGHT 58 kg Net - 65 kg Gross

ART.

- art. 10274 - Agilis Power -
- art. 10274/B - Agilis Power + Battery
- art. 10275 - Agilis Power Full Optional
- art. 10275/B - Agilis Power Full Optional + Battery

OPTIONAL

- art. 10266 - Handlebar support
- art. 10271 - E-city support
- art. 10281 - Tool holder
- art. 10280 - Floor mat



OPTIONAL BATTERY ART. 10273

THE ELECTRIC MOTOR LETS YOU EFFORTLESSLY LIFT ANY BICYCLE IN JUST 8 SECONDS. THE WORKBENCH WORKS CONNECTED TO A NORMAL 220V SOCKET OR THE OPTIONAL INCORPORATED BATTERY.



SUITABLE FOR ANY TYPE OF BIKE - IDEAL FOR E-BIKES



Push the bike without lifting it



Hook the front or rear wheel to the innovative rocker arm
PATENTED BY OFFICINE PAROLIN



Easily and effortlessly lift your bike


**AGILIS
POWER**



ADJUSTABLE HEIGHT



BUILT-IN WHEEL TRUING




FLAT SURFACE AND BUILT-IN TRAYS



INCORPORATED WHEELS



AGILIS POWER FULL OPTIONAL

ART. 10275



OPTIONALS

Accessories included in **ART. 10275**



ACCESSORIES

ART. 10280 BLUEFOAM MAT

The blue Mat is made of Memory foamed PVC. The upper part of the Mat is lined in PVC with a non-slip surface resistant to dirt such as oil, grease and aggressive products.



INCLUDED WITH AGILIS POWER FULL OPTIONAL

ART. 10282 WORKTOP COVER

Worktop cover.



ART. 10272 MAGNETIC TRAY

Magnetic storage tray.
Practical and can be positioned anywhere on the workbench.



ART. 10281 TOOL HOLDER

Tool holder support.
Useful for storing work tools.



INCLUDED WITH AGILIS POWER FULL OPTIONAL

ART. 10279 APRON

Officine Parolin work apron.



INCLUDED WITH AGILIS POWER FULL OPTIONAL

ART. 10266 HANDLEBAR SUPPORT

The practical handlebar support arm can be installed on the Agilis bench using the side supports. The arm offers practical support for the handlebar, in case you have to remove the fork for maintenance.



INCLUDED WITH AGILIS POWER FULL OPTIONAL

ART. 10271 E-CITY SUPPORT

Hooked on the Agilis bench worktop, thanks to the support hook for rear frame lower arm, it allows you to work in total freedom and safety on city e-bikes with wheels mounted.



INCLUDED WITH AGILIS POWER FULL OPTIONAL

ART. 290017 UNIVERSAL ADAPTOR

Universal adapter for workbenches.
Compatible with OFFICINE PAROLIN workbenches



QR ADAPTER TO FIX THE BIKE WITHOUT FRONT WHEEL

INCLUDED WITH AGILIS POWER AND AGILIS POWER FULL OPTIONAL



AGILIS®

INNOVATION. TECHNIQUE. SIMPLICITY

Officine Parolin is focused on the needs arising from new products and new trends in the cycling support market. This is how Agilis came about, an innovative workbench **PATENTED BY OFFICINE PAROLIN** that encompasses simplicity and safety at work, bench opening speed and versatility with new products such as E-Bikes. The workbench is also fully transportable wherever it needs to be used.

ATTENTION TO DETAIL AND QUALITY

Agilis has been designed and built with many details in mind, such as the safety system for closing the bench, total independence from energy sources (such as electricity or air) or high-quality mechanisms for unlocking/locking the bicycle.

CE CERTIFICATION

The AGILIS workbench has been approved **according to CE** certification regulations for safety at work, using all our experience and knowledge in working materials, paying attention to quality and versatility.



SUPPORTS AND HOOKS

Agilis has 4 supports for maximum maintenance versatility of all bicycles, including E-bikes, in addition to having a series of handy hooks that are fast to lock/unlock, ensuring high working efficiency.



GAS - TOP PISTON

Gas - Top Piston with blocking valve, gradual and smooth sliding system. Maintenance-free.



ADAPTERS

On our bench you can carry out the maintenance of any bicycle, thanks to the exclusive fixing system and adapters available for all the main forks and axles on the market.




DESIGNED FOR E-BIKES

Agilis is the first workbench dedicated to E-Bikes, a rapidly expanding market. Thanks to its loading system, you will no longer need to lift any bicycles. Simply push the bike on to the workbench platform, and in no time at all you are ready to start working.



AGILIS

WORK BENCH



ART.	DESCRIPTION	TECHNICAL DATA
10264	<p>AGILIS ENTRY AGILIS workbench. 4 Bike locking supports for maximum versatility. Wheel truing included. Ideal for any type of bike. Adjustable working height. Contact parts with bikes covered in scratch-resistant plastic material. Supports for thru axle forks (bush kit 10262) included. 100% MADE IN ITALY</p>	<p>MATERIAL Steel S235 COATING powder DIMENSIONS CLOSED 120 x 52 x H 25 cm DIMENSIONS OPEN 150 x 60 cm H 63 worktop / H 135 central movement support PACKAGING 60 x 120 x H 30 cm WEIGHT 48 kg Net / 54 kg Gross</p>
10265	<p>AGILIS FULL OPTIONAL Consisting of: - art. 10264 - Agilis - art. 10266 - Handlebar support - art. 10271 - E-city support - art. 10272 - Magnetic tray</p>	<p>MATERIAL Steel S235 COATING powder DIMENSIONS CLOSED 120 x 52 x H 25 cm DIMENSIONS OPEN 150 x 60 cm H 63 worktop / H 135 central movement support PACKAGING 60 x 120 x H 30 cm (1 box) 60 x 30 x H 30 cm (1 box) WEIGHT 60 kg Net</p>





AGILIS FULL OPTIONAL

ART. 10265



SUITABLE FOR ANY TYPE OF BIKE - IDEAL FOR E-BIKES



1 Push the bike without lifting it



2 Lock the front or rear wheel to the innovative rocker arm **PATENTED BY OFFICINE PAROLIN**



3 Press the safety pedal and effortlessly lift Agilis® to the desired height

OPTIONALS

Accessories included in ART. 10265



FORK FIXING




The revolutionary anchoring system **PATENTED BY OFFICINE PAROLIN** does away with the use of traditional adapters. The bike attaches to AGILIS easily, quickly and safely using the thru-axle or Quick Release.

WHEEL TRUING



Wheel truing suitable for any type of wheel.
BUILT-IN TO THE WORKBENCH.



ART. 10278 WHEEL KIT

Pair of wheels to anchor on the front of Agilis.
Useful for transport.
Needed for vertical set up of Agilis.

INCLUDED WITH AGILIS FULL OPTIONAL



ART. 10272 MAGNETIC TRAY

Magnetic storage tray.
Practical and can be positioned anywhere on the workbench.

INCLUDED WITH AGILIS FULL OPTIONAL



ART. 10276 TOOL HOLDER

Tool holder support.
Useful for storing work tools.

INCLUDED WITH AGILIS FULL OPTIONAL



ART. 10279 APRON

Officine Parolin work apron.

INCLUDED WITH AGILIS FULL OPTIONAL



ART. 10266 HANDLEBAR SUPPORT

The practical handlebar support arm can be installed on the Agilis bench using the side supports. The arm offers practical support for the handlebar, in case you have to remove the fork for maintenance.



INCLUDED WITH AGILIS FULL OPTIONAL

ART. 10271 E-CITY SUPPORT

Hooked on the Agilis bench worktop, thanks to the support hook for rear frame lower arm, it allows you to work in total freedom and safety on city e-bikes with wheels mounted.



INCLUDED WITH AGILIS FULL OPTIONAL

ART. 290017 UNIVERSAL ADAPTOR

Universal adapter for workbenches.
Compatible with OFFICINE PAROLIN workbenches



QR ADAPTER TO FIX THE BIKE WITHOUT FRONT WHEEL

INCLUDED WITH AGILIS AND AGILIS FULL OPTIONAL

MAT BLUEFOAM

ANTI-SLIP

The blue Mat is made of Memory foamed PVC.

The upper part of the Mat is lined in PVC with a non-slip surface resistant to dirt such as oil, grease and aggressive products.



ART.	DESCRIPTION
10280	<p>Very sturdy and resistant, prevents piercing with sharp parts of the bike or with maintenance tools. The Memory foam part creates a soft and comfortable insulation. You can also place the mat directly on the bottom of the boot or over folded down seats to protect the interior of the car when only one bike is transported. Or you can place it between one bike and another if you are carrying two or more bikes. The thickness is 4.5mm and has a standard measurement of 2000x1250mm ideal for Officine Parolin workbenches. 100% MADE IN ITALY</p>

GENIUS MAX WORKBENCH





GENIUS MAX


Genius Max workbench, quality and versatility of use at the highest levels. Bike fixing guaranteed by the anchoring system patented by Officine Parolin. Tool drawer and wheel truing included. Genius Max is equipped with bushings for supporting QR forks, thru-axle, Fox and Suntour. Product designed and developed in Italy.

BUSHINGS INCLUDED

Bushes for supporting QR forks, thru-axle, Fox and Suntour



QR ADAPTER TO FIX THE BIKE WITHOUT FRONT WHEEL



WHEEL TRUING INCLUDED

ART.	TECHNICAL DATA
10254	<p>MATERIAL steel S 235 COATING powder DIMENSIONS 115X55XH105 WEIGHT 45 kg PACKAGING 115X60XH30 100% MADE IN ITALY</p>

PERFECT FOR ALL MAINTENANCE OPERATIONS

ROAD / MTB / CITY / E-BIKE

- WITH FRONT WHEEL
- WITH REAR WHEEL
- WITH BOTH WHEELS
- WITHOUT WHEELS



FORK FIXING

The revolutionary anchoring system **PATENTED BY OFFICINE PAROLIN** does away with the use of traditional adapters. The bike attaches to Genius Max easily, quickly and safely using the thru-axle.


INCLUDED TOOL STORAGE DRAWER

Practical tool storage drawer included with GENIUS MAX
 Measurements: 37x47x h12 cm



ART. 10266 HANDLEBAR SUPPORT

The practical handlebar support arm can be installed on the Agilis bench using the side supports. The arm offers practical support for the handlebar, in case you have to remove the fork for maintenance.



ART. 10271 E-CITY SUPPORT

Hooked on the Agilis bench worktop, thanks to the support hook for rear frame lower arm, it allows you to work in total freedom and safety on city e-bikes with wheels mounted.



ART. 10262 8 BUSHINGS KIT

Bushes for fork support:
 QR, Thru-Axle, FOX and SUNTOUR.



GENIUS PRO WORKBENCH



GENIUS PRO WORKBENCH



BUSHINGS INCLUDED

Bushes for supporting
 QR forks, thru-axle,
 Fox and Suntour



QR ADAPTER TO FIX THE BIKE WITHOUT FRONT WHEEL

ART.	DESCRIPTION	TECHNICAL DATA
10261	GENIUS PRO Workbench. Ideal for all types of maintenance and assembly. Bicycle fixing in three points. Wheel truing included.	<p>MATERIAL Steel S 235</p> <p>COATING powder</p> <p>DIMENSIONS 78 x 47 x H 102 cm</p> <p>WEIGHT 20 kg</p> <p>PACKAGING 105 x 50 x H 15 cm (1 box) 60 x 16 x H 14 cm (2 boxes)</p> <p>100% MADE IN ITALY</p>

PERFECT FOR EVERY MAINTENANCE OPERATION

RACING / MTB / CITY / FAT

- WITH REAR WHEEL
- WITH FRONT WHEEL
- WITH BOTH WHEELS
- WITHOUT WHEELS




GENIUS WORKBENCH

ART.	DESCRIPTION
10260	<p>GENIUS workbench with bushings for QR and thru-axle. The optional ART. 10267 and 10268 can be applied on this model.</p> <p>100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 COATING powder DIMENSIONS 78 x 47 x H 102 cm WEIGHT 16.5 kg PACKAGING 105 x 50 x H 15 cm</p>



BUSHINGS INCLUDED

Bushes for supporting QR forks, thru-axle, Fox and Suntour



QR ADAPTER TO FIX THE BIKE WITHOUT FRONT WHEEL



WHEEL TRUING INCLUDED

OPTIONAL

ART. 10267

ART. 10268



ART. REAR FORK FIXING

10267 The revolutionary anchoring system **PATENTED BY OFFICINE PAROLIN** does away with the use of traditional adapters. The bike attaches to Genius Pro easily, quickly and safely using the thru-axle.

ART. FRONT FORK FIXING

10268 The revolutionary anchoring system **PATENTED BY OFFICINE PAROLIN** does away with the use of traditional adapters. The bike attaches to Genius Pro easily, quickly and safely using the thru-axle.

GENIUS FOLD

WORK BENCH FOLDABLE

ART.	DESCRIPTION
10263	<p>GENIUS FOLD foldable workbench with bushings for QR and thru-axle. 100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 COATING powder DIMENSIONS CLOSED 102 x 48 x H 15 cm DIMENSIONS OPEN 78 x 48 x H 102 cm WEIGHT 15 kg PACKAGING 105 x 50 x H 15 cm</p>

BUSHINGS INCLUDED

Bushes for supporting QR forks, thru-axle, Fox and Suntour



QR ADAPTER TO FIX THE BIKE WITHOUT FRONT WHEEL


OPTIONAL FOR FRONT/REAR WHEEL



RACING / MTB / CITY / FAT

- WITH REAR WHEEL
- WITH FRONT WHEEL
- WITH BOTH WHEELS
- WITHOUT WHEELS





OPUS

MADE IN ITALY

NEW

360°
ROTATABLE

**Professional gripper arm for specialised workshops.
Height and inclination adjustment,
guarantees maximum stability to work ergonomically and safely.**

Opus always allows a secure, stable and delicate grip.
Perfectly fits even the most modern carbon frames
with Aero tube profiles and with differentiated section.

What makes this clamp developed by Officine Parolin's technicians
truly universal and unique is its floating top fork, which actually lets
you lock the bike in places impossible with standard gripper arms.





INNOVATIVE PATENTED FLOATING CLAMP





opus POWER

opus POWER

ELECTRIC

MADE IN ITALY

NEW

Professional electric column for any bike maintenance. Made of steel and aluminium with toothed belt drive for robustness and silence. Simplify the life of every mechanic by providing effortless lifting of any bike up to 2m in height.

ART.10239

Technical data

- dimensions: 780x780x2100 mm
- weight: 50 kg
- power supply: 100/240V
- voltage: 24V
- lifting capacity: 45 kg
- lifted speed: 80/100 mm/s



opus POWER

Features:

- designed for every type of bike
- equipped with the exclusive OPUS clamp
- toothed belt drive
- solid steel and aluminium structure with high-precision linear guides
- extremely quiet
- electronic safety stopper capable of stopping the system instantly as soon as the bike touches the ground.
- solid steel base included
- fully integrated cabling
- anti-rotation bike locking system
- practical remote control for handling the bike
- easy to handle thanks to the wheels incorporated (optional)
- practical and slim-line pedalboard (optional)
- Made in Italy product, designed to last




opus

WORK

NEW

ART.	DESCRIPTION
10259	OPUS WORK stand with sturdy 23 kg steel footboard 8mm thick to ensure stability even with E-BIKES. 100% MADE IN ITALY
	MATERIAL Steel S 235
	COATING powder
	DIMENSIONS 60 x 60 x H 95 / 170 cm
	WEIGHT 32 kg
	MAX LOAD CAPACITY 50 kg



ART. 10259/S
**VERSION
WITHOUT PLATE**



SNAP LOCK



ROTATION BRAKE



SOLID 23 KG BASE

opus

HOME

NEW

ART.	DESCRIPTION
10256	Foldable work stand OPUS HOME Lightweight, sturdy and portable 100% MADE IN ITALY
	MATERIAL Aluminium Structure, Steel clamp
	COATING powder
	DIMENSIONS 80 x 80 x H 95 / 160 cm
	WEIGHT 6.8 kg
	MAX LOAD CAPACITY 30 kg



FOLDABLE



TOOL TRAY INCLUDED

opus

DOUBLE

NEW

ART.	DESCRIPTION
10230	<p>Double side OPUS DOUBLE Work stand Allows you to work simultaneously on two workstations 100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 COATING powder DIMENSIONS 80 x 80 x H 95 / 170 cm WEIGHT 49 kg MAX LOAD CAPACITY 50 + 50 kg</p>



ART. 10230/S
**VERSION
WITHOUT PLATE**



opus

BENCH

NEW



ART.	DESCRIPTION
10232	<p>OPUS BENCH Bench stand Can be mounted on any flat surface 100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 COATING powder DIMENSIONS 40 x H 30 / 50 cm WEIGHT 5 kg MAX LOAD CAPACITY 50 kg</p>

opus

AIR

NEW

ART.	DESCRIPTION
10231	<p>Work stand to be secured to the ceiling Possibility to add a second clamp for a double workstation 100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 COATING powder DIMENSIONS basic 30 x 30 cm / h extendable from 115 to 205 cm from the ceiling WEIGHT 13.5 kg MAX LOAD CAPACITY 30 kg (per clamp)</p>



ART. 10234

OPTIONAL SECOND CLAMP



opus

WALL

NEW



ART.	DESCRIPTION
10233	<p>OPUS WALL Workbench clamp Can be mounted on any vertical surface 100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 COATING powder DIMENSIONS 40 cm WEIGHT 4 kg MAX LOAD CAPACITY 50 kg</p>

opus

ACCESSORIES

NEW



1

ART. 10240
KIT SPARE COVER



2

ART. 10241
TOOL HOLDER
COMPATIBLE WITH WORK - DOUBLE - AIR



3

ART. 10242
WHEEL HOLDER HOOK
TO BE ATTACHED TO THE TOOL HOLDER



4

ART. 10243
PAPER TOWEL HOLDER TO BE
ATTACHED TO THE TOOL HOLDER



5

ART. 10234
OPUS CLAMP



OPTIONAL

ART. DESCRIPTION

10244 Practical and handy tool for blocking the movement of the handlebar, parts in contact with the bike covered in scratch-resistant plastic material
100% MADE IN ITALY



WORKSTATION

ART.	DESCRIPTION
------	-------------

10253	In aluminium, foldable in 10 seconds, adjustable in height. 360° Swivel Clamp 4.7kg
-------	---

SPARE PAD ART. 10258

2 Spare pads with mounting clip



WORK STAND

ART.	DESCRIPTION
------	-------------

10257	Repair equipment, 360° rotatable to eliminate any awkward position, with secure grip and scratch-resistant rubber.
-------	--

360° ROTATABLE



IDEAL FOR
E-BIKE
UP TO 30KG

FOLDABLE



FOLDABLE



WHEEL TRUING PRO

ART.	DESCRIPTION
720085	Professional wheel truing for wheels from 12" to 29" 1. mount the wheel by fixing the axle in the appropriate support 2. position the centering arm on the rim 3. bring the clamp with plastic terminals exactly on the rim without any contact Warning! Rim damage hazard. Terminals must not touch the rim. 190-00/35



CLAMP FOR WHEEL TRUING PLUS

ART.	DESCRIPTION
720081	Wheel camber clamp set ideal for 29" and PLUS



ADAPTOR THRU-AXLE

ART.	DESCRIPTION
720948	Adapter for fitting axles up to a diameter of 24 mm.

WHEEL TRUING

ART.	DESCRIPTION
10277	Aluminium alloy wheel truing.

FROM 12" TO 29"



STAINLESS



UNIVERSAL
BIKE STAND

STABILUS 2.0[®]

UNIVERSAL FOLDABLE BIKE STAND



BAG INCLUDED

STABILUS 2.0, UNIVERSAL BIKE STAND PATENTED BY OFFICINE PAROLIN

It stands out for its innovative wheel support system with mechanical lever operated by the bike's weight.

Easy to use, fast to fold and convenient to carry.

Universal stand, suitable for all types of bikes, from road bikes to E-Bikes Plus.

Keeps the bike stable and perpendicular on both the front and rear wheels.

It only hold the tyre, preventing the spoke and frame from getting scratched.

100% MADE IN ITALY



STABILUS 2.0®



BAG INCLUDED

ART. TECHNICAL DATA

2086 **MATERIAL** Steel S 235
COATING powder
DIMENSIONS 44x41xh37
WEIGHT 2.5 Kg
PACKAGING 47x18xh42

OEM PACKAGING

2086 OEM 59 x 40 x H 44 cm (5 pieces) no bag

ALSO AVAILABLE IN RED VERSION
ART 2086 RED



STABILUS 2.0® INOX



BAG INCLUDED

ART. TECHNICAL DATA

2085 **MATERIAL** Stainless steel
COATING powder
DIMENSIONS 44x41xh37
WEIGHT 2.5 Kg
PACKAGING 47x18xh42



STABILUS®

UNIVERSAL BIKE STAND

ART. TECHNICAL DATA

2089

MATERIAL Steel S 235

COATING powder

DIMENSIONS 4 x 41 x H 37 cm


WEIGHT 2.5KG

PACKAGING 47 x 18 x H 42

2089 OEM

OEM PACKAGING 49 x 43 x H 33 cm (6 pieces)

100% MADE IN ITALY



RACING

TREKKING
GRAVEL

27.5"
29"

E-BIKE

PLUS

STABILUS®

INOX

ART.	DESCRIPTION
2088	Completely made of STAIN-LESS steel resistant to corrosion, wear and suitable for all weather conditions.
100% MADE IN ITALY	



COLOR

ART.	DESCRIPTION
2089 ITALIA	Stabilus with light blue Italy colour
2089 CROMO	Stabilus with chrome finish
100% MADE IN ITALY	



STABILUS® E

NEW

ART.	DESCRIPTION
2089/E	Stabilus bike stand with battery charger holder
100% MADE IN ITALY	



battery charger not included



FRONT



REAR



E-BIKE



UNIVERSAL STAND
FOR ANY TYPE OF BIKE

PARK YOUR BIKE
ON BOTH WHEELS



MTB



ROAD

STABILUS® MINI

ART. TECHNICAL DATA

2081

MATERIAL Steel S 235

COATING powder


DIMENSIONS 64 x 41 x H 37 cm

WEIGHT 2.5 Kg

PACKAGING 47 x 18 x H 42



FAT 20"



ROAD 24"

MTB 20-24"

FAT 20"



MTB 20-24"



ROAD 24"

VERTICAL

BIKE STAND

ART.	TECHNICAL DATA
2082	MATERIAL Steel S 235 COATING powder DIMENSIONS 70 x 40 x h adjustable WEIGHT 5 kg PACKAGING 47x18xh42 (1 box) 86x20xh4 (1 box)



from 70cm

WITHOUT VERTICAL

VERTICAL is the universal bike stand developed by the innovative Stabilus, for those who need to optimise the space in the shop as well as at home. Adjustable height for the support of any type of bicycle: road, MTB, E-Bike.

100% MADE IN ITALY



VERTICAL



to 200cm


WITH VERTICAL

VERTICAL

- 3 DIFFERENT POSITIONS:
- FRONT WHEEL
- REAR WHEEL
- VERTICAL



HORIZONTAL




VERTICAL

ROAD



HORIZONTAL



VERTICAL

MTB



HORIZONTAL



VERTICAL

E-BIKE

ACCESSORIES



VERTICAL - SUPPORT FOR E-BIKE BATTERY CHARGER

ART.	DESCRIPTION
2084	Support for E-bike battery charger to be fixed to the Stabilus bike stand 100% MADE IN ITALY

COMPATIBLE WITH ART.2089



COMPATIBLE WITH ART.2086



STABILUS SUPPORT FOR BATTERY CHARGER E-BIKE



battery charger not included

NEW

ART.	DESCRIPTION
2090	Support for E-bike battery charger to be attached to the Stabilus bike stand 100% MADE IN ITALY

INNESTIX



ART.	DESCRIPTION
2087	PVC link to make the bike stand Stabilus® modular. 1 KIT = 2 pieces 100% MADE IN ITALY

FOGUS 2.0

ART. DESCRIPTION

2071 Bike stand for PLUS bike, foldable for minimal space taken up, easy to carry. V-shaped wheel support for perfect fit.

100% MADE IN ITALY

MATERIAL Steel S 235

COATING powder

DIMENSIONS 43 x 41 x H 77 cm

WEIGHT 2.2 kg

PACKAGING 40 x 59 x H 44 cm
 (4 pieces)



FOGUS FAT BIKE

ART. DESCRIPTION

2072 Specific for Fat Bikes. Supports tyres of all sizes, does not require adjustments and does not interfere with the frame.

100% MADE IN ITALY

MATERIAL Steel S 235

COATING powder

DIMENSIONS 43 x 41 x H 82 cm

WEIGHT 2.6 kg

PACKAGING 77 x 38 x H 44 cm
 (8 pieces)

FOGUS PLUS

ART. DESCRIPTION

2074 Bike stand for PLUS bike,
can be disassembled into 2
pieces.
V-shaped wheel support for
perfect fit.
100% MADE IN ITALY

MATERIAL Steel S 235

COATING powder

DIMENSIONS 43 x 41 x H 77 cm

WEIGHT 2.2 kg

PACKAGING 40 x 59 x H 44 cm
(5 pieces)



FOGUS

ART. DESCRIPTION

2066/29 Universal bike stand,
can be disassembled into 2
pieces.
V-shaped wheel support for
perfect fit.
100% MADE IN ITALY

MATERIAL Steel S 235

COATING powder

DIMENSIONS 43 x 41 x H 77
cm

WEIGHT 2.2 kg

PACKAGING 40 x 59 x H 44
cm (5 pieces)



**ADAPTOR
OPTIONAL RACING
WHEEL
ART. 2065**





STANDY PRO

ART.	DESCRIPTION
2079	<p>12" to 29" Bike stand Can be used on front and rear wheels, even with disc brakes. Contact area between bike and stand covered in anti-scratch material.</p> <p>MATERIAL steel COATING powder DIMENSIONS 35 x 15 h 40 cm WEIGHT 2.5 Kg PACKAGING 45 x 15 h 44 cm (10 PIECES)</p>



STANDY

ART.	DESCRIPTION
2069	<p>12" to 29" Bike stand Can be used on front and rear wheels, even with disc brakes. Contact area between bike and stand covered in anti-scratch material.</p> <p>MATERIAL steel COATING powder DIMENSIONS 35 x 15 h 40 cm WEIGHT 2 Kg PACKAGING 45 x 15 h 44 cm (15 PIECES)</p>





TOWER BIKE STAND

ART.	DESCRIPTION
2067	<p>Universal Bike Stand adjustable in height and inclination. Base made in one piece to ensure excellent stability. Contact parts with bikes covered in scratch-resistant plastic material.</p> <p>100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 COATING powder DIMENSIONS 40 x 34 x H 65 cm WEIGHT 1.8 kg PACKAGING 37 x 61 x H 10 cm</p>
2067 OEM	<p>OEM PACKAGING 37 x 61 x H 30 cm (5 PIECES)</p>




LITE BIKE STAND

ART.	DESCRIPTION
2062	<p>Bike support to the rear frame triangle (single piece). Contact parts with bikes covered in scratch-resistant plastic material.</p> <p>100% MADE IN ITALY</p> <p>MATERIAL Ø12 rod Steel S 235 COATING powder DIMENSIONS 34 x 31 x H 66 cm WEIGHT 1.2 kg PACKAGING 86 x 38 x H 35 cm (25 PIECES)</p>



BIKE STAND

ART.	DESCRIPTION
2068 RACING 2068 MTB	Fixed bike support 100% MADE IN ITALY
	MATERIAL Steel S 235 COATING powder DIMENSIONS 36 x 32 x H 26 cm WEIGHT 1.2 kg PACKAGING 45 x 67 x H 47 cm (10 pieces)



ART.	DESCRIPTION
2070 RACING 2070 MTB	Bike support with wheels. 100% MADE IN ITALY
	MATERIAL Steel S 235 COATING powder DIMENSIONS 36 x 32 x H 28 WEIGHT 1.2 kg PACKAGING 45 x 67 x H 47 cm (10 pieces)



BIKE STAND MADE IN ITALY

BIKE STAND

ART. DESCRIPTION

10450 Modular bike parking
100% MADE IN ITALY

MATERIAL Steel S 235
ZINC-COATING silver
DIMENSIONS 38 x 41 cm
WEIGHT 1.9 kg




ART. DESCRIPTION

10451 Height 27 cm
 10452 Height 37 cm

Modular bike parking.
 Alternate heights for better positioning.
100% MADE IN ITALY


MATERIAL Steel S 235
ZINC-COATING silver
DIMENSIONS 38 x 39 cm
WEIGHT 1.6 kg



ART. DESCRIPTION

10550 Ground bike parking in steel for 3 bikes. Alternate heights for better positioning.
100% MADE IN ITALY


MATERIAL Steel S 235
ZINC-COATING silver
DIMENSIONS 77 x 41 cm
WEIGHT 5.5 kg



ART. DESCRIPTION

10600 Ground bike parking in steel for 5 bikes. Alternate heights for better positioning.
100% MADE IN ITALY

MATERIAL Steel S 235
ZINC-COATING silver
DIMENSIONS 140 x 41 cm
WEIGHT 8.8 kg



WALL-MOUNTED BIKE RACK

ART.	DESCRIPTION
10359	Wall-mounted bike rack. Load capacity up to 45kg. Arm extension size 45 cm Weight 1 kg



ART.	DESCRIPTION
10366	Wall-mounted bike rack - front wheel. Contact parts with bikes covered in scratch-resistant plastic material. Hook extension size 12 cm Weight 400 g



ART.	DESCRIPTION
10367	Wall-mounted bike rack. Contact parts with bikes covered in scratch-resistant plastic material. Hook extension size 32 cm Weight 1 kg



ART.	DESCRIPTION
10355	Wall-mounted bike rack with foldable arms. Plugs and screws included. Contact parts with bikes covered in scratch-resistant plastic material. Arm extension size 37 cm Weight 1 kg




WALL-MOUNTED BIKE RACK



ART.	DESCRIPTION
10800	<p>Wall-mounted bike rack in steel for 2 bikes. Plugs and screws included. Contact parts with bikes covered in scratch-resistant plastic material.</p> <p>100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 ZINC-COATING silver DIMENSIONS 36 x 45 cm WEIGHT 2 Kg</p>



ART.	DESCRIPTION
10850	<p>Wall-mounted bike rack in steel for 4 bikes. Plugs and screws included. Contact parts with bikes covered in scratch-resistant plastic material.</p> <p>100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 ZINC-COATING silver DIMENSIONS 76 x 45 cm WEIGHT 3.8 kg</p>



ART.	DESCRIPTION
10900	<p>Wall-mounted bike rack in steel for 6 bikes. Plugs and screws included. Contact parts with bikes covered in scratch-resistant plastic material.</p> <p>100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 ZINC-COATING silver DIMENSIONS 126 x 45 cm WEIGHT 4.6 kg</p>





BIKE STAND

SPECIFIC FOR EXPO AND RACES






BIKE STAND E-TEAM

ART.	DESCRIPTION
10093	Folding display stand, maximum load 150kg 100% MADE IN ITALY MATERIAL Aluminium COATING powder WEIGHT 9.5 kg PACKAGING 130 x 25 x H 25 cm
	SIZES: 240 x 78 x H 120 cm



HANDY CARRY BAG
ART.10097



**CONTACT AREA
BETWEEN BIKE AND BIKE
STAND
COVERED IN SCRATCH-RE-
SISTANT
MATERIAL**

ALUMINIUM



**IDEAL
FOR E-BIKES**

120 cm

LOAD CAPACITY UP TO 150 KG

BIKE STAND TEAM

ART.	DESCRIPTION
10090	<p>Folding display stand, up to 7 bikes. Horizontal bar \varnothing 40 thickness 2mm. The bike stand bar is fixed to the opening of the side supports. (Bag not included) 100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 COATING powder DIMENSIONS 181 x 78 x H 114 cm WEIGHT 10 kg PACKAGING 125 x 25 x H 25 cm</p>



OPTIONAL


HANDY CARRY BAG
ART. 10096

ART.	DESCRIPTION
10091	<p>Bike rack for 6 bikes. Contact parts with bikes covered in scratch-resistant plastic material. Universal for any type of bike. Ideal for transport, foldable support legs to optimise spaces. 100% MADE IN ITALY</p> <p>MATERIAL Steel S 235 COATING powder DIMENSIONS 122 x 30 x H 70 cm WEIGHT 7 kg PACKAGING 130 x 83 x H 5 cm</p>





DISPLAY STANDS FOR SHOPS




ALL DISPLAY STANDS
ARE EQUIPPED WITH A PED-
AL CRANK CLAMP SYSTEM



ART.	DESCRIPTION
------	-------------


10001	MODULAR DISPLAY STAND. Create your ideal solution! Thanks to the system made by OFFICINE PAROLIN, you can customise the bike display for your store. When assembled, it is a modular display unit for saving space. Double your shop's display area and professional image.
-------	--



PAGE 53


**IDEAL
FOR USAGE
WITH STABILUS**






CONFIGURATIONS


A 4 BIKE SUPPORTS 250 cm
ART. 10001/A



B 7 BIKE SUPPORTS 250 cm
ART. 10001/B



C 8 BIKE SUPPORTS 250 cm
ART. 10001/C



D CUSTOMISABLE ART. 10001/D
ABILITY TO COVER YOUR SPACE
WITH CUSTOM PRODUCTS





**ALL BIKE BARS
ARE EQUIPPED WITH A ROTATING SYSTEM
WITH EXTRACTABLE TRACK**




RECLINING SHELVES

DISPLAY STANDS FOR SHOPS



ART.	DESCRIPTION
10092	Fully removable steel display stand, can support 3 bikes of any type, reclining shelves. H 130 x 180 x 48 cm 100% MADE IN ITALY

ALL DISPLAY STANDS ARE EQUIPPED WITH 2 POSITIONS: RAISED AND ON THE GROUND



2 BIKES

ART.	DESCRIPTION
10095	Steel display stand that can be fully disassembled, can support 2 bikes H 130 x 180 x 35 cm


100% MADE IN ITALY



1 BIKE + FRAME

ART.	DESCRIPTION
10094	Steel display stand that can be fully disassembled, can support 1 bike + frame H 130 x 180 x 35 cm

100% MADE IN ITALY



EXPO VERTICAL

ART.	DESCRIPTION
10036	Aluminium telescopic display stand, adjustable height from 205 to 375 cm. Includes 2 x 70° swivel bike mounts with clamps adjustable from 13 – 37 cm. Supports up to 6 bikes

CLAMP TOP ART. 10037

CLIP DIAM 40
TO FIX ART. 10039
AT THE TOP OF THE VERTICAL EXPO




CLAMP DOWN ART. 10038

CLIP DIAM 45
TO FIX ART. 10039
AT THE BOTTOM OF THE VERTICAL EXPO



BICYCLE HOOK ART. 10039

BIKE SUPPORT
FOR VERTICAL EXPO



**ADJUSTABLE HOOKS
FROM 13-37 CM**



70° SWIVEL HOOKS



RAISED

Floor display stand raised for showcase.

100% MADE IN ITALY

MATERIAL Steel S 235

COATING powder




ART. DESCRIPTION

10030 **DIMENSIONS** 150 x 58 x H 65 cm
WEIGHT 6 kg
PACKAGING 150 x 15 x H 15 cm



ART. DESCRIPTION

10031 **DIMENSIONS** 150 x 58 x H 75 cm
WEIGHT 7 kg
PACKAGING 150 x 15 x H 15 cm



ART. DESCRIPTION

10032 **DIMENSIONS** 150 x 58 x H 100 cm
WEIGHT 8 kg
PACKAGING 150 x 15 x H 15 cm





EARTH LINE THE RIGHT WAY TO REDUCE IMPACT.



ECO SEALANT
MADE IN ITALY
Long lasting formula
Quickly seal holes up to 4mm

ECO SEALANT
MADE IN ITALY
Long lasting formula
Quickly seal holes up to 4mm

ECO SEALANT
MADE IN ITALY
Long lasting formula
Quickly seal holes up to 4mm

**NO-WATER
FOAM BIKE CLEANER**
MADE IN ITALY
Cleans and polishes
Formula for carbon and aluminum
Fertilizing active foam
CLEAN

**UNIVER
LUBE**
PROBLEM SO
MADE IN ITALY
Helps free up stuck or seized
Lubricates and protects
Safe metal, carbon, plastic
LUBE

LUBRITECH - ART. 7000

Lubritech all condition lube
Chain lube
High performance synthetic lubricant
For long rides in all weather conditions

200 ml.

ALL CONDITION LUBE



CERAMIC LUBE - ART. 7075

Incredibly durable
long-distance performance
Extremely low levels of friction

125 ml.

HIGH PERFORMANCE LUBE



UNIVERSAL LUBE - ART. 7015

NEW

Helps free up stuck or seized parts
Lubricates and protects
Safe metal, carbon plastic parts

400 ml.

PROBLEM SOLVER



PULITECH - ART. 7020

Safe for use on all surfaces
Perfect for chain and transmission
Idrorepelent

400 ml.

**PROFESSIONAL
BIKE CLEANER**



DETER PRO - ART. 7090

Degreaser ideal for chain and sprocket set

500 ml.

**PROFESSIONAL
BIKE DEGREASER**



NO-WATER FOAM BIKE CLEANER - ART.7030

Cleans and polishes
Formula for carbon and aluminum
Sanitizing active foam

400 ml

NEW

FOAM BIKE CLEANER



SHAMPOO BIKE - ART. 7096

Perfect for alu and carbon frames

500 ml

**FOR THE PERFECT
CLEANING**



POLISH - ART. 7010

Bike polisher Perfect for carbon Water repellent

200 ml.

BRILLANT FRAMES



PULITORE FRENI A DISCO - ART. 7074

Dissolves greases and oils Reduces brake squeal Prolongs rotor and pad life Improves braking performance

Contenuto: 500 ml.

IMPROVES BRAKING PERFORMANCE



PULIX PROFESSIONAL 5L - ART. 7095

Degreaser ideal for chain and sprocket set

5 L

PROFESSIONAL BIKE DEGREASER



SEALANT

TUBELESS SEALANT

Long lasting formula
Quickly seal holes up to 4mm

ART. 7097 - 250 ml

ART. 7091 - 1 L

ART. 7093 - 5 L



RACING SEALANT

Recommended for races
Seal holes up to 6mm

ART. 7098 - 250 ml

ART. 7092 - 1 L

ART. 7099 - 5 L





ECO SEALANT

NEW

DESCRIZIONE

Long lasting formula
Quickly seal holes up to 4mm

ART. 7085 - 250 ml

ART. 7086 - 1 L

ART. 7087 - 5 L



SAPONE TUBELESS - ART. 7073

NEW

Formula a base di sapone
Facilita il tallonamento dei pneumatici
Applicatore in spugna per l'utilizzo
100 ml



PULITORE LATTICE - ART. 7094

NEW

Rimuove i residui di sigillante
da cerchi e telai
Applicatore in spugna per l'utilizzo
100 ml



**RUBBER STRAP
ART. 7069**

Rubber strap for can transport
With velcro fastening

ART. 70690EM - 25 pz



**REPAIR PUMP
STANDARD
ART. 7060/29**

Quick fit to the valve
Recommended for 29"

125 ml.



**REPAIR PUMP
STANDARD
ART. 7060**

Quick fit to the valve

100 ml.



**REPAIR PUMP
RAPID
ART. 7062/29**

Quick fit to the valve
Fast repair and inflate of
a flat tire
Recommended for 29"

125 ml.



**REPAIR PUMP
RAPID
ART. 7062**

Quick fit to the valve
Fast repair and inflate
of a flat tire.

100 ml.



**REPAIR PUMP
RAPID
ART. 7067**

Quick fit to the valve
Fast repair and inflate of
a flat tire

50 ml.





Officine Parolin distributed by
Gist Italia srl - Via Balegante 6
31039 Riese Pio X (TV) - Italy
gistitalia.it