

MATERIAL SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product Name: BSG Dip Liquid #1 Prep Distributor Name: Bio Seaweed Gel Limited Address: 151 Nashdene Rd Unit 51-52, Toronto ON, M1V 4B9 Canada Contact: 1-877-428-8816 info@bioseaweedgel.com

MSDS Number: 636

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

According to Regulation (EC) No1272/2008 Flammable liquids (Category 2) Eye irritation (Category 2) Specific target organ toxicity - single exposure (Category 3) According to European Directive 67/548/EEC as amended. Highly flammable. Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

LABEL ELEMENTS

Pictograms:	
Signal word: Danger	
Hazard statements:	
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
Hazard symbol(s)	
F	Highly flammable 1

Xi	Irritant
R-phrase(s)	
R11	Highly flammable.
R36	Irritating to eyes.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.
S-phrase(s)	
S16	Keep away from sources of ignition - No smoking.
S26	In case of contact with eyes, rinse immediately with plenty of water and
	seek medical advice.
S33	Take precautionary measures against static discharges.
Other hazards - none	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS number	EC number	INCI Name	Weight Rate(%)
Ethyl acetate	141-78-6	205-500-4	Ethyl acetate	90.0-99.5
Calcium pantothenate	137-08-6	/	Calcium pantothenate	0.1
Riboflavin	83-88-5	201-507-1	Riboflavin	0.2-0.5

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water. Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6. ACCIDENTAL RELEASE

MEASURES Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Handle with gloves.

Eye protection

Face shield and safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance		Ignition temperature	427 °C
Form	clear, liquid	Lower explosion limit	2,2 %(V)
Colour	colourless	Upper explosion limit	11,5 %(V)
		Vapour pressure	97,3 hPa at 20,0 °C
Safety data		Density	0,902 g/mL at 25
рН	no data available	°C	
Melting point	-84 °C	Water solubility	soluble
Boiling point	76,5 - 77,5 °C	Partition coefficient:	log Pow: 0,73
Flash point	-3,0 °C - closed cup	n-octanol/water	

SECTION 10. STABILITY AND REACTIVITY

Chemical stability: Stable under recommended storage conditions.

Conditions to avoid: Heat, flames and sparks.

Materials to avoid: Strong oxidizing agents

Hazardous decomposition products: Hazardous decomposition products formed under fire conditions. -Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Skin corrosion/irritation: no data available Serious eye damage/eye irritation: no data available Respiratory or skin sensitization: no data available Germ cell mutagenicity: no data available

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity: no data available Specific target organ toxicity - single exposure May cause damage to organs. Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Potential health effects

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation. Vapours may cause drowsiness and dizziness.

Ingestion: May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Eyes: Causes eye irritation.

Signs and Symptoms of Exposure: Central nervous system depression, Drowsiness, narcosis, anemia Additional Information: RTECS: AH5425000

SECTION 12. ECOLOGICAL INFORMATION

Ecological information: Not available

SECTION 13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

ADR/RID			
UN-Number: 1173	Class: 3	Packing group: II	
Proper shipping name: ETH	L ACETATE		
IMDG			
UN-Number: 1173	Class: 3	Packing group: II	EMS-No: F-E,
S-D			
Proper shipping name: ETH	L ACETATE		
Marine pollutant: No			
ΙΑΤΑ			
UN-Number: 1173	Class: 3	Packing group: II	
Proper shipping name: Ethyl	acetate		
SECTION 15. REGULATORY II	NFORMATION		

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16. OTHER INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3

EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
STOT SE	Specific target organ toxicity - single exposure
F	Highly flammable
Xi	Irritant
R11	Highly flammable.
R36	Irritating to eyes.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

DISCLAIMER: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising from using the above information.