

Raimond II

RAIMOND PUTS



The Raimond lights: perfect spheres of mathematical ingredients punctuated by tiny LED lights. Designer Raimond Puts was not only intrigued by the shape of the geodesic dome, but also with the mystery of prime numbers. It's no coincidence that the dimension of all Raimond lights resemble a prime number. The result of mathematical perfection, that brings the starry night sky into your home. Compatible with our Wireless Wall Switch, for quick and easy dimming that gives you full control over the light output.

Detailing



A double-shell sphere made with stainless steel strips, forming a thin and openwork triangular mesh that transport the electric current.

Colours

Stainless steel

Raimond II / Raimond II, R43

Dimensions

43cm | 16.9"



Product

WIDTH 43cm | 16.9"
HEIGHT 43cm | 16.9"
DEPTH 43cm | 16.9"
DIAMETER 43cm | 16.9"
WEIGHT NETTO 1.5kg | 3.31lbs

Packaging

WIDTH 52cm | 20.5"
HEIGHT 60cm | 23.6"
CUBAGE 0.16m³ | 5.73ft³
LENGTH 52cm | 20.5"
WEIGHT 5kg | 11.02lbs

Technical cULus / CE

MATERIAL

Stainless Steel Sphere with PMMA lenses

ENERGY LABEL

Energy Label B

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE

120-250

MAX POWER CONSUMPTION

17W

LAMPHOLDER

LED (Solid state)

CABLE COLOUR

Transparent with tinned cores

CANOPY

Pebble III Steel Coated, ABS

CRI

92

LIGHT OUTPUT

664 lm

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

92

FREQUENCY

50/60

DIMMABLE

Yes

LIFETIME

50000 hours

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

COLOUR TEMPERATURE

2523 K

LIGHT DIRECTION

All directions



Raimond II / Raimond II, R61

Dimensions

61cm | 24"



Product

WIDTH 61cm | 24"
HEIGHT 61cm | 24"
DEPTH 61cm | 24"
DIAMETER 61cm | 24"
WEIGHT NETTO 2kg | 4.4lbs

Packaging

WIDTH 72cm | 28.3"
HEIGHT 73cm | 28.7"
CUBAGE 0.38m³ | 13.36ft³
LENGTH 72cm | 28.3"
WEIGHT 8kg | 17.64lbs

Technical cULus / CE

MATERIAL

Stainless Steel Sphere with PMMA lenses

ENERGY LABEL

Energy Label B

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE

120-250

MAX POWER CONSUMPTION

26W

LAMPHOLDER

LED (Solid state)

CABLE COLOUR

Transparent with tinned cores

CANOPY

Pebble III Steel Coated, ABS

CRI

92

LIGHT OUTPUT

1134 lm

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

162

FREQUENCY

50/60

DIMMABLE

Yes

LIFETIME

50000 hours

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

COLOUR TEMPERATURE

2523 K

LIGHT DIRECTION


All directions



Raimond II / Raimond II, R89

Dimensions

89cm | 35"



Product

WIDTH 89cm | 35"
HEIGHT 89cm | 35"
DEPTH 89cm | 35"
DIAMETER 89cm | 35"
WEIGHT NETTO 2.5kg | 5.51lbs

Packaging

WIDTH 103cm | 40.6"
HEIGHT 105cm | 41.3"
CUBAGE 1.11m³ | 39.34ft³
LENGTH 103cm | 40.6"
WEIGHT 14kg | 30.86lbs

Technical cULus / CE

MATERIAL

Stainless Steel Sphere with PMMA lenses

ENERGY LABEL

Energy Label B

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE

120-250

MAX POWER CONSUMPTION

40W

LAMPHOLDER

LED (Solid state)

CABLE COLOUR

Transparent with tinned cores

CANOPY

Pebble III Steel Coated, ABS

CRI

92

LIGHT OUTPUT

1744 lm

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

252

FREQUENCY

50/60

DIMMABLE

Yes

LIFETIME

50000 hours

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

COLOUR TEMPERATURE

2523 K

LIGHT DIRECTION

All directions



Dimmer

Dims to dark using DALI DT6 and Push dimming.
Supported via accessories: Casambi, 0-10V and Zigbee
3.0 to integrate with Philips Hue, Apple HomeKit,
Google Home or Amazon Alexa.

DIMMER TYPE

Dali, Push and Smart Dimming

Please contact our sales department for more
information.
