

Prepared for:

**Verist LLC**

15900 Flying Cloud Dr.  
Eden Prairie, MN USA 55347

**salve**

Batch ID or Lot Number: <b>0623</b>	Test: <b>Potency</b>	Reported: <b>05Jul2023</b>	USDA License: N/A
Matrix: Concentrate	Test ID: T000247603	Started: 03Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 30Jun2023	Status: N/A

**Cannabinoids**

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.011	0.033	<LOQ	<LOQ	
Cannabichromenic Acid (CBCA)	0.010	0.030	ND	ND	
Cannabidiol (CBD)	0.032	0.087	0.370	3.70	
Cannabidiolic Acid (CBDA)	0.033	0.089	ND	ND	
Cannabidivarin (CBDV)	0.008	0.021	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.014	0.037	ND	ND	
Cannabigerol (CBG)	0.006	0.019	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.026	0.078	ND	ND	
Cannabinol (CBN)	0.008	0.024	ND	ND	
Cannabinolic Acid (CBNA)	0.018	0.053	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.031	0.093	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.028	0.085	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.025	0.075	ND	ND	
Tetrahydrocannabivarin (THCV)	0.006	0.017	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.022	0.066	ND	ND	
<b>Total Cannabinoids</b>			<b>0.370</b>	<b>3.70</b>	
Total Potential THC			ND	ND	
Total Potential CBD			0.370	3.70	

**Final Approval**



Karen Winternheimer  
05Jul2023  
10:55:00 AM MDT

PREPARED BY / DATE



Sam Smith  
05Jul2023  
10:57:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/d22b86df-48cf-4495-a827-c0dc2a36a24b>

**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert. #4329.02  
d22b86df48cf4495a827c0dc2a36a24b.1