

Prepared for:

Fulton Brewing

2540 2nd Street NE

Minneapolis, MN USA 55418

VRST-L-1810

Batch ID or Lot Number: VRST-L-1810	Test: Potency	Reported: 11Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000251885	Started: 10Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 09Aug2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.145	0.508	ND	ND	# of Servings = 1, Sample Weight=357.44g
Cannabichromenic Acid (CBCA)	0.133	0.465	ND	ND	
Cannabidiol (CBD)	0.503	1.341	ND	ND	
Cannabidiolic Acid (CBDA)	0.516	1.375	ND	ND	
Cannabidivarin (CBDV)	0.119	0.317	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.215	0.574	ND	ND	
Cannabigerol (CBG)	0.082	0.289	ND	ND	
Cannabigerolic Acid (CBGA)	0.344	1.207	ND	ND	
Cannabinol (CBN)	0.107	0.377	ND	ND	
Cannabinolic Acid (CBNA)	0.235	0.823	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.410	1.438	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.372	1.306	3.220	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.330	1.157	ND	ND	
Tetrahydrocannabivarin (THCV)	0.075	0.263	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.291	1.020	ND	ND	
Total Cannabinoids			3.220	0.00	
Total Potential THC			3.220	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
11Aug2023
10:14:00 AM MDT

PREPARED BY / DATE



Sam Smith
11Aug2023
10:15:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uiid/04856d7c-5ec4-4603-a034-1786256ed814>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

04856d7c5ec44603a0341786256ed814.1