

Acoustic Wood-Slat Wall Panel Installation Manual




How To Install Acoustic
Wood Slat wall Panel
-Step by Step-

PANELUX
by  *Parker & Rome*
FLOOR AND HOME

Acoustic Wood-Slat Wall Panel

Our acoustic slat wall panels are specifically designed for easy and efficient installation. We suggest securing the panels directly to your wall using screws through the acoustic felt or with the recommended adhesive.



Panel Dimension:

WxHxD in inches:

20.5 x 106.3 x 0.86


Recommended Adhesive:

LePage No More Nails


Required Tools.

INSTALL TOOLS

Screwdriver




Screws




Circular Saw



LePage No More Nails



Box Cutter



Measuring Tape



Level






Pencil

PREPARE YOUR SURFACE

Measure the wall where you intend to apply the panels prior to installation. If needed, make the necessary cuts to ensure a correct installation. The following instructions will guide you on how to make the cuts.


STEP 1




- ▶ Make a vertical cut along the PET groove using a box cutter.
- ▶ Perform a vertical cut on the laminated area using a circular saw equipped with a 60-tooth blade.
- ▶ Make a horizontal cut using a circular saw with a 60-tooth blade.
- ▶ Electrical outlets can be cut using a jig saw.

WALL INSTALLATION

To securely install panels on drywall or wooden structures, you will need screws. Insert these screws into the panel grooves and attach them firmly to the supporting wall either by utilizing drywall anchors or by directly fastening them to the wooden wall studs.




STEP 2



WALL INSTALLATION

For masonry or concrete walls, it is advisable to install the acoustic panel on the wall using adhesive. Apply adhesive (not provided) to the back of the panel, following the instructions in the diagram. Once the panel has been cut and pre-fitted, carefully position it in the desired location on the wall and firmly press it against the surface. Recommended adhesive has a working time of 20 minutes.


STEP 2



WELL DONE!

EN

YOUR NEW PANELUX SLAT WALL IS COMPLETE!



If you require any additional information, please reach out to us at customercare@parkerandrome.ca
We'd be thrilled if you could share your project with us!



PANELUX

by  Parker & Rome
FLOOR AND HOME

Have Questions About PANELUX?

We would love to talk to you about how you can use PANELUX in your home or in your commercial applications.



Address:

5730 Burbank Cres SE
Calgary, AB T2H 1Z6

Call: 403-754-4332

Text: 403-754-4332

Email: customercare@parkerandrome.ca