

Certificate of Analysis



| | | | |
|-------------|--|---|--|
| Sample Name | L-Ergothioneine 5mg each, 300mg Total, 60ct. | Symbio ID | SYM 20230830-028 |
| Batch | DK21-LR01 | Registering Laboratory | San Diego |
| Client | Neurogan, Inc. | ISO/IEC 17025 Accreditation No. / Certificate No. | 119606 / L23-615 |
| Address | 8821 Production Ave San Diego, CA 92121 | Address | 8310 Miramar Mall San Diego, CA 92121 |
| Telephone | NA | Telephone | (858) 869-1008 |
| Email | NA | Email | questions@symbiolabs.us |
| Sampler | Client | COA Issue Date | 9/25/2023 |

This report supersedes any previous revision with this reference. This document must not be reproduced, except in full. If samples were provided by the customer, results apply only to the samples 'as received' and responsibility for representative sampling rests with the customer. Sample results are reported on an 'as is' basis. Symbio Laboratories, LLC makes no claims pertaining to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein.

Definitions

| <: Less Than | >: Greater Than | RP: Result Pending | MPN: Most Probable Number | CFU: Colony Forming Units | --: Not Requested | NA: Not Applicable | ND: Not Detected | MDL: Method Detection Limit | LCMRL: Lowest Concentration Minimum Reporting Level | NT: Not Tested | ~: Estimated | TBA: To Be Advised | TNTC: Too numerous to count |

Analysis Results

1 Serving = 1 tablet = 0.3 g
60 Servings per bottle

| Method | Analyte | LOD | LOQ | Results | Specification |
|------------------|-----------------|-----|-----|------------------------------------|-------------------------------|
| Confirm By Input | L-Ergothioneine | NA | NA | 5.2 mg/serving 314 mg/bottle | 5mg/serving 300 mg/ bottle |
| | Frimapress | NA | NA | 294 mg/serving 17,669 mg/bottle | NA |

| Method | Analyte | LOD | LOQ | Results | Units |
|----------|-----------------------|------|-------|---------|-------|
| SUPP-001 | Phenolphthalein | 8.9 | 163.3 | ND | ppm |
| | Fluoxetine | 27.6 | 164.2 | ND | ppm |
| | Desmethyl sibutramine | 15.5 | 166.2 | ND | ppm |
| | Sibutramine | 8.5 | 165.4 | ND | ppm |

Analysis Location

All analyses were completed by Symbio Laboratories – San Diego.

Analysis Comments

Confirm by input results based on batch records provided by client and verified by Symbio staff.

Method ID: SUPP-001 performed by UHPLC

Dominic Black

Dominic Black

9/25/2023