

Certificate of Analysis



Sample Name	Urolithin A Capsules 42,000mg total, 700mg ea, 60ct, 1.4oz 42g	Symbio ID	SYM 20231004-001
Batch	DK21-UA01	Registering Laboratory	San Diego
Client	Neurogan	ISO/IEC 17025 Accreditation No. / Certificate No.	119606 / L23-615
Address	NA	Address	8310 Miramar Mall San Diego, CA 92121
Telephone	NA	Telephone	(858) 869-1008
Email	NA	Email	questions@symbiolabs.us
Sampler	Client	COA Issue Date	10/04/2023

This report supersedes any previous revision with this reference. This document must not be reproduced, except in full. If samples were provided by the customer, results apply only to the samples 'as received' and responsibility for representative sampling rests with the customer. Sample results are reported on an 'as is' basis. Symbio Laboratories, LLC makes no claims pertaining to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein.

Definitions

| <: Less Than | >: Greater Than | RP: Result Pending | MPN: Most Probable Number | CFU: Colony Forming Units | - - -: Not Requested | NA: Not Applicable | ND: Not Detected | MDL: Method Detection Limit | LCMRL: Lowest Concentration Minimum Reporting Level | NT: Not Tested | ~: Estimated | TBA: To Be Advised | TNTC: Too numerous to count |

Analysis Results

1 Serving = 1 capsule = 0.72g
60 Servings per bottle

Method	Analyte	Results	Specification
Confirm By Input	Urolithin A	720 mg/capsule	700 mg/capsule

Analysis Location

All analyses were completed by Symbio Laboratories – San Diego.

Analysis Comments

Confirm by input results based on batch records provided by the client and verified by Symbio staff.

Dominic Black