
2 **Dever**

Mains / Rechargeable Portable Low Glare Lighting Tower.


Portable 360 degree Lighting System

LIGHTER, BRIGHTER, FASTER DEPLOYMENT

10-second rapid expansion, easy adjustment of four lighting angles.



CREATIVE DESIGN HIDDEN IN THE DETAILS



LOWER CENTER OF GRAVITY, GREATER STABILITY

Ultra-low center of gravity combined with extended legs effortlessly handles strong winds.


Ultra-long Duration Standard Mode Up To 13+Hours

Battery compartment fits two replaceable battery packs.



2 types of bttery packs with different capacities have same contact slot.






Typical working hours 36+ hours on PL-300 Eco mode.



Doubled typical working hours to 71+ hours.

D24-100 x 2

Uniform and low-glare 360-degree illumination, leaving no dark spots.






Spe_{cifica}tions

PL-300

Height	1.58m~3.4m
Weight	8.8Kg (Fitting only)
Power	D24 series battery pack / AC 100-277V
Supply	0 - 14,000Lm
Lumens	>13 hours (Standard mode, D24-100 x
Run Times	2) IP66
IP Grade	5V 2A (2 Dock)
Output(USB)	


Size (mm)





Package

Model	PL-300
Size of Carton	1660x280x390mm
Gross Weight of Carton	13KG
PC S/Carton	1



Power-2Go Unit C, Buckshaw Link, Ordnance Road, Chorley, Lancashire PR7 7E Tel 01934 900471 Web: www.power-2Go.com Email: info@Power-2Go.com