

Agilex

Safety Data Sheet

DOC ID: 42744.993928.12022538

140 Centennial Ave Piscataway, NJ 08854 USA (800) 542-7662 FAX 732-393-7379 http://www.agilexfragrances.com Product: Leather Super Scent - mod Product#: 5209404 SKU#:

Page 1 of 7 2017-01-11

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Leather Super Scent - mod

Product/Sales No: 5209404

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Agilex Fragrances 140 Centennial Ave Piscataway, NJ 08854 USA (800) 542-7662 FAX 732-393-7379 http://www.agilexfragrances.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 4	H302: Harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Eye Damage/Eye Irritation, Category 1	H318: Causes serious eye damage
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Acute Toxicity, Category 2	H401: Toxic to aquatic life
Aquatic Chronic Toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	13 : Causes severe skin burns.
	14 : Causes eye burns.
Acute Inhalation	21 : Harmful if inhaled.
Acute Oral	2 : Harmful if swallowed
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen, heart, hematopoietic system.
	28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



140 Centennial Ave Piscataway, NJ 08854 USA (800) 542-7662 FAX 732-393-7379 http://www.agilexfragrances.com



Signal Word: Danger

Hazard statments

H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H333	May be harmful if inhaled
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264 P270	Wash hands thoroughly after handling Do not eat, drink or smoke when using this product
P273	Avoid release to the environment
Response:	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P310	Immediately call a POISON CENTER or doctor/physician
P332 + P313	If skin irritation occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
68131-40-8 Alcohols,	614-295-4 C11-15-secondar	50 - 60 % y, ethoxylated	H302; H312; H315; H318; H332	11, 13, 2, 21
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	28, 3
Benzyl Be	enzoate			
576-26-1	209-400-1	2 - 5 %	H227; H301; H311; H314; H318; H401;	26
2,6-Xylen	ol		H411	

Product: Leather Super Scent - mod Product#: 5209404 SKU#:

Safety Data Sheet

DOC ID: 42744.993928.12022538

Page 2 of 7 2017-01-11

1			Safety Data Sheet	SDS Type:	GHS / OSHA
Aaii	ex.		Salety Data Sheet		DOC ID: 42744.993928.12022538
()		Product: Product#: SKU#:	Leather Super Scent - mod 5209404		Page 3 of 7 2017-01-11
CAS#	EC#	Conc.	GHS Classification		assification
Ingredient		Range	Und Classification		
1843-05-6	217-421-2	0.1 - 1.0 %	H317		
	one, [2-hydroxy-4-				
78491-02-8	278-928-2	0.1 - 1.0 %	H317; H319; H412		
	linyl Urea		ion opdop		
	16 for full text of				
lota	al Hydrocarbon Co	ontent (% w/w)	= 0.00		
4.	First Aid Meas	ures			
	iption of first aid				
Inhalatio	on:		Remove from exposure site to fresh a Obtain medical advice.	air and keep at	rest.
Eye Exp	osure:		Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Ex	oosure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.			
Ingestio	n:		Rinse mouth with water and obtain m	edical advice.	
4.2 Most	important sympto	oms and effect	ts, both acute and delayed		
Sympto	Symptoms: no data available				
Risks:	Risks: Refer to Section 2.2 "Hazard Statements"				
4.3 Indication of any immediate medical attention and special treatment needed					
Treatme	nt:		Refer to Section 2.2 "Response"		
	Fire-Fighting n guishing media	neasures			
Suitable			Carbon dioxide (CO2), Dry chemical,	Foam	
Unsuita			Do not use a direct water jet on burning material		
		g from the sub	stance or mixture	ng material	
-	ire fighting: e for firefighters		Water may be ineffective		
Further	information:		Standard procedure for chemical fires	6	
6.	Accidental Rel	ease Measu	res		

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up



SDS Type: GHS / OSHA

DOC ID: 42744.993928.12022538



Product: Leather Super Scent - mod Product#: 5209404

140 Centennial Ave Piscataway, NJ 08854 USA (800) 542-7662 FAX 732-393-7379 http://www.agilexfragrances.com Page 4 of 7 2017-01-11

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

SKU#:

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:	Contains no substances with occupational exposure limit values	
Engineering Controls:	Use local exhaust as needed.	
8.2 Exposure controls - Pers	onal protective equipment	
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure	
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.	
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Nearly Colorless G0
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	-1



Safety Data Sheet

DOC ID: 42744.993928.12022538

140 Centennial Ave Piscataway, NJ 08854 USA (800) 542-7662 FAX 732-393-7379 http://www.agilexfragrances.com Product: Leather Super Scent - mod Product#: 5209404 SKU#:

Page 5 of 7 2017-01-11

http://www.agiicxiragranecs.com	
%VOC:	-1
Specific Gravity @ 25 C:	1.0300
Density @ 25 C:	1.0270
Refractive Index @ 20 C:	1.4440
Soluble in:	Water

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 569.88) Harmful if swallowed	
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 5,261.39) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 494.54) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye damage
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	Not classified - the classification criteria are not met
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1	Toxi	city
------	------	------

Acute acquatic toxicity	Toxic to aquatic life
Chronic acquatic toxicity	Harmful to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available



Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42744.993928.12022538

140 Centennial Ave Piscataway, NJ 08854 USA (800) 542-7662 FAX 732-393-7379 http://www.agilexfragrances.com Product: Leather Super Scent - mod Product#: 5209404 SKU#:

Page 6 of 7 2017-01-11

12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
ADR/RID (International Road/Rail) Chemicals NOI	Not Regulated	- Not Dangerous	s Goods	
IATA (Air Cargo) Chemicals NOI	Not Regulated	- Not Dangerous	s Goods	
IMDG (Sea) Chemicals NOI	Not Regulated	- Not Dangerous	s Goods	

15.Regulatory InformationU.S. Federal Regulations:	
TSCA (Toxic Substance Control Act):	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) 111-90-0 203-919-7 5 - 10 % U.S. State Regulations:	This product contains the following components: Ethoxydiglycol
California Proposition 65 Warning Canadian Regulations:	No Warning required
DSL/NDSL	100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk(8.12) Skin Corrosion/Irritation, Category 2



Safety Data Sheet

Leather Super Scent - mod

SDS Type: GHS / OSHA

DOC ID: 42744.993928.12022538

Page 7 of 7

2017-01-11

140 Centennial Ave Piscataway, NJ 08854 USA (800) 542-7662 FAX 732-393-7379 http://www.agilexfragrances.com

Product#: 5209404 SKU#:

Product:

(3.61) Aquatic Chronic Toxicity, Category 3

(2.79) Aquatic Acute Toxicity, Category 2

Department issuing data sheet:

Department E-mail address:

RegAffairs-Fragrance@Agilexfragrances.com

Remarks

This safety data sheet is based on the properties of the material known to Agilex Flavors & Fragrances™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Agilex Flavors & Fragrances[™] holds no responsibility. This document is not intended for quality assurance purposes.

Regulatory Affairs Group