

Safety Data Sheet

Issue Date:	01-Jan-2013	Revision Date:	03/16/2018		Version 1
		1. IDEN	TIFICATION		
<u>Product Ider</u> Product Nam		801 STINGER® HD Rut	bbing Compound		
Product Cod	de	801			
<u>Recommend</u> Recommend		I and restrictions on use Polishing Compound.	-		
Details of the Manufacture Stinger Chem 905 Live Oak Houston, Tex	nical, LLC Street	<u>r data sheet</u>			
Company Ph	<u>Felephone Number</u> none Number Felephone (24 hr)	Local (Houston): 713-22 Toll Free: 1-888-784-64 Chemtrec 1-800-424-93		27-3887 (International)	
		2. HAZARDS	IDENTIFICATION		
Appearance	White lotion	Physical	State Lotion	Odo	r Hydrocarbon
<u>Classificatio</u>	<u>n_</u>				
Skin sensitiza Germ cell mu Aspiration tox	tagenicity kicity			Category 4 Category 1 Category 1B Category 1	
Flammable Li <u>Signal Word</u> Danger	-			Category 4]
May cause ge	aled n allergic skin reaction enetic defects f swallowed and enters	airways			

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Contaminated work clothing should not be allowed out of the workplace Keep away from flames and hot surfaces. - No smoking.

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do not induce vomiting IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS No	Weight-%
1344-28-1	5-50
64742-47-8	9-20
64741-65-7	5-18
56-81-5	2-9
55965-84-9	0.01-0.2
	1344-28-1 64742-47-8 64741-65-7 56-81-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First	Aid	Measures

General Advice	If exposed or concerned: Get medical advice/attention.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Ingestion	IF SWALLOWED: call a poison control center or physician immediately. Do not induce vomiting.

Most important symptoms and effects

Symptoms May cause an allergic skin reaction. May be irritating to the eyes. May be harmful or fatal if swallowed and enters airways.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water. Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Combustible liquid. Can form explosive mixture at temperature at or above the flash point.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection recommended in Section 8.			
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.			
Methods and material for containment and cleaning up				
Methods for ContainmentPrevent further leakage or spillage if safe to do so.				
Methods for Clean-Up	Contain and collect with an inert absorbent and place into an appropriate container for disposal.			

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Contaminated work clothing should not be allowed out of the workplace. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Do not allow to freeze. Store between 4°C (40°F) and 35°C (95°F). Shelf life: one year.
Incompatible Materials	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum Oxide	TWA: 1 mg/m ³ respirable	TWA: 15 mg/m ³ total dust	-
1344-28-1	fraction	TWA: 5 mg/m ³ respirable	
		fraction	
		(vacated) TWA: 10 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Glycerol	-	TWA: 15 mg/m ³ mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m ³ mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m ³ mist,	
		total particulate	
		(vacated) TWA: 5 mg/m ³ mist,	
		respirable fraction	

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face ProtectionSafety goggles or safety glasses with side shields.Skin and Body ProtectionWear nitrile or vinyl gloves. Wear suitable protective clothing.Respiratory ProtectionNIOSH-approved respirator or mask in the absence of adequate ventilation.General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Appearance	Lotion White lotion	Odor	Hydrocarbon
Color	White	Odor Threshold	Not determined
Bronorty	Values	Remarks • Method	
Property_ pH	~8.0 - 9.0	Remarks • Methou	_
•	Not determined		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range		Ter Cleard Cur	
Flash Point	40 °C / 104 °F	Tag Closed Cup	
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	Not available		
Lower Flammability Limit	Not available		
Vapor Pressure	Not applicable		
Vapor Density	Not applicable		
Specific Gravity	0.980 - 1.030 gm/ml		
Water Solubility	Will mix with water		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not available		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		
VOC Content	<15% by weight		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Avoid high temperatures. Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	May cause an allergic skin reaction.
Inhalation	Harmful if inhaled.
Ingestion	May be fatal if swallowed and enters airways.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Aluminum Oxide 1344-28-1	> 5000 mg/kg (Rat)	-	-
Petroleum Distillates, Hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
Petroleum Distillate 64741-65-7	> 7000 mg/kg (Rat)	> 3000 mg/kg (Rat)> 2000 mg/kg (Rabbit)	> 5.04 mg/L (Rat)4 h
Glycerol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m³ (Rat)1 h
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazolone 55965-84-9	= 53 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	May cause genetic defects.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Aspiration hazard	May be fatal if swallowed and enters airways.
umorical moasures of toxicity	

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum Distillates, Hydrotreated light 64742-47-8		45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Petroleum Distillate 64741-65-7	30000: 72 h Pseudokirchneriella subcapitata mg/L EC50			2: 48 h Mysidopsis bahia mg/L LC50
Glycerol 56-81-5		51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static		

Persistence/Degradability Not determined.

Bioaccumulation

Not determined.

<u>Mobility</u>

Chemical Name	Partition Coefficient
Glycerol	-1.76
56-81-5	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note	According to 49 CFR §173.150(f)(1), this material should be reclassified as "NA1993, Combustible Liquid, N.O.S." if it is shipped in bulk.
DOT	Not regulated
IATA	Not regulated
IMDG Marine Pollutant	This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

TSCA

All ingredients are listed or exempt from listing on Chemical Substance Inventory

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

<u>SARA 313</u>

I	Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
	Aluminum Oxide - 1344-28-1	1344-28-1	5-50	1.0

US State Regulations

California Proposition 65

This product may contain chemical(s) known to the state of California to cause cancer.

US Right to Know Regulations:

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Aluminum Oxide 1344-28-1	Х	X	Х
Glycerol 56-81-5	Х	X	Х

16. OTHER INFORMATION

<u>NFPA</u> HMIS	Health Hazards 1 Health Hazards Not determined	Flammability 1 Flammability Not determined	Instability 0 Physical Hazards Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date:	01/01/20 09/16/20			

New format

Disclaimer

Revision Note:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.