

Safety Data Sheet

Issue Date: 01-Jan-2013	Revision Date:Sept 30, 2019	Version1		
	1. IDENTIFICATION			
Product Identifier				
Product Name	928 - Stinger® Brilliance Non- Silicone Dressir	ng		
Other means of identification				
Other means of identification SDS #	928			
Product Code	928			
UN/ID No	UN1268			
Recommended use of the chem	ical and restrictions on use			
Recommended Use	Exterior Rubber and Vinyl Protectant.			
Details of the supplier of the saf	fety data sheet			
Manufacturer Address				
Stinger Chemical, LLC				
905 Live Oak Street				
Houston, Texas 77003				
Emergency Telephone Number				
Company Phone Number	Local (Houston): 713-227-1340			
1 2	Toll Free: 1-888-784-6448 (1-888-STING-IT)			
Emergency Telephone (24 hr)	Chemtrec 1-800-424-9300 (North America) 1-	703-527-3887 (International)	
	2. HAZARDS IDENTIFICATION			
Appearance Yellow	Physical State Liquid		Odor F	Fruity
Classification				
Skin corrosion/irritation		Category 2		
Germ cell mutagenicity		Category 1B		
Reproductive toxicity		Category 2		
Specific target organ toxicity (sing	le exposure)	Category 3		
Specific target organ toxicity (repe		Category 2		
Aspiration toxicity		Category 1		
Flammable Liquids		Category 2		
Hazards Not Otherwise Classifie				
May be harmful in contact with ski				
Signal Word				
Danger				
Hazard Statements				
Causes skin irritation				
May cause genetic defects Suspected of damaging fertility or				

Suspected of damaging fertility or the unborn child May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure May be fatal if swallowed and enters airways

Highly flammable liquid and vapor



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash it before reuse If skin irritation occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Get medical advice / attention IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do not induce vomiting IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Distillates, petroleum, light distillate hydrotreating	68410-97-9	Proprietary
process, low-boiling		
Cyclohexane	110-82-7	Proprietary
Hexane	110-54-3	Proprietary

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

General Advice	If exposed or concerned: Get medical advice/attention.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.	
Skin Contact	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If irritation persists, seek medical attention.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.	
Ingestion	IF SWALLOWED: call a poison control center or physician immediately. Do not induce vomiting.	
Most important symptoms and effects		
Symptoms	Causes skin irritation. May be irritating to the eyes. May cause drowsiness or dizziness. May be harmful or fatal if swallowed and enters airways.	
Indication of any immediate medical attention and special treatment needed		

Notes to PhysicianChronic Effects: May cause central nervous system disorder (loss of coordination, fatigue,
blurred vision, mental confusion).

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Extremely flammable liquid and vapor.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2).

Sensitivity to Static Discharge Prevent electrostatic charge build-up by using common bonding and ground techniques.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection recommended in Section 8.	
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.	

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Contain and collect with an inert absorbent and place into an appropriate container for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Store away from heat, sparks, open flame or any other ignition source. Do not allow to freeze. Store between 4°C (40°F) and 35°C (95°F). Shelf life: one year.
Incompatible Materials	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Cyclohexane	TWA: 100 ppm	TWA: 300 ppm	IDLH: 1300 ppm
110-82-7		TWA: 1050 mg/m ³	TWA: 300 ppm
		(vacated) TWA: 300 ppm	TWA: 1050 mg/m ³
		(vacated) TWA: 1050 mg/m ³	-
Hexane	TWA: 50 ppm	TWA: 500 ppm	IDLH: 1100 ppm
110-54-3	S*	TWA: 1800 mg/m ³	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 180 mg/m ³
		(vacated) TWA: 180 mg/m ³	-

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety goggles or safety glasses with side shields.
---------------------	---

- Skin and Body Protection Chemical resistant protective gloves. Suitable protective clothing.
- **Respiratory Protection** Wear positive pressure self-contained breathing apparatus (SCBA).

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Viscous
Color	Yellow

Values Not applicable Not determined Not determined -8.9 °C / 16 °F Not determined Liquid-Not applicable Not available Not available Not applicable Not applicable 0.7164 Insoluble in water Not determined Not determined Not available Not determined Not determined Not determined Not determined Not determined 65 - 85%

Odor Odor Threshold

Fruity Not determined

Remarks • Method

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Avoid high temperatures. Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Causes skin irritation. May be harmful in contact with skin.
Inhalation	May cause drowsiness or dizziness.
Ingestion	May be fatal if swallowed and enters airways.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Cyclohexane 110-82-7	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 13.9 mg/L (Rat)4 h
Hexane 110-54-3	= 25 g/kg (Rat)	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat)4 h

Information on physical, chemical and toxicological effects

Symptoms	Please see section 4 of this SDS for symptoms.				
Delayed and immediate effects as	Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Germ cell mutagenicity	May cause genetic defects.				
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.				
Reproductive toxicity	Suspected of damaging fertility or the unborn child.				
STOT - single exposure	May cause drowsiness or dizziness.				
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.				
Aspiration hazard	May be fatal if swallowed and enters airways.				

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Cyclohexane 110-82-7	500: 72 h Desmodesmus subspicatus mg/L EC50	3.96 - 5.18: 96 h Pimephales promelas mg/L LC50 flow-through 23.03 - 42.07: 96 h Pimephales promelas mg/L LC50 static 24.99 - 44.69: 96 h Lepomis macrochirus mg/L LC50 static 48.87 - 68.76: 96 h Poecilia reticulata mg/L LC50 static	EC50 = 85.5 mg/L 5 min EC50 = 93 mg/L 10 min	400: 24 h Daphnia magna mg/L EC50
Hexane 110-54-3		2.1 - 2.98: 96 h Pimephales promelas mg/L LC50 flow-through		1000: 24 h Daphnia magna mg/L EC50

Persistence/Degradability Not determined.

Bioaccumulation

Not determined.

<u>Mobility</u>

Chemical Name	Partition Coefficient	
Cyclohexane	3.44	
110-82-7		

Other Adverse Effects Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Cyclohexane				U056
110-82-7				

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Cyclohexane 110-82-7	Тохіс
Hexane 110-54-3	Toxic Ignitable

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No Proper Shipping Name	UN1268 Petroleum distillates, N.O.S.,
Hazard Class Packing Group	3 II
IATA UN/ID No	UN1268
Proper Shipping Name	Petroleum distillates, N.O.S.,
Hazard Class	3
Packing Group	Ш
IMDG	
UN/ID No	UN1268
Proper Shipping Name	Petroleum distillates, N.O.S.,
Hazard Class	3
Packing Group	II
Marine Pollutant	This material may meet the definition of a marine po

This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

TSCA

All ingredients are listed or exempt from listing on Chemical Substance Inventory

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Cyclohexane	1000 lb		RQ 1000 lb final RQ
110-82-7			RQ 454 kg final RQ
Hexane	5000 lb		RQ 5000 lb final RQ
110-54-3			RQ 2270 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Cyclohexane - 110-82-7	110-82-7	Proprietary	1.0
Hexane - 110-54-3	110-54-3	Proprietary	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Cyclohexane 110-82-7(Proprietary)	1000 lb			х

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Cyclohexane 110-82-7	Х	X	X
Hexane 110-54-3	Х	X	Х

16. OTHER INFORMATION

<u>NFPA</u> HMIS	Health Hazards 1 Health Hazards Not determined	Flammability 3 Flammability Not determined	Instability 0 Physical Hazards Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	30 -Sep-2019 Feb 11, 2015 New format			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet