

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Revision: 09.10.2019

1.1 Product identifier	
Trade name: <u>ZIRCONITE BEAD-MAG</u>	<u>iik</u>
Sector of Use	
1.3 Details of the supplier of the safe Manufacturer/Supplier: Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind.Estate Denton, Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214	
Further information obtainable from Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind.Estai Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214 cheryl@conceptchemicals.com 1.4 Emergency telephone number: During working hours GMT 09.00 - 17.0 Tel: 0044 (0)161 335 0213 Fax: 0044 (0)161 335 0214	te Denton,

The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- · Precautionary statements Keep out of reach of children.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Revision: 09.10.2019

Trade name: ZIRCONITE BEAD-MAGIK

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Bungeroue compensation		
CAS: 111-76-2	ethylene glycol monobutyl ether	2.5-5%
EINECS: 203-905-0	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Reg.nr.: 01-2119475108-36-0000	4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 64-17-5	ethyl alcohol	0-2.5%
EINECS: 200-578-6	🚸 Flam. Liq. 2, H225	
Reg.nr.: 01-2119457610-43		

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information No special measures required.
- After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact Generally the product does not irritate the skin.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- [·] 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Dilute with plenty of water. Do not allow to enter sewers (surfa

Do not allow to enter sewers /surface or ground water drains.

- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- 6.4 Reference to other sections
 No dangerous substances are released.
 See Section 7 for information on safe handling

(Contd. on page 3)



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Revision: 09.10.2019

(Contd. of page 2)

Trade name: ZIRCONITE BEAD-MAGIK

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

111-76-2 ethylene glycol monobutyl ether

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV

64-17-5 ethyl alcohol

WEL Long-term value: 1920 mg/m³, 1000 ppm

· Ingredients with biological limit values:

111-76-2 ethylene glycol monobutyl ether

BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift

Parameter: butoxyacetic acid

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Personal protective equipment

· General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands: Rubber gloves
- · Material of gloves Natural rubber, NR
- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Revision: 09.10.2019

(Contd. of page 3)

Trade name: ZIRCONITE BEAD-MAGIK

· Eye protection: Not required.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Colour: Whitish · Odour: Pleasant · Odour threshold: Not determined. Change in condition Melting point/freezing point: undetermined Initial boiling point and boiling range: undetermined · Flash point: 67 °C Flammability (solid, gaseous) Product is not flammable. 240 °C · Ignition temperature: Product is not selfigniting. · Auto-ignition temperature: · Explosive properties: Product does not present an explosion hazard. Vapour pressure at 20 °C: 23 hPa · Density at 20 °C: 0.996 g/cm3 Solubility in / Miscibility with Water: Fully miscible · 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Revision: 09.10.2019

Trade name: ZIRCONITE BEAD-MAGIK

(Contd. of page 4)

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met. • **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Do not allow product to reach ground water or water course.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
		(Contd. on page 6)



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Revision: 09.10.2019

Trade name: ZIRCONITE BEAD-MAGIK

	(Contd. o	f page 5)
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to An of Marpol and the IBC Code 	nnex II Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · National regulations
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

- · Department issuing SDS: Technical Department.
- · Contact: Mr N Wardlaw

Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the
 International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 2: Flammable liquids – Category 2
 Acute Tox. 4: Acute toxicity – Category 4

(Contd. on page 7)

[–] GB



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Revision: 09.10.2019

Trade name: ZIRCONITE BEAD-MAGIK

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 (Contd. of page 6)