





T R A I L E R
AXLE-LESS
S U S P E N S I O N S

Dimensions & Specifications
 For all models
 540, 910, 1000, 1590, 2360, 3180 kg
 1200, 2000, 2200, 3500, 5200 & 7000 Lbs)

METRIC
 Dimensions



AXLE-LESS

TRAILER SUSPENSIONS

Dimensions & Specifications
 For all models
 540, 910, 1000, 1590, 2360, 3180 kg
 1200, 2000, 2200, 3500, 5200 & 7000 Lbs)

Models	Dimensions (mm)																				Ship. Weight (kg)
	(b)	(r)	c	d	e	(f)	(g)	h	j	k	m	n	p	q	s	t	v	w1	w2	y	
540 kg capacity																					
ASR1200S02										124											25
ASR1200S04	89	57	289	95 x2	25	127	351	98	117	152	95	79	13	1/2" UNC	--	--	51 x 51	49	49	229	26
910 kg capacity																					
ASR2000S01										124											25
ASR2000S02	98	62	289	95 x2	25	127	349	98	117	152	95	79	13	1/2" UNC	--	--	51 x 51	49	49	229	26
910 kg HD capacity																					
ASR2KHDS01	97									152											40
ASR2KHDS02	97									216											40
ASR2KHDS03	191									216											45
ASR2KHDS04	191									152											44
ASR2KHDS05	0	41	330	108 x2	25	127	419	121	143	152	86	94	13	1/2" UNC	1/2" UNC	45	51 x 51	57	51	243	44
ASR2KHDS09	0						419			216											46
ASR2KHDS12	191						348			214											47
ASR2KHDS13	144						364			151											45
ASR2KHDS14	97						381			148											50
1 Tonne HD capacity																					
ASR1THDS01	135						487			152											46
ASR1THDS02	135						487			216											45
ASR1THDS03	232						452			216											50
ASR1THDS04	232						452			152											49
ASR1THDS05	41	86	330	108 x2	25	127	522	121	143	152	86	94	13	1/2" UNC	1/2" UNC	45	51 x 51	57	51	356	50
ASR1THDS09	41						522			216											52
ASR1THDS12	232						452			214											52
ASR1THDS13	184						470			151											51
ASR1THDS14	135						487			148											56
1590 kg capacity																					
ASR3500S04	0						419														44
ASR3500S05	97	44	330	108 x2	25	127	381	121	143	152	86	94	13	1/2" UNC	1/2" UNC	45	51 x 51	57	51	289	40
ASR3500S06	191						348														44
ASR3500S08	144						364														45
1590 kg HD capacity																					
ASR35HDS01	89						445			203											67
ASR35HDS02	186						416			203											70
ASR35HDS03	-10						473			159											81
ASR35HDS04	89						445			159											66
ASR35HDS05	186	67	370	127 x2	38	159	416	146	143	170	83	133	16	16	16	57	51 x 76	84	52	289	70
ASR35HDS06	137						430			203											67
ASR35HDS07	137						430			159											67
ASR35HDS08	187						430			203											69
ASR35HDS09	138						429			159											66
ASR35HDS11	-10						473			203											72

The dimensions provided in this document can only be used as reference; they are subject to manufacturing tolerances, subject to load, and subject to design changes (without notice); customers are advised not to start drilling holes in the frame before receiving the actual product.

AXLE-LESS

TRAILER SUSPENSIONS

Dimensions & Specifications
 For all models
 540, 910, 1000, 1590, 2360, 3180 kg
 (1200, 2000, 2200, 3500, 5200 & 7000 Lbs)

Models	Dimensions (mm)																				Ship. Weight (kg)	
	(b)	(r)	c	d	e	(f)	(g)	h	j	k	m	n	p	q	s	t	v	w1	w2	y		
2360 kg capacity																						
ASR5200S01	89						445			159											66	
ASR5200S03	186						416			170											70	
ASR5200S04	-10	70	370	127 x2	38	159	473	146	143	159	83	133	16	16	16	57	51 x 76	84	52	289	81	
ASR5200S05	140						473			159											67	
2360 kg HD capacity																						
ASR52HDS01	102						445			159											81	
ASR52HDS04	197						410			203											83	
ASR52HDS05	102	64	370	127 x2	38	157	445	171	171	203	83	159	16	16	16	57	51 x 76	84	52	289	83	
ASR52HDS06	102						445			198											86	
3180 kg capacity																						
ASR7KS01	89	48					445			159											72	
ASR7KS02	-10	64	370	127 x2	38	159	473	146	146	159	83	133	16	16	16	57	51 x 76	84	52	289	81	

The dimensions provided in this document can only be used as reference; they are subject to manufacturing tolerances, subject to load, and subject to design changes (without notice); customers are advised not to start drilling holes in the frame before receiving the actual product.