



### SINGLE AXLE




Type	Models	Total Load Capacity	Axle Shape	DIMENSIONS											Shipping Weight, Lbs.		
				a	b		c	d	e	f	(gL)	(gU)		h		y	
					w/ straight axle	w/ 4" drop axle						w/ straight axle	w/ 4" drop axle				
Single	SR2000S03	2000	Round	2-3/8"	4-1/16"	3/16"	8-1/4"	5"	1"	4-13/16"	11-3/4"	11-7/8"	13"	3-3/8"	9"	42	
Single	SR2000S04	2000	Round	1-3/4"	4-7/16"	5/8"						11-3/4"	12-7/8"				42
Single	SR2000S05	2000	Round	2"	4-5/16"	7/16"						11-13/16"	12-15/16"				
Single	SR2000S06	2000	Square	2"	4-3/8"	1/2"					11-13/16"	12-15/16"			42		
Single	SR3500S04	3500	Round	2-3/8"	5-7/16"	1-13/16"	9-1/2"	6"	1"	4-15/16"	11-1/2"	11-7/16"	13-1/8"	3-3/4"	9"	55	
Single	SR3500S05	3500	Square	2"	5-3/4"	2-1/8"						11-5/16"	12-15/16"				55
Single	SR3500S06	3500	Round	3"	5-1/4"	1-9/16"						11-9/16"	13-3/16"				
Single	SR3500S07	3500	Round	2-1/2"	5-7/16"	1-13/16"						11-7/16"	13-1/8"				55
Single	SR3500S08	3500	Square	65 mm	5-1/2"	1-7/8"					11-7/16"	13-1/8"			55		
Single	SR5KS02	5000	Round	3"	4-15/16"	1-1/16"	11-1/4"	4-1/4" (x2)	1 1/2"	5"	12-3/4"	12-15/16"	13-7/8"	4-1/2"	10-1/2"	98	
Single	SR5KS03	5000	Round	2-1/2"	5-3/16"	1-1/4"						12-7/8"	13-13/16"				98
Single	SR5KS04	5000	Square	65 mm	5-1/4"	1-5/16"						12-7/8"	13-13/16"				
Single	SR7KS02	7000	Round	3"	5-11/16"	1-7/8"	11-1/4"	4-1/4" (x2)	1-1/2"	5"	12-3/4"	12-7/8"	14-1/8"	4-1/2"	10-1/2"	98	

### SINGLE AXLE

#### UNLOADED




#### LOADED




Type	Models	Total Load Capacity	Axle Shape	DIMENSIONS											Shipping Weight, Lbs w/o axle	
				a	b		c	d	e	f	(gU)	(gL)		h		y
					w/ straight axle	w/ 6" drop axle						w/ straight axle	w/ 6" drop axle			
Single	SR8KS01	8000	Round	3-1/2"	7-15/16"	1-15/16"	14-5/16"	5" (x2)	1-1/2"	5-3/4"	17-11/16"	18-3/4"	16-3/4"	5-7/8"	13-1/8"	98

### TANDEM AXLE

#### UNLOADED



#### LOADED



Type	Models	Total Load Capacity	Axle Shape	DIMENSIONS											Shipping Weight, Lbs.	
				a	b		c	d	e	f	(gL)	(gU)		h		y
					w/ straight axle	w/ 4" drop axle						w/ straight axle	w/ 4" drop axle			
Tandem	SR4000T02	4000	Round	1-3/4"	4-1/8"	1/4"	10"	4-1/4"	1-1/2"	7-1/16"	28-3/4"	29-1/2"	31-1/2"	4-3/16"	9"	122
Tandem	SR4000T03	4000	Round	2-1/2" (H)	3-3/4"	1/8"						29-5/8"	31-3/4"			125
Tandem	SR4000T04	4000	Round	2-3/8" (L)	3-11/16"	3/16"						29-5/8"	31-3/4"			125
Tandem	SR4000T05	4000	Square	2"	4-1/4"	3/8"						29-3/8"	31-3/8"			125
Tandem	SR4000T06	4000	Round	2"	4-1/16"	1/4"						29-1/2"	31-1/2"			125
Tandem	SR4000T07	4000	Round	3"	4-9/16"	11/16"						29-1/4"	31-1/4"			125
Tandem	SR4000T09	4000	Round	2-1/2" (L)	4-13/16"	15/16"						29-1/4"	31-1/4"			125
Tandem	SR4000T10	4000	Round	2-3/8"	4-3/4"	15/16"						29-1/8"	31-1/8"			125
Tandem	SR7000T05	7000	Round	3"	6-3/16"	2-1/2"	11-1/2"	4-1/4"	1-1/2"	7-1/16"	33"	33-1/8"	36-3/8"	4-1/2"	9"	152
Tandem	SR7000T07	7000	Round	2-3/8"	6-7/16"	2-3/4"						33"	36-1/8"			152
Tandem	SR7000T08	7000	Square	2"	6-11/16"	3"						32-3/4"	35-7/8"			152
Tandem	SR7000T09	7000	Square	2-1/2"	6-7/16"	2-3/4"						33"	36-1/8"			152
Tandem	SR7000T11	7000	Round	2-1/2" (L)	6-7/16"	2-3/4"						33"	36-1/8"			152



## SILENT RIDE TRAILER SUSPENSION DIMENSIONS & SPECIFICATIONS (IMPERIAL)

Type	Models	Total Load Capacity	Axle Shape	DIMENSIONS											Shipping Weight, Lbs.	
				a	b		c	d	e	f	(gL)	(gU)		h		y
					w/ straight axle	w/ 4" drop axle						w/ straight axle	w/ 4" drop axle			
Tandem	SR7K31T08	7000	Square	2"	6-11/16"	3"	11-1/2"	4-1/4"	1-1/2"	7-1/16"	31"	30-3/4"	33-7/8"	4-1/2"	9"	150
Tandem	SR7K35T01	7000	Round	2-3/8" (H)	6-7/16"	2-3/4"	11-1/4"	4-1/4"	1-1/2"	7-1/16"	35"	35"	38-1/8"	4-1/2"	9"	157
Tandem	SR7K35T02	7000	Round	2-1/2" (L)	6-7/16"	2-3/4"						35"	38-1/4"			157
Tandem	SR7K35T03	7000	Round	3"	6-3/16"	2-1/2"						35-1/8"	38-3/8"			157
Tandem	SR7K35T05	7000	Square	2-1/2"	6-1/2"	2-13/16"						34-7/8"	38-1/8"			157
Tandem	SR7733T02	7700	Round	3"	5-13/16"	1-15/16"	13-7/8"	4-1/4"	1-1/2"	8-5/16"	33"	33-3/8"	35-1/4"	4-1/2"	10-1/2"	206
Tandem	SR10KT02	10000	Round	3"	6-9/16"	2-3/4"	13-7/8"	4-1/4"	1-1/2"	8-5/16"	33"	33-1/4"	35-3/4"	4-1/2"	10-1/2"	206
Tandem	SR10KT03	10000	Square	2-1/2"	6-7/8"	3-1/16"						33-1/8"	35-1/2"			206
Tandem	SR14KT01	14000	Round	3"	6-3/8"	2-9/16"	13-7/8"	4-1/4"	1-1/2"	8-5/16"	33"	33-5/16"	35-5/8"	4-1/2"	10-1/2"	206
Tandem	SR14K35T01	14000	Round	3"	6-3/8"	2-9/16"	13-7/8"	4-1/4"	1-1/2"	8-5/16"	35"	35-5/16"	37-5/8"	4-1/2"	10-1/2"	207