



## CERTIFICATE OF ANALYSIS

Product Name : **BTMS 225KC (Behentrimonium methosulfate and Cetearyl alcohol)**  
 Demander : **INGREDIENTS PLUS**  
 Quantity : **7,200 kgs**  
 P.O. No. : **14824**  
 Date of Analysis : **10-Nov-22**

Page: 1 of 1

SUBJECT	UNIT	SPEC.	LOT NO.			TEST METHOD
			221028306			
Appearance			White pellet			K-4-05-010
Active Ingredient	%	20 Min	24.6			
pH(2% Soln)		5.0 ~ 7.0	6.76			
Free Amine	%	0.3 Max.	0.03			
Color	APHA	100 Max.	24			
Acid value	mgKOH/g	3.0 Max.	0.52			
Date of Manufacture			28-Oct-22			
Date of Expiry			27-Oct-24			
Quantity	kgs	-	7,200			-

pH : H<sub>2</sub>O/IPA =1/1 (2% Solution.)

We certify that the above test results are true and correct.

10-Nov-22

Department of Quality Management

Dae-geon Lee

**KCI LIMITED**

9F IT Castle II 137, Gasan Digital 1-Ro, Geumcheon-Gu, Seoul, Korea

TEL: 82-2-784-1480, FAX: 82-2-784-9018

www.kcilt.com