

+1-847-446-7500 +63-2-842-7951 Tech Services: +656-879-9855

Certificate of Analysis

Print Date: 31-MAY-2022 11:48:32 UTC+8

Page: 1 / 1

Order No: 11115773 Line: 10

Delivery Receipt: 81754656
Truck/Rail Car No: TRHU 3406250
Customer PO No: NZ13220

Customer Code:

ALCHEMY AGENCIES LTD LEVEL 2, 20 CENTRE STREET FREEMANS BAY AUCKLAND, New Zealand

Material No. & Description:

1077622 STEPANOL DCFAS-N

Specification number: PB515\_STP\_BQ Issue: 1 (05-NOV-2020)

Batch/Lot:0008691221Date of Manufacture: 26-APR-2022Quantity:20 PALCertification Date: 26-APR-2022Location:San Antonio, San Pascual, Batangas,Recommended Retest Date: 25-APR-2025

			In		
Description		Limits	Out	Result	Units
110-0	APPEARANCE	White Needles to Breakable Lumps, FFM	IN	Passes	
022-0	WATER	6.0 Max.	IN	4.4	90
065-0	FREE ALKALI (As NaOH)	0.3 Min.	IN	0.8	%
117-D	ACTIVE	90.0 Min.	IN	93.3	%
125-0	UNSULFATED ALCOHOL	4.0 Max.	IN	1.1	%
006-F	COLOR TRANSMITTANCE (5% Active in Water, 25mm Cell @ 425nm @ 90C)	90.0 Min.	IN	96.3	્ર

Each pallet contains 25 BAGS x 25 kg
Bag FOR 50 - Liner LDPE 04 - FOR 50 pallet

## This certificate is electronically generated and is valid without a signature.

THIS ANALYSIS IS NOT TO BE CONSTRUED AS A WARRANTY, EXPRESSED OR IMPLIED. The preceding data is provided at the request of and for the convenience of the customer and does not relieve the customer of its responsibility to verify data contained on this report and to perform any other analysis necessary to determine suitability of the product described above for the use intended by the customer.