



Index

2 Introduction


Collections


- 4 New England
- 14 Quartzite
- 22 Chamonix
- 30 West 57th
- 36 Gotham
- 42 Nature
- 48 Essential
- 56 Pool Coping
- 57 Cleaning and Maintenance
- Technical Characteristics
- Mosaics and Muretto sizes
- 62 Terms and conditions of sale

Indoor | Outdoor

The indoor and outdoor represent two worlds which are growing ever closer. Esthetic continuity, of color and texture, between the indoors and outdoors extends boundaries and spaces.

People are increasingly tending to bring the outdoors into their single open-plan living area. Contact with nature is seen as an improvement in personal wellbeing, and the 20 mm range facilitates the creation of a designer outdoor world. Only the indoor and outdoor surface is different to ensure the necessary safety outside as well as in.







New England

24"x48" 24"x24" 16"x32" 12"x24" 4"x12"

Indoor 8.5 mm



Outdoor 20 mm



Colored Body Porcelain Pavers and Stoneware

ANSI A 137.1 compliant



WALL / FLOOR



MODERATE



0.34 in | 0.79 in 8.5 mm | 20 mm



ASTM C 1026 RESISTANT

ASTM C 373 ~0.1%



ASTM C 650: CLASS A
ASTM C 1378: CLASS A



ANSI A326.3: 2021. (DCOF 8.5 mm): ≥**0,42** (DCOF 20 mm): ≥**0,60**



HEAVY USE

New England

See all indoor colors on our website



New England HEN10 White - Indoor HEN210 White - Outdoor



New England HEN01 Ivory - Indoor HEN201 Ivory - Outdoor



New England HEN05 Cold Gray - Indoor HEN205 Cold Gray - Outdoor

Graphics number

Sizes	New England HEN10 White	New England HEN01 Ivory	New England HEN05 Cold Gray	
24"x48"	10	10	10	
24"x24"	20	20	20	
16"x32"	20	20	20	
12"x24"	40	40	40	

Indoor P	ackaging			•				
Sizes		Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.	
24"x48"		2	15.50	61.00	36	558.00	2236.00	
24"x24"		6	23.25	91.50	24	558.00	2236.00	
12"x24"		8	15.50	61.40	32	496.00	1932.48	
4"x12"		36	11.65	46,45	40	466.00	1858.00	
12"x12"	mosaic	10	9.70	-	-	-	-	
12"x14"	herringbone mosaic	10	8.60	-	-	-	-	
12"x12"	brick	10	9.70	-	-	-	-	
4"x24"	bullnose	10	-	-	-	-	_	

Outdoor Packaging			7				
Sizes	Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.	
24"x48"	1	7.75	73.22	26	201.50	1903.70	
24"x24"	2	7.75	71.17	32	248.00	2277.30	
16"x32"	2	6.89	64.66	24	165.36	1552.00	
12"x24" pool coping	2	3.87	35.58	-	-	-	
16"x32" pool coping	2	6.89	62.31		-	-	



Stone Effect

New England

24"x48" RECTIFIED - 24"x24" RECTIFIED - 12"x24" RECTIFIED - 4"x12" PRESSED

30EN10 New England HEN10 White Rect. 4"x12" . 10x30 cm

Indoor



GCEN10R New England HEN10 White Rect. 24"x48" . 60x120 cm



G3EN10MO

New England

HEN10 White Mosaic*

13/8" x 13/8" . 3,5x3,5 cm

(sheet 12"x12" . 30x30 cm)



G9EN10R

New England

HEN10 White Rect.

24"x24" . 60x60 cm

G3EN10HB

New England

HEN10 White Herringbone Mosaic*

17/8" x 37/8" . 4,7x9,7 cm

(sheet 12"x14" . 31x35 cm)



G8EN10R

New England

HEN10 White Rect.

12"x24" . 30x60 cm

G8EN10GRIR

New England

HEN10 White **Grip** Rect.

12"x24" . 30x60 cm

G3EN10BR

New England

HEN10 White Brick*

1^{7/8}" x 3^{7/8}" . 4,7x9,7 cm

(sheet 12"x12" 30x30 cm)

New England 2

24"x48" RECTIFIED - 24"x24" PRESSED - 16"x32" PRESSED

Outdoor



SCEN10R MADE IN ITALY
New England2
HEN210 White Rect.
24"x48" . 60x120 cm



S9EN10 New England2 HEN210 White 24"x24" . 60x60 cm



New England2 HEN210 White 16"x32" . 40x80 cm




G8EN10GRIR New England HEN10 White Grip Rect. 12"x24" . 30x60 cm 0.34" - 8.5 mm thick




SCEN10MC MADE IN ITALY
New England2 HEN210 White
Pool Coping with modern edge
24"x48" . 60x120 cm



SOEN10MC New England2 HEN210 White Pool Coping with modern edge 16"x32" . 40x80 cm



New England2 HEN210 White Pool Coping with modern edge 12"x24" . 30x60 cm



*More details on page. 60

New England

24"x48" RECTIFIED - 24"x24" RECTIFIED - 12"x24" RECTIFIED - 4"x12" PRESSED

Indoor



GCEN01R New England HEN01 Ivory Rect. 24"x48" . 60x120 cm



G3EN01MO

New England

HEN01 Ivory Mosaic*

13/8" x 13/8" . 3,5x3,5 cm

(sheet 12"x12" . 30x30 cm)





G9EN01R New England HEN01 Ivory Rect. 24"x24" . 60x60 cm



G8EN01R New England HEN01 Ivory Rect. 12"x24" . 30x60 cm



G8EN01GRIRNew England
HEN01 Ivory **Grip** Rect.
12"x24" . 30x60 cm



G3EN01HB New England HEN01 Ivory Herringbone Mosaic* 17/8" x 3^{7/8}" . 4,7x9,7 cm (sheet 12"x14" . 31x35 cm)



G3EN01BR

New England

HEN01 Ivory Brick*

17/8"x 37/8" . 4,7x9,7 cm

(sheet 12"x12" 30x30 cm)


New England 2

24"x48" RECTIFIED - 24"x24" PRESSED - 16"x32" PRESSED

Outdoor



SCEN01R MADE IN ITALY
New England2 HEN201 Ivory Rect.
24"x48" . 60x120 cm



S9EN01New England2 HEN201 Ivory 24"x24" . 60x60 cm



New England2 HEN201 Ivory 16"x32" . 40x80 cm



G8EN01GRIR New England HEN01 Ivory Grip Rect. 12"x24" . 30x60 cm 0.34" - 8.5 mm thick




SCEN01MC MADE IN ITALY
New England2 HEN201 Ivory
Pool Coping with modern edge
24"x48" . 60x120 cm



SOEN01MC

New England2 HEN201 Ivory
Pool Coping with modern edge
16"x32" . 40x80 cm



New England2 HEN201 Ivory Pool Coping with modern edge 12"x24" . 30x60 cm



HEN01 Ivory Bullnose 4"x24" . 10x60 cm

*More details on page. 60

Stone Effect

New England

24"x48" RECTIFIED - 24"x24" RECTIFIED - 12"x24" RECTIFIED - 4"x12" PRESSED

30EN05 New England

HEN05 Cold Gray Rect. 4"x12" . 10x30 cm

Indoor



GCEN05R New England HEN05 Cold Gray Rect. 24"x48" . 60x120 cm



G3EN05MO

New England

HEN05 Cold Gray Mosaic*

13/8" x 13/8" . 3,5x3,5 cm

(sheet 12"x12" . 30x30 cm)

G9EN05RNew England
HEN05 Cold Gray Rect.
24"x24" . 60x60 cm



G3EN05HB

New England

HEN05 Cold Gray Herringbone Mosaic*

1^{7/8}" x 3^{7/8}" . 4,7x9,7 cm

(sheet 12"x14" . 31x35 cm)



New England

HEN05 Cold Gray Rect.

12"x24" . 30x60 cm

G3EN05HB

New England

HEN05 Cold Gray Herringbone Mosaic*

17/8" x 37/8" . 4,7x9,7 cm

(sheet 12"x14" . 31x35 cm)

G8EN05GRIR

New England

HEN05 Cold Gray **Grip** Rect.

12"x24" . 30x60 cm



PRESSED COLLECTION

Outdoor



S9EN05 New England2 HEN205 Cold Gray 24"x24" . 60x60 cm



New England2 HEN205 Cold Gray 16"x32" . 40x80 cm




G8EN05GRIR
New England
HEN05 Cold Gray Grip Rect.
12"x24" . 30x60 cm
0.34" - 8.5 mm thick



SOEN05MC

New England2 HEN205 Cold Gray
Pool Coping with modern edge
16"x32" . 40x80 cm



S8EN05MCNew England2 HEN205 Cold Gray Pool Coping with modern edge 12"x24" . 30x60 cm



4"x24" . 10x60 cm


*More details on page. 60

Floor: Quartzite2 HQT210 Bianco 16"x32" | Flower Pot/Seats: Essential2 HET208 Graphite 24"x24"


Quartzite

24"x48" 12"x48" 16"x32" 12"x24" 4"x12"

Indoor 8.5 mm



Outdoor 20 mm



Colored Body Porcelain Pavers and Stoneware

ANSI A 137.1 compliant



WALL / FLOOR



MODERATE



▼ 0.34 in | 0.79 in 8.5 mm | 20 mm



ASTM C 1026 RESISTANT

ASTM C 373



~0.1%



ASTM C 650: CLASS A
ASTM C 1378: CLASS A



ANSI A326.3: 2021. (DCOF 8.5 mm): ≥**0,42** (DCOF 20 mm): ≥**0,60 Grip:** (DCOF): ≥**0,42**



HEAVY USE





Quartzite HQT10 Bianco - Indoor

Quartzite **HQT01 Sand** - Indoor HQT210 Bianco - Outdoor HQT201 Sand - Outdoor





Quartzite **HQT05 Gray** - Indoor **HQT205 Gray** - Outdoor

Quartzite

HQT08 Dark Gray - Indoor HQT208 Dark Gray - Outdoor

Graphics number

Sizes	Quartzite HQT10 Bianco	Quartzite HQT01 Sand	Quartzite HQT05 Gray	Quartzite HQT08 Dark Gray
24"x48"	8	8	8	8
12"x48"	16	16	16	16
16"x32"	12	12	12	12
12"x24"	32	32	32	32

Indoor P	ackaging			•			
Sizes		Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
24"x48"		2	15.50	61.00	36	558.00	2236.00
12"x48"		3	11.62	45.75	54	627.75	2340.00
12"x24"		8	15.50	61.40	32	496.00	1932.48
4"x12"		36	11.65	46,45	40	466.00	1858.00
12"x12"	mosaic	10	9.70	-		-	-
12"x12"	muretto wall	10	9.70	-		-	-
4"x24"	bullnose	10	-	_		_	-

Outdoor	Packaging							
Sizes		Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.	
16"x32"		2	6.89	64.66	24	165.36	1552.00	
16"x32"	pool coping	2	6.89	62.31	-	-	-	



Indoor



GCQT10R Quartzite HQT10 Bianco Rect. 24"x48" . 60x120 cm

GMQT10R

Quartzite HQT10 Bianco Rect.

Quartzite HQT10 Bianco Rect.

4"x12" . 10x30 cm

G3QT10MO

G3QT10MU

Quartzite

HQT10 Bianco Mosaic*

(sheet 12"x12" . 30x30 cm)

HQT10 Bianco Muretto Wall*

(sheet 12"x12" . 30x30 cm)

Quartzite

12"x48" . 30x120 cm



Quartzite HQT10 Bianco Rect. 12"x24" . 30x60 cm



G8QT10GRIR Quartzite HQT10 Bianco **Grip** Rect. 12"x24" . 30x60 cm



G0QT10 Quartzite HQT10 Bianco Bullnose 4"x24" . 10x60 cm

Quartzite 2

PRESSED COLLECTION

Outdoor



SOQT10 Quartzite2 HQT210 Bianco 16"x32" . 40x80 cm



G8QT10GRIR Quartzite HQT10 Bianco Grip Rect. 12"x24" . 30x60 cm 0.34" - 8.5 mm thick



SOQT10MC Quartzite2 HQT210 Bianco Pool Coping with modern edge 16"x32" . 40x80 cm

*More details on page. 60

Quartzite

RECTIFIED COLLECTION

Indoor



GCQT01R Quartzite HQT01 Sand Rect. 24"x48" . 60x120 cm



GMQT01R Quartzite HQT01 Sand Rect. 12"x48" . 30x120 cm



G8QT01R Quartzite HQT01 Sand Rect. 12"x24" . 30x60 cm



G8QT01GRIR Quartzite HQT01 Sand Grip Rect. 12"x24" . 30x60 cm



G0QT01 Quartzite **HQT01 Sand Bullnose** 4"x24" . 10x60 cm



Quartzite HQT01 Sand Rect. 4"x12" . 10x30 cm



G3QT01MO Quartzite **HQT01 Sand Mosaic*** (sheet 12"x12" . 30x30 cm)



G3QT01MU Quartzite HQT01 Sand Muretto Wall* (sheet 12"x12" . 30x30 cm)

Quartzite 2

PRESSED COLLECTION

Outdoor



SOQT01 Quartzite2 HQT201 Sand 16"x32" . 40x80 cm



G8QT01GRIR Quartzite HQT01 Sand **Grip** Rect. 12"x24" . 30x60 cm 0.34" - 8.5 mm thick



SOQT01MC Quartzite2 HQT201 Sand Pool Coping with modern edge 16"x32" . 40x80 cm

Stone Effect

Indoor



GCQT05R Quartzite HQT05 Gray Rect. 24"x48" . 60x120 cm



Quartzite HQT05 Gray Rect. 12"x48" . 30x120 cm



G8QT05R Quartzite HQT05 Gray Rect. 12"x24" . 30x60 cm



G8QT05GRIR Quartzite HQT05 Gray **Grip** Rect. 12"x24" . 30x60 cm



G0QT05 Quartzite HQT05 Gray Bullnose 4"x24" . 10x60 cm

20



GMQT05R



30QT05 Quartzite HQT05 Gray Rect. 4"x12" . 10x30 cm



G3QT05MO Quartzite HQT05 Gray Mosaic* (sheet 12"x12" . 30x30 cm)



G3QT05MU Quartzite HQT05 Gray Muretto Wall* (sheet 12"x12" . 30x30 cm)

Quartzite 2

PRESSED COLLECTION

Outdoor



SOQT05 Quartzite2 HQT205 Gray 16"x32" . 40x80 cm



G8QT05GRIR Quartzite HQT05 Gray **Grip** Rect. 12"x24" . 30x60 cm 0.34" - 8.5 mm thick



SOQT05MC Quartzite2 HQT205 Gray Pool Coping with modern edge 16"x32" . 40x80 cm

Quartzite

RECTIFIED COLLECTION

Indoor



GCQT08R Quartzite HQT08 Dark Gray Rect. 24"x48" . 60x120 cm



GMQT08R Quartzite HQT08 Dark Gray Rect. 12"x48" . 30x120 cm



G8QT08R Quartzite HQT08 Dark Gray Rect. 12"x24" . 30x60 cm



G8QT08GRIR Quartzite HQT08 Dark Gray **Grip** Rect. 12"x24" . 30x60 cm



G0QT08 Quartzite HQT08 Dark Gray Bullnose 4"x24" . 10x60 cm



Quartzite HQT08 Dark Gray Rect. 4"x12" . 10x30 cm



G3QT08MO Quartzite HQT08 Dark Gray Mosaic* (sheet 12"x12" . 30x30 cm)



G3QT08MU Quartzite HQT08 Dark Gray Muretto Wall* (sheet 12"x12" . 30x30 cm)

Quartzite 2

PRESSED COLLECTION


Outdoor



SOQT08 Quartzite2 HQT208 Dark Gray 16"x32" . 40x80 cm



G8QT08GRIR Quartzite HQT08 Dark Gray **Grip** Rect. 12"x24" . 30x60 cm 0.34" - 8.5 mm thick




SOQT08MC Quartzite2 HQT208 Dark Gray Pool Coping with modern edge 16"x32" . 40x80 cm

Stone Effect



24"x48" 24"x24" 12"x24"

Indoor 8.5 mm



Outdoor 20 mm



Colored Body Porcelain Pavers and Stoneware

ANSI A 137.1 compliant



WALL / FLOOR



MODERATE



0.34 in | 0.79 in 8.5 mm | 20 mm



ASTM C 1026 RESISTANT ASTM C 373

~0.1%



ASTM C 650: CLASS A
ASTM C 1378: CLASS A



ANSI A326.3: 2021. (DCOF 8.5 mm): ≥**0,42** (DCOF 20 mm): ≥**0,60**



HEAVY USE



Chamonix HCX10 Bianco - Indoor



Chamonix HCX01 Beige - Indoor HCX210 Bianco - Outdoor HCX201 Beige - Outdoor



Chamonix HCX05 Gray - Indoor HCX205 Gray - Outdoor



Chamonix HCX08 Dark Gray - Indoor HCX208 Dark Gray - Outdoor

Graphics number

Sizes	Chamonix HCX10 Bianco	Chamonix HCX01 Beige	Chamonix HCX05 Gray	Chamonix HCX08 Dark Gray
24"x48"	10	10	10	10
24"x24"	20	20	20	20
12"x24"	40	40	40	40

Indoor P	ackaging								
Sizes		Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.		
24"x48"		2	15.50	61.00	36	558.00	2236.00		
24"x24"		6	23.25	91.50	24	558.00	2236.00		
12"x24"		8	15.50	61.40	32	496.00	1932.48		
12"x12"	mosaic	10	9.70	-	-	-	-		
10"x12"	hexagon	10	8.40	-	-	-	-		
12"x24"	muretto brick	4	7.75	-	-	-	-		
4"x24"	bullnose	10	-	-	-	-	-		

Outdoor Packaging								
Sizes		Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.	
24"x24"		2	7.75	71.17	32	248.00	2277.30	
12"x24"	pool coping	2	3.87	35.58	-	-	-	
12"x24"	pool coping (3cm thick)	1	1.94	17.80	-	-	-	
	, , 5 (4)							

24"x48" 24"x24" 12"x24"



RECTIFIED COLLECTION

Indoor



G8CX10R

G9CX10R

Chamonix HCX10 Bianco Rect.

Chamonix HCX10 Bianco Rect.

Chamonix HCX10 Bianco Hexagon*

(sheet 10"x12" 26x30 cm)

24"x24" . 60x60 cm

12"x24" . 30x60 cm

GCCX10R Chamonix HCX10 Bianco Rect. 24"x48" . 60x120 cm



Chamonix HCX10 Bianco Mosaic* (sheet 12"x12" . 30x30 cm)



G8CX10MU Chamonix HCX10 Bianco Muretto Brick* 12"x24" . 30x60 cm



Chamonix HCX10 Bianco Bullnose 4"x24" . 10x60 cm

Chamonix 2

PRESSED COLLECTION

Outdoor



Chamonix2 HCX210 Bianco 24"x24" . 60x60 cm



S8CX10MC Chamonix2 HCX210 Bianco Pool Coping with modern edge 12"x24" . 30x60 cm



T8CX10G30R Chamonix2 HCX310 Bianco Pool Coping with modern edge 12"x24" . 30x60 cm 1.18" - 3 cm thick

Chamonix

RECTIFIED COLLECTION

Indoor



GCCX01R Chamonix HCX01 Beige Rect. 24"x48" . 60x120 cm



(sheet 10"x12" 26x30 cm)



G8CX01R Chamonix HCX01 Beige Rect. 12"x24" . 30x60 cm



G9CX01R Chamonix HCX01 Beige Rect. 24"x24" . 60x60 cm



Chamonix HCX01 Beige Hexagon*



PRESSED COLLECTION

Outdoor



Chamonix 2

Chamonix2 HCX201 Beige 24"x24" . 60x60 cm



S8CX01MC Chamonix2 HCX201 Beige Pool Coping with modern edge 12"x24" . 30x60 cm



Chamonix HCX01 Beige Mosaic*

(sheet 12"x12" . 30x30 cm)

G8CX01MU Chamonix HCX01 Beige Muretto Brick* 12"x24" . 30x60 cm



Chamonix HCX01 Beige Bullnose 4"x24" . 10x60 cm

26 *More details on page. 60 *More details on page. 60

RECTIFIED COLLECTION

Indoor



G8CX05R

G9CX05R

Chamonix HCX05 Gray Rect.

Chamonix HCX05 Gray Rect.

Chamonix HCX05 Gray Hexagon*

(sheet 10"x12" 26x30 cm)

24"x24" . 60x60 cm

12"x24" . 30x60 cm

GCCX05R Chamonix HCX05 Gray Rect. 24"x48" . 60x120 cm



Chamonix HCX05 Gray Mosaic* (sheet 12"x12" . 30x30 cm)



G8CX05MU Chamonix HCX05 Gray Muretto Brick* 12"x24" . 30x60 cm



Chamonix HCX05 Gray Bullnose 4"x24" . 10x60 cm

Chamonix 2

PRESSED COLLECTION

Outdoor



Chamonix2 HCX205 Gray 24"x24" . 60x60 cm



S8CX05MC Chamonix2 HCX205 Gray Pool Coping with modern edge 12"x24" . 30x60 cm



T8CX05G30R Chamonix2 HCX305 Gray Pool Coping with modern edge 12"x24" . 30x60 cm 1.18" - 3 cm thick

Chamonix

RECTIFIED COLLECTION

Indoor



GCCX08R Chamonix HCX08 Dark Gray Rect. 24"x48" . 60x120 cm



Chamonix HCX08 Dark Gray Hexagon* (sheet 10"x12" 26x30 cm)



Chamonix HCX08 Dark Gray Rect. 12"x24" . 30x60 cm



G9CX08R Chamonix HCX08 Dark Gray Rect. 24"x24" . 60x60 cm





Chamonix HCX08 Dark Gray Mosaic*

(sheet 12"x12" . 30x30 cm)



12"x24" . 30x60 cm

Chamonix HCX08 Dark Gray Bullnose 4"x24" . 10x60 cm


Chamonix 2

PRESSED COLLECTION

Outdoor



Chamonix2 HCX208 Dark Gray 24"x24" . 60x60 cm



S8CX08MC Chamonix2 HCX208 Dark Gray Pool Coping with modern edge 12"x24" . 30x60 cm

West 57th

24"x24" 12"x24"

Indoor 8.5 mm



Outdoor 20 mm



Colored Body Porcelain Pavers and Stoneware

ANSI A 137.1 compliant



WALL / FLOOR



MODERATE



0.34 in | 0.79 in 8.5 mm | 20 mm



ASTM C 1026 RESISTANT



ASTM C 373 ~0.1%



ANSI A326.3: 2021. (DCOF 8.5 mm): ≥0,42 (DCOF 20 mm): ≥0,60



Management de la característica de como la la Profesión de la Companya de la como esta de la como esta de la c

HEAVY USE



| OSC 07 (II



West 57th

West 57th HWS10 Bianco - Indoor

HWS10 Bianco - IndoorHWS05 Gray - IndoorHWS210 Bianco - OutdoorHWS205 Gray - Outdoor

Graphics number

Sizes	West 57th HWS10 Bianco	West 57th HWS05 Gray
24"x24"	14	
12"x24"	38	48

Indoor P	ackaging			•				
Sizes		Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.	
12"x24"		8	15.54	61.40	32	497.28	1965.00	
12"x12"	mosaic	10	9.70	36.00	-	-	-	
12"x24"	muretto	4	7.75	29.73	-	-	-	
3"x24"	bullnose	10	-	-	-	-	-	

Outdoor Packaging Sizes Pieces Sq.Ft. Lbs. Boxes Sq.Ft. Lbs. 24"x24" 2 7.75 71.17 32 248.00 2277.30 12"x24" pool coping 2 3.87 35.58



See all indoor colors on our website



West 57th

24"x24" 12"x24"



West 57th

PRESSED COLLECTION

Indoor



G8WS10 West 57th HWS10 Bianco 12"x24" . 30x60 cm



West 57th HWS10 Bianco Muretto* 12"x24" . 30x60 cm



G3WS10MO West 57th HWS10 Bianco Mosaic* (sheet 12"x12" . 30x30 cm)



West 57th HWS10 Bianco Bullnose 3"x24" . 7,5x60 cm


West 57th 2

PRESSED COLLECTION

Outdoor



S9WS60U West 57th2 HWS210 Bianco 24"x24" . 60x60 cm



S8WS10MC West 57th2 HWS210 Bianco Pool Coping with modern edge 12"x24" . 30x60 cm

West 57th

PRESSED COLLECTION

Indoor



G8WS05 West 57th HWS05 Gray 12"x24" . 30x60 cm



West 57th HWS05 Gray Muretto* 12"x24" . 30x60 cm



G3WS05MO West 57th HWS05 Gray Mosaic* (sheet 12"x12" . 30x30 cm)



HWS05 Gray Bullnose 3"x24" . 7,5x60 cm


West 57th 2

PRESSED COLLECTION

Outdoor



S9WS55U West 57th2 HWS205 Gray 24"x24" . 60x60 cm



S8WS05MC West 57th2 HWS205 Gray Pool Coping with modern edge 12"x24" . 30x60 cm

34

Floor: Gotham2 HGO205 Gray 24"x24" - 12"x24" - 12"x12" Modular System

Gotham

24"x24" 12"x24"

Indoor 8.5 mm



Outdoor 20 mm



Glazed Porcelain Stoneware and Colored Body Porcelain Pavers

ANSI A 137.1 compliant



WALL / FLOOR



RANDOM



0.34 in | 0.79 in 8.5 mm | 20 mm



ASTM C 1026 RESISTANT



~0.1% ASTM C 650: CLASS A



ANSI A326.3: 2021. (DCOF 8.5 mm): ≥**0,42** (DCOF 20 mm): ≥**0,60**

ASTM C 1378: CLASS A



MEDIUM USE 8.5 mm



HEAVY USE 20 mm

Gotham



See all indoor colors on our website



Gotham GO10 Bianco - Indoor



Gotham GO05 Gray - Indoor HGO210 Bianco - Outdoor HGO205 Gray - Outdoor



Gotham GO08 Nero - Indoor HGO208 Nero - Outdoor

Graphics number

Sizes	Gotham GO10 Bianco	Gotham GO05 Gray	Gotham GO08 Nero
24"x24"	39	14	24
12"x24"	39	42	48

Indoor Packaging								
Sizes		Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.	
12"x24"		8	15.54	61.40	32	497.28	1965.00	
12"x12"	mosaic	10	9.70	35.82	-	-	-	
12"x12"	intreccio	10	9.70	35.82	-	-	-	
3"x12"	bullnose	20	-	-		-	-	

Outdoor Packaging								
Sizes		Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.	
24"x24"		2	7.75	71.17	32	248.00	2277.30	
12"x24" pool	oping	2	3.87	35.58	-	-	-	

Outdoor Modular Pattern Packaging

	Module	Module		Sold in increments of		
Formats	pieces	Sq.Ft.	pieces	Sq.Ft.		
12"x12"	1	0.97	6	5.82		
12"x24"	1	1.94	6	11.64		
24"x24"	1	3.87	6	23.22		
Total	3	6.78	18	40.70		

Gotham

24"x24" 12"x24"



Stone Effect

Gotham

PRESSED COLLECTION

PRESSED COLLECTION

Gotham 2

PRESSED COLLECTION

Gotham

Gotham 2

PRESSED COLLECTION

Outdoor

PRESSED COLLECTION

Indoor

Gotham

Gotham 2

PRESSED COLLECTION

Outdoor

Gotham 2 Layout

Modular Pattern

RECTIFIED COLLECTION

MSGO55MOD

24"x24" . 60x60 cm

12"x24" . 30x60 cm

12"x12" . 30x30 cm

Gotham2 HGO205 Gray Rect.

Gotham2 HGO205 Gray Rect.

Gotham2 HGO205 Gray Rect.

installation in a modular pattern.

These items are supplied rectified and ready for

Product will be invoiced as 3 separate items.

According to the quantities required, as per the table.

Indoor



63GO10 Gotham GO10 Bianco 12"x24" . 30x60 cm

Outdoor



S9GO60U Gotham2 HGO210 Bianco 24"x24" . 60x60 cm



Indoor

63GO08 Gotham GO08 Nero 12"x24" . 30x60 cm



S9GO58U Gotham2 HGO208 Nero 24"x24" . 60x60 cm




63GO05 Gotham GO05 Gray 12"x24" . 30x60 cm



S9GO55U Gotham2 HGO205 Gray 24"x24" . 60x60 cm




32GO10MO Gotham GO10 Bianco Mosaic* (sheet 12"x12" . 30x30 cm)



S8GO10MC Gotham2 HGO210 Bianco Pool Coping with modern edge 12"x24" . 30x60 cm



32GO08MO Gotham GO08 Nero Mosaic* (sheet 12"x12" . 30x30 cm)



S8GO08MC Gotham2 HGO208 Nero Pool Coping with modern edge 12"x24" . 30x60 cm



32GO05MO Gotham GO05 Gray Mosaic* (sheet 12"x12" . 30x30 cm)



S8GO05MC Gotham2 HGO205 Gray Pool Coping with modern edge 12"x24" . 30x60 cm



Gotham GO10 Bianco Intreccio* (sheet 12"x12" . 30x30 cm)




T8GO10G30R Gotham2 HGO310 Bianco Pool Coping with modern edge 12"x24" . 30x60 cm 1.18" - 3 cm thick*



32GO08IN Gotham GO08 Nero Intreccio* (sheet 12"x12" . 30x30 cm)



32GO05IN Gotham GO05 Gray Intreccio* (sheet 12"x12" . 30x30 cm)



T8GO05G30R Gotham2 HGO305 Gray Pool Coping with modern edge 12"x24" . 30x60 cm 1.18" - 3 cm thick





13GO10 Gotham GO10 Bianco Bullnose 3"x12" . 8x30 cm






Gotham GO08 Nero Bullnose 3"x12" . 8x30 cm



Gotham GO05 Gray Bullnose 3"x12" . 8x30 cm




*More details on page. 60 40 *More details on page. 60



Nature

24"x48" 24"x24" 12"x24" 4"x12"

Indoor 8.5 mm



Outdoor 20 mm



24"x24" . 60x60 cm

Colored Body Porcelain Pavers and Stoneware

ANSI A 137.1 compliant



WALL / FLOOR



MODERATE



0.34 in | 0.79 in 8.5 mm | 20 mm



ASTM C 1026 RESISTANT



~0.1% ASTM C 650: CLASS A
ASTM C 1378: CLASS A



ANSI A326.3: 2021. (DCOF 8.5 mm): ≥**0,42** (DCOF 20 mm): ≥**0,60**



HEAVY USE

Nature



See all indoor colors on our website



Nature

NA05 Dolomite - Indoor NA20 Carrara - Indoor HNA220 Carrara - Outdoor HNA205 Dolomite - Outdoor


Nature

Graphics number

Sizes	Nature NA20 Carrara	Nature NA05 Dolomite
24"x48"	8	8
24"x24"	16	16
12"x24"	32	32

Indoor P	ackaging			,			
Sizes		Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
24"x48"		2	15.50	61.00	36	558.00	2236.00
24"x24"		6	23.25	91.50	24	558.00	2236.00
12"x24"		8	15.50	61.40	32	496.00	1932.48
4"x12"		36	11.65	46,45	40	466.00	1858.00
12"x12"	mosaic	10	9.70	-	-	-	-
10"x12"	hexagon	10	8.40	-	-	-	-
4"x24"	bullnose	10	-	-	-	-	-

Outdoor Packaging Lbs. Sq.Ft. Boxes Sq.Ft. 24"x24" 248.00 2277.30 12"x24" pool coping 2 3.87 35.58



Nature

RECTIFIED COLLECTION



80NA20R Nature NA20 Carrara Rect. 24"x48" . 60x120 cm



60NA20R Nature NA20 Carrara Rect. 24"x24" . 60x60 cm



32NA20MO Nature NA20 Carrara Mosaic* (sheet 12"x12" . 30x30 cm)



Nature NA20 Carrara Bullnose 4"x24" . 10x60 cm



Nature NA20 Carrara Rect.

Nature NA20 Carrara Rect.

Nature NA20 Carrara Hexagon*

(sheet 10"x12" . 26x30 cm)

4"x12" . 10x30 cm

12"x24" . 30x60 cm





S8NA20MC



PRESSED COLLECTION

Outdoor



24"x24" . 60x60 cm

Nature2 HNA220 Carrara Pool Coping with modern edge 12"x24" . 30x60 cm



RECTIFIED COLLECTION

Indoor



80NA05R Nature NA05 Dolomite Rect. 24"x48" . 60x120 cm



60NA05R Nature NA05 Dolomite Rect. 24"x24" . 60x60 cm



32NA05MO Nature NA05 Dolomite Mosaic* (sheet 12"x12" . 30x30 cm)



Nature NA05 Dolomite Bullnose 4"x24" . 10x60 cm



80NA05S MADE IN ITALY Nature NA05 Dolomite Polished Rect. 24"x48" . 60x120 cm



63NA05R Nature NA05 Dolomite Rect. 12"x24" . 30x60 cm



Nature NA05 Dolomite Rect. 4"x12" . 10x30 cm



32NA05HEX1 Nature NA05 Dolomite Hexagon* (sheet 10"x12" . 26x30 cm)

Nature 2

PRESSED COLLECTION

Outdoor



S9NA05 Nature2 HNA205 Dolomite 24"x24" . 60x60 cm




S8NA05MC Nature2 HNA205 Dolomite Pool Coping with modern edge 12"x24" . 30x60 cm



Essential

24"x48" 24"x24" 12"x24" 4"x12"

Indoor 8.5 mm



Outdoor 20 mm



24"x24" . 60x60 cm

Colored Body Porcelain Pavers and Stoneware

ANSI A 137.1 compliant



WALL / FLOOR



MODERATE



0.34 in | 0.79 in 8.5 mm | 20 mm



ASTM C 373



ASTM C 650: CLASS A
ASTM C 1378: CLASS A



ANSI A326.3: 2021. (DCOF 8.5 mm): ≥**0,42** (DCOF 20 mm): ≥**0,60**



HEAVY USE



Essential HET01 Beige - Indoor HET201 Beige - Outdoor



Essential HET10 White - Indoor HET210 White - Outdoor



Essential HET05 Gray - Indoor HET205 Gray - Outdoor



Essential HET08 Graphite - Indoor HET208 Graphite - Outdoor

Graphics number

Sizes	Essential HET01 Beige	Essential HET10 White	Essential HET05 Gray	Essential HET08 Graphite
24"x48"	10	10	10	10
24"x24"	20	20	20	20
12"x24"	40	40	40	40

Indoor Packaging								
Sizes		Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.	
24"x48"		2	15.50	61.00	36	558.00	2236.00	
24"x24"		6	23.25	91.50	24	558.00	2236.00	
12"x24"		8	15.50	61.40	32	496.00	1932.48	
4"x12"		36	11.65	46,45	40	466.00	1858.00	
12"x24"	essential design	8	15.50	61.40	32	496.00	1932.48	
12"x12"	mosaic	10	9.70	-	-	-	-	
12"x12"	card mosaic	10	9.70	-	-	-	-	
4"x24"	bullnose	10	-	-	-	-	_	

Outdoor Packaging							
Sizes	Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.	
24"x24"	2	7.75	71.17	32	248.00	2277.30	
12"x24" pool coping	2	3.87	35.58	-	-	-	

24"x48" 24"x24" 12"x24" 4"x12"



Essential

RECTIFIED COLLECTION

Indoor



GCET01R Essential HET01 Beige Rect. 24"x48" . 60x120 cm

Essential HET01 Beige Rect.

Essential HET01 Beige Rect.

Essential HET01 Beige Card Mosaic*

12"x24" . 30x60 cm

4"x12" . 10x30 cm

G8ET01R

G3ET01MOC

1^{3/16}"x4" . 3x10 cm

(sheet 12"x12" . 30x30 cm)



G9ET01R Essential HET01 Beige Rect. 24"x24" . 60x60 cm



G3ET01MO Essential HET01 Beige Mosaic* 1^{3/8}"x1^{3/8}" . 3,5x3,5 cm (sheet 12"x12" . 30x30 cm)



Essential HET01 Beige Bullnose 4"x24" . 10x60 cm

Essential 2

PRESSED COLLECTION

Outdoor



S9ET01 Essential2 HET201 Beige 24"x24" . 60x60 cm



S8ET01MC Essential2 HET201 Beige Pool Coping with modern edge 12"x24" . 30x60 cm



Essential

RECTIFIED COLLECTION



GCET10R Essential HET10 White Rect. 24"x48" . 60x120 cm



G9ET10R Essential HET10 White Rect. 24"x24" . 60x60 cm



G3ET10MO Essential HET10 White Mosaic* 1^{3/8}"x1^{3/8}" . 3,5x3,5 cm (sheet 12"x12" . 30x30 cm)



Essential HET10 White Bullnose 4"x24" . 10x60 cm



PRESSED COLLECTION

Outdoor



S9ET10 Essential2 HET210 White 24"x24" . 60x60 cm



S8ET10MC Essential2 HET210 White Pool Coping with modern edge 12"x24" . 30x60 cm



30ET10

G8ETDESIGNR

Essential Design Rect.

12"x24" . 30x60 cm

The Design decoration can be used in both wall and floor tiles, and also in combination with the Woodland series.

Essential HET10 White Rect.

G8ET10R Essential HET10 White Rect. 12"x24" . 30x60 cm



G3ET10MOC Essential HET10 White Card Mosaic* 1^{3/16}"x4" . 3x10 cm (sheet 12"x12" . 30x30 cm)

Essential

RECTIFIED COLLECTION

Indoor



G8ETDESIGNR

30ET05

G8ET05R

G3ET05MOC

Essential Design Rect.

12"x24" . 30x60 cm

The Design decoration can be used

in both wall and floor tiles, and also

Essential HET05 Gray Rect.

Essential HET05 Gray Rect.

Essential HET05 Gray Card Mosaic*

(sheet 12"x12" . 30x30 cm)

12"x24" . 30x60 cm

4"x12" . 10x30 cm

in combination with the Woodland series.

GCET05R Essential HET05 Gray Rect. 24"x48" . 60x120 cm



G9ET05R Essential HET05 Gray Rect. 24"x24" . 60x60 cm



G3ET05MO Essential HET05 Gray Mosaic* (sheet 12"x12" . 30x30 cm)



Essential HET05 Gray Bullnose 4"x24" . 10x60 cm

Essential 2

PRESSED COLLECTION

Outdoor



S9ET05 Essential2 HET205 Gray 24"x24" . 60x60 cm



S8ET05MC Essential2 HET205 Gray Pool Coping with modern edge 12"x24" . 30x60 cm



RECTIFIED COLLECTION

Indoor



GCET08R Essential HET08 Graphite Rect. 24"x48" . 60x120 cm



G3ET08MO Essential HET08 Graphite Mosaic (sheet 12"x12" . 30x30 cm)



G3ET08MO Essential HET08 Graphite Mosaic* (sheet 12"x12" . 30x30 cm)



Essential HET08 Graphite Card Mosaic* (sheet 12"x12" . 30x30 cm)

Essential 2

PRESSED COLLECTION

Outdoor



S9ET08 Essential2 HET208 Graphite 24"x24" . 60x60 cm



S8ET08MC Essential2 HET208 Graphite Pool Coping with modern edge 12"x24" . 30x60 cm



Essential Design Rect. 12"x24" . 30x60 cm

The Design decoration can be used in both wall and floor tiles, and also in combination with the Woodland series.



30ET08 Essential HET08 Graphite Rect. 4"x12" . 10x30 cm



G8ET08R Essential HET08 Graphite Rect. 12"x24" . 30x60 cm





Essential HET08 Graphite Bullnose 4"x24" . 10x60 cm


20 mm thick



Sizes		Page
16"x32"	New England 2	4
	Quartzite 2	14
12"x24"	New England 2	4
	Chamonix 2	22
	West 57th 2	30
	Gotham 2	36
	Nature 2	42
	Essential 2	48

Pool Coping with modern edge 30 mm thick

MADE IN ITALY





Sizes		Page
12"x24"	Chamonix 2 (Bianco - Gray)	22
	Gotham 2 (Bianco - Gray)	36

Cleaning and Maintenance



58

Technical characteristics

Key to symbols

TECHNICAL CHARACTERISTICS AND STANDARDS OF REFERENCE

Our first choice porcelain tiles are compliant with ISO 13006 & ANSI A137.1

Therefore they must not be perfect (which is impossible for any industrial product) but fall within the tolerances defined by the standard. The valuation of the appearance of the tiles shall be performed, as defined by the standard, placing tiles on a viewing board and examining it (perpendicularly) from a distance of at least 1 meter (3.3 feet). Defects of tiles can be of two types: noticeable (already visible before setting, such as color differences, surface defects, fractures, etc) or hidden (not visible before setting). Claims about noticeable defects may be made only before tiles are installed, allowing the manufacturer to replace any defective material. However, if the buyer or tile installer decides to proceed with installation, the responsibility of the manufacturer is invalidated. No claims will be accepted regarding installed product.

Responsibility for hidden defects remains with the producer if these are notified within the legal time limits.

Catalogs indicate nominal size, not actual size.

RECOMMENDATIONS FOR USE

No laboratory test, however efficient it may be, is sufficient to determine the durability of a product. Apart from the obvious factor of the number of foot contacts, durability can also be influenced by the technical characteristics of the product, location of the installation and the possible presence of abrasive agents. We therefore recommend not only that products should be chosen with resistance characteristics that are sufficient for the intended use, as shown in the following chart, but also that floors should be protected against sand, grit and other abrasives with the use, for example, of mats.

See www.delconcausa.com/download/edpceramictile.pdf to download the EPD report covering Del Conca USA products.

SHADE VARIATIONS

LOW

Uniform colour with only minimal differences between tiles in the same production run.



MODERATE

Clearly distinguishable differences in texture and pattern within the same production run.



HIGH

Significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material.



RANDOM

Random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material.

RECOMMENDED USE



Recommended for floors for medium-light use, as in private homes, with the exception of kitchens and rooms with direct outdoor access.



Recommended for all rooms in the house and for business premises with medium use.



Recommended for all rooms indoors and outdoors and for business

ANSI A 137.1

Colored Body Porcelain Stoneware Glazed Porcelain Stoneware

		Established limits	Performances	Norms
•	Water absorption	≤ 0,5%	~ 0,1%	ASTM C 373
*	Breaking strength (1)	≥ 250 lbf.	Conforms	ASTM C 648
*	Resisitance to freeze-thaw cycling	Resistant	Frost proof	ASTM C 1026
*	Resistance to thermal shock	Resistant	Resistant	ASTM C 484
N.	Slip resistance (DCOF)	≥ 0,42	Only for Natural Surface Conforms	ANSI A326.3: 2021. (DCOF)
	Chemical resistance	As reported	Class: A	ASTM C 650
*	Stain resistance	As reported	Class: A	ASTM C 1378

Reference values valid for almost all our collections. Browse through our website for further specifications.

(1) It states the resistance of a sample piece, leaning on three spots, to a concentrated load placed in the middle.

ANSI A 137.1

due 🛭

Colored Body Porcelain Pavers 20 mm thick

		Established limits	Performances	Norms
<u> </u>	Water absorption	≤ 0,5%	~ 0,1%	ASTM C 373
<u> </u>	Breaking strength (1)	≥ 250 lbf.	~3000 lbf.	ASTM C 648
K	Frost resistance	Resistant	Resistant	ASTM C 1026
	Resistance to thermal shock	Resistant	Resistant	ASTM C 484
↓ • •	Average breaking load for raised floor installation (2)		Classe 1 16"x32" : > 4 kN 24"x24" :> 4 kN Classe 2 16"x48" :> 6 kN	EN 12825*
	Mechanical strength (3)		16"x48" : U3 16"x32" : U4 24"x24" : U7	EN 1339-F*
<u>*</u>	Slip resistance (DCOF)	≥ 0,42	≥ 0,60	ANSI A326.3: 2021. (DCOF)
<u> </u>	Chemical resistance	As reported	Class: A	ASTM C 650
je H	Stain resistance	As reported	Class: A	ASTM C 1378
	Recommended use			

* Tests carried out on a different type from that for which the standard is issued

(1) It states the resistance of a sample piece, leaning on three spots, to a concentrated load placed in the middle.

(2) It shows the resistance, on raised floor laying as suggested by the catalogue, to a concentrated load applied in the middle.


(3) It shows the breaking resistance through bending of the product in full size. The load is applied through a horizontal cylinder placed in the middle.

Tech

12" (30 cm)


Available on series:

New England Quartzite Chamonix Nature Essential 2"




Available on series:

Gotham




Available on series:

West 57th




Available on series:

Essential



Available on series:

New England



Available on series:

Quartzite

3^{7/8}"
12" (31 cm)

(85 (31 cm))

Available on series:

New England


Hexagon



Available on series:

Chamonix Nature Intreccio






Available on series:

Gotham

Muretto Brick

116/8" 37/8" 77/8"




Available on series:

Chamonix

Muretto

12"



Available on series:

West 57th

60

Mosaics and Muretto sizes

Terms and conditions of sale

- 1. These Terms and Conditions of Sale shall apply to all orders and contracts entered into by Del Conca USA, Inc. (the "Seller" or "Del Conca") and the Purchaser for the sale of products manufactured or distributed by Del Conca USA (the "Products") unless Seller otherwise specifically agrees in writing. By placing any order for Products, the Purchaser agrees to these Terms and Conditions of Sale. Any other terms or conditions which may at any time be indicated by the Purchaser, in the Purchaser's order form or otherwise (whether oral, typed, written or printed) shall be null and void and of no effect, even if not expressly objected to by the Seller.
- **2.** All prices are stated in U.S. Dollars per square foot or per piece unless otherwise noted.
- 3. Prices are for first choice material only.
- **4.** Full Truckload (FTL) prices are applied only to orders for shipment of at least 43,000 pounds (including pallet weight) from the Loudon, TN factory and comprised exclusively of materials stored at that specific facility.
- **5.** All pricing is calculated FOB Factory (Loudon, TN), excluding transportation and shipping charges, taxes, fees and custom duties.
- 6. The Purchaser shall make all payments pursuant to the invoices issued by the Seller, notwithstanding any claim for any alleged defect, fault or irregularity in the Products. Unless otherwise specifically agreed by the Seller in writing, payment by the Purchaser is due upon receipt of Seller's invoice. Invoice for FTL shall be payable within 30 days from the issuance of the invoice. In the event of any delay in payment, the Seller shall have the right to suspend deliveries and may, at its option (i) require immediate payment of all or any part of any and all sums owed by the Purchaser, irrespective of any credit terms previously agreed to, and (ii) terminate the Contract (as well as any and all other contracts with the Purchaser) in whole or in part, and hold the Purchaser liable for damages. In addition, in the event the Seller does not receive full payment by the due date, the Purchaser shall pay to the Seller interest on the unpaid amount, from the due date to the date payment is actually received by the Seller, at the monthly rate of interest of one and one half percent (1 1/2%), but not to exceed the highest amount allowed by law. Seller's right to such interest shall be in addition to, and not in lieu of, all other rights and remedies arising by reason of such nonpayment. Any payment received by the Seller may be applied to any outstanding balance owed by the Purchaser to the Seller, as the Seller, in its sole discretion, may determine, any instructions of the Purchaser to the contrary notwithstanding.
- **7.** Del Conca USA reserves the right to apply a surcharge on orders comprising non-full pallets.

- 8. All orders are subject to availability. No order of the Purchaser will be binding upon Del Conca USA unless accepted by Del Conca USA on Del Conca USA's form of Order Confirmation, signed by an officer or employee of Del Conca USA duly authorized to sign on behalf of Del Conca USA, and then only as and to the extent set forth in such Order Confirmation. Del Conca USA reserves the right to reject any order in whole or in part. Any term, condition or provision set forth in Seller's Order Confirmation which is not objected to by the Purchaser in writing within ten days after the date thereof will conclusively be deemed to have been accepted by the Purchaser. Every order of the Purchaser will be binding on the Purchaser unless and until it is rejected in writing by the Seller, and may not be cancelled, withdrawn or modified by the Purchaser; however, in the event of a partial acceptance by the Seller, the Purchaser will no longer be bound with respect to the parts of the order not accepted by the Seller.
- **9.** Purchaser will take delivery of the Products at the Seller's premises ("ex factory"). Unless otherwise specifically agreed by Seller in writing: (i) all risk of loss or damage to the Products shall pass to the Purchaser upon delivery of the Products by the Seller to a carrier; (ii) the Seller shall not be required to procure insurance to cover the Products during transportation in shipment; (iii) any shipping arrangements made by the Seller with carriers or forwarding agents at the Purchaser's request shall be made solely on the Purchaser's behalf and at the Purchaser's sole cost and risk; (iv) any agent appointed for such shipment shall be solely the Purchaser's agent for all purposes; (v) the Purchaser shall be responsible for all the unloading and receipt of the Products at its destination; and (vi) any claim for loss or damage shall be made by the Purchaser solely against the carrier.
- 10. Any delivery dates specified by the Seller will be deemed to be estimates only, unless specific commitments are made in writing by the Seller. In no event is the time of delivery of the Products of the essence. The Seller reserves the right to cancel, in whole or in part, or to suspend or delay, in whole or in part. any orders due to (i) shortages of, or failures of Seller's suppliers to deliver, or delays of Seller's suppliers in delivering materials, (ii) work stoppages or other labor troubles, (iii) acts of God or (iv) any event in the nature of force majeure or beyond Seller's control. Delivery dates will be extended by the amount of any additional time required by the Seller to make delivery as a result of any such condition or event. The Seller also reserves the right to discontinue particular Products or lines of Products, or to substitute other Products or lines, in response to production and market requirements and demands. The Purchaser waives any and all claims and rights which the Purchaser might otherwise have arising out of or in connection with or relating to any delay in delivery of the Products for any reason whatsoever or any failure of the Seller to deliver by reason of the exercise by the Seller of any of its rights pursuant to these Terms and Conditions of Sale, including, without limitation, any and all claims for or rights to direct, indirect, incidental, consequential or other damages or compensation, and any and all rights to terminate or cancel the order, in whole or in part.

- 11. Product representations made in photographs, catalogs, advertisement, sampling and online formats as well as in any other publications are indicative of the product only. Variations in color finish and size can occur and the Seller does not warrant the uniformity of color, tone or shade of the Products or the conformity of the Products to the color, tone or shade of any sample. It is Purchaser's responsibility to verify the suitability of the material before installation.
- **12.** Any Product return shall be previously authorized by Del Conca USA and returned products must be accompanied by an approved Return Authorization form and is subject to a 25% handling charge. Freight for the return is the responsibility of the Purchaser.
- 13. Limited Warranty / Product Claims: Del Conca USA warrants that its first choice, domestically produced ceramic tile is manufactured according to ANSI A137.1 and meets or exceeds these requirements. If a first choice tile purchased by the Purchaser pursuant to these Terms and Conditions of Sale is proven to contain a manufacturing defect, Del Conca USA will supply, free of charge, material of compatible color and shade, as determined by Del Conca USA. Labor charges are expressly excluded from this warranty. The Purchaser waives any and all other claims and rights which the Purchaser might otherwise have arising out of or in connection with or relating to any breach of warranty or arising out of or in connection with or relating to any defect, fault or irregularity in the Products, including, without limitation, any and all claims for or rights to direct, indirect, incidental, consequential or other compensation or damages, and any and all rights to terminate or cancel the order, in whole or in part.
- **14.** Del Conca USA makes no warranty as to the suitability of its tile for a particular installation. Del Conca USA does not warrant that its glazed or unglazed tile will not scratch, chip, or show signs of wear.
- 15. Del Conca USA must be notified by the Purchaser of any claims or defects as soon as reasonably possible, but in any case not later than six months after the Products have been delivered by Del Conca USA. Any claim of the Purchaser of any and every kind must be in writing and sent by certified mail, return receipt requested. Failure to make any claim in such manner or within such six month period shall constitute an irrevocable acceptance of the Products.
- **16.** Claims concerning shade, appearance, caliber, finish or obvious defects in first choice production must be communicated before the tile is installed. No claims will be accepted for tile already installed or for defects in other than first choice material.
- **17.** Del Conca USA specifically excludes liability for consequential or incidental damages except where exclusion of consequential damage is not permitted by state law.

- **18.** This limited warranty shall constitute the full extent of Del Conca USA's liability and is in place of all other warranties or representations, express or implied, including, without limitation, any warranty of merchantability or fitness for a particular purpose.
- 19. Until the Seller collects in full all amounts required to be paid by the Purchaser for the Products, as well as any and all other amounts owed by the Purchaser to the Seller, the Seller retains title to the Products, and shall have a first and senior purchase money security interest in, an lien on, the Products and all proceeds thereof, under the Uniform Commercial Code as in effect in the United States, to secure the payment of all such amounts. By placing an order with the Seller, the Purchaser authorizes the Seller to file any and all financing statements with respect to such security interest which Seller may deem necessary or desirable. The Purchaser shall, at the request of the Seller, execute any and all financing statements and other documents which the Seller may request to perfect or evidence such title and such security interest.
- **20.** In the event the Seller retains a collection agency to collect any amount owed by the Purchaser, or institutes proceedings to collect such amount or to enforce any right against the Purchaser, including enforcement of any security interest granted to the Seller, the Purchaser shall reimburse the Seller for all collection agency fees and costs, or all costs incurred in such legal proceedings, including reasonable attorneys' fees.
- **21.** The Parties agree that the laws of the State of Tennessee (without giving effect to principles of conflicts of law), to the exclusion of the laws of any other state, shall be applicable to all orders or contracts entered into pursuant to this Terms and Conditions of Sale, their construction, interpretation, effect, performance or non-performance or the consequences thereof. For all disputes or controversies which may arise between the Parties out of or in connection with all orders or contracts entered into pursuant to this Terms and Conditions of Sale, their construction, interpretation, effect, performance or non-performance or the consequences thereof, the Parties hereby consent to the jurisdiction of the courts in the State of Tennessee, and agrees that such courts, to the exclusion of all other courts, shall have exclusive jurisdiction with respect to any and all such disputes and controversies.

oz i mad, ii wiele ei ii parti



For further information, please visit www.delconcausa.com

The company reserves the right to make any change to products and features shown in this catalogue.

All colors are purely a guide.

Any kind of copy of this catalogue, even partial reproduction, is prohibited.

© 2023 Del Conca USA, Inc. All rights reserved.

ECEMBER / 2023



Del Conca USA, Inc. - 155 Del Conca Way Loudon, TN 37774 - USA

Tel 865.657.3550 - Fax 865.657.3554 www.delconcausa.com - sales@delconcausa.com