

GH6000E/3 7.5kVA HONDA

7.5kVA
HONDA
GH6000E/3



ENGINE

MANUFACTURER	Honda
ENGINE MODEL	GX390E
TYPE & CYLINDER	O.H.V.
STARTING	Recoil & Electric
RUN TIME	2.6hr @ 100%, 3.8hr @ 60% load
FUEL	Unleaded Petrol
CUBIC CAPACITY	389 cm ³
HP 3000 RPM CONT	8.0HP
OIL CAPACITY	1.1L

TECHNICAL

MODEL	GH6000E/3
TYPE	Portable
FREQUENCY	50Hz
PHASE/VOLTAGE	3/415

SPEED	POWER		NOISE LEVEL	FUEL CAPACITY	CONTINUOUS OUTPUT
	Max Power		dBA @7m see *1		
	kW	kVA	dBA		
3000RPM	6.0	7.5	72	6.1L	7.5kVA

ADDITIONAL INFO

OUTLETS	1 x 10amp 415V 2 x 15amp 240V outlets switched with thermal overload
FRAME	Extra large roll frame

DIMENSIONS

LENGTH	87cm
WIDTH	70cm
HEIGHT	60cm
WEIGHT	75kg

ALTERNATOR

ALTERNATOR BRAND	Mecc Alte
TYPE	Brushless
HARMONIC DISTORTION	Less than 5%
INSULATION CLASS	Class H

OPTIONS

- Hire Spec: 2 x IP56 rated outlets, circuit breaker & RCD protection.
- 2 or 4 wheel kit
- Extra large roll frame
- Long Range Tank