





### **Across 6 countries**


- Violent deaths and maltreatment-related injuries:
  - · tip of the iceberg
  - similar rates (<2-fold variation, except for USA)
  - 2 to 10-fold variation for child protection agency indices





# Overview: 1. Healthcare in perspective 2. Taking a population perspective 3. Child life course – changing presentations 4. Health care contact with the family
































Whole system - perspective from a central London general hospital ▲ UCL


Since 2003 all staff trained:


- · to recognise children who need safeguarding
- to ask adults presenting due to:
  - violence
  - drug or alcohol misuse
  - · mental health problems


....about children at home

· to notify children's social care services if concerned

Unpublished data







## UC

25

# Increasing but still under-recording

	Coded in THIN (% in 2010)	Community incidence (% per year)
Maltreatment	0.8	4-10
Child protection plan	0.2	0.4
Referral to social care	0.1	5.6

- Recorded 'hard' outcomes eg physical abuse
- <u>Discussed</u> emotional abuse and neglect recognised and managed through knowing/supporting parents

Woodman et al. Plos One 2012; qualitative unpublished

# **Acknowledgements**



Arturo Gonzalez-Izquierdo, Jenny Woodman, Andrew Woolley, Annie Herbert, Alli Ward, Joseph Lee, Pia Hardelid

Key collaborators: Irene Petersen, John Fluke, Melissa O'Donnell, Marni Brownell, Pauline Gulliver, Staffan Janson, Marian Brandon, June Thoburn

Funders: Depts of Health (through the Children's Policy Research Unit); NSPCC

### ALC:

# The way forward for health services.....

- Respond to varied manifestations of maltreatment and its consequences across the child life course
- Whole system parents and children primary care at the core
- Need effective, community-based therapeutic responses for <u>parents and children</u>