

DOT FREE WITH OUR ALUMINIUM EXTRUSION



120 LEDs PER METRE



120 LED STRIP



DOT FREE STRIP

9.6W/M

50K
LIFESPAN (HRS)

120°
BEAM ANGLE

1 YEAR WARRANTY

CE & ROHS

IP65

DIMMABLE

24V

2835 SMD

CRI 90

FEATURES & BENEFITS

- 120 LEDs Per metre
- Dot Free LED Strip
- 24V Super Bright LED Strip
- IP65 rated
- Dimmable
- Commercial grade high quality
- Long lasting premium LED Strip
- Suitable for professional installations
- 30M Reel
- 100mm cutting space
- Constant Voltage
- Available in Warm White 3000K & Cool White 4000K
- 1 year warranty (It is recommended Aluminium Extrusion is used on all LED Strip installs to prevent premature failure. Warranty will be extended to 2 years if installed with Aluminium Extrusion)

COMPATIBLE CONTROLLERS



RF 8 ZONE LED STRIP
REMOTE CONTROL



MULTI RF CONTROLLER

SPECIFICATIONS


Product Code	Power	Colour	Lumens	Cutting Space	Dimensions
BI120-3K-IP65	9.6W/m	3000K	1020lm/m	50mm	10 x 30000
BI120-4K-IP65	9.6W/m	4000K	1040lm/m	50mm	10 x 30000
BI120-6K-IP65	9.6W/m	6000K	1080lm/m	50mm	10 x 30000



2 Pin, 10mm
End Connector



10mm Single
End Connector



10m Double
End Connector



2m Double
End Connector

9.6W/M 24V LED STRIP ACCESSORIES

DRIVER REFERENCE TABLE

It is recommended to run a maximum of 10 metres continuously to avoid any voltage drop and leave a 20% tolerance on a driver. For further information about the 24V DC LED Drivers see pages 81-83

12W		1M
15W		1.3M
30W		2.6M
60W		5.2M
100W		8.6M
150W		13M
200W		17.3M
250W		21.7M
300W		26M

SPECIFICATIONS

Product Code	Description
CD-SEND	10mm Single End Connector
CD-DEND	10mm Double End Connector
CD-DEND-2M	2 Metre Double End Connector
BLK-S-CTR-10MM	2 Pin, 10mm Connector for Single Colour Silicone Coating IP65 LED Strip