

# POLY CLEANER™

Ideal to eliminate traces of epoxy, polyurethane, silicone, and other polymers

Excellent alternative to solvents

## CHARACTERISTICS

High performance cleaner

Fresh citrus scent

Cleans and degreases in one step

Very low viscosity

**VOC FREE**  
PRODUCT



**PRODUIT SANS COV**

**APPROVED / APPROUVÉ**

## DESCRIPTION

POLY CLEANER™ is a VOC-free, high-performance cleaner specially formulated by POLYMÈRES TECHNOLOGIES to easily clean residues of CHILL EPOXY™ products. This unique system is effective against any resin spill or trace, whether on a work surface (counter tops, desks, floors, etc.) or on tools, spatulas, and containers.

POLY CLEANER™ is an excellent alternative to solvent-based products such as alcohol, acetone, petroleum, white spirit, or any other harmful chemicals.

## INSTRUCTIONS

### PREPARATION

Always test before use. **Do not use this product on plastic surfaces (ABS, PVC, styrene, and other similar materials).**

### USAGE

Apply this product to a clean cloth and wipe the stained area. If the resin is almost or completely polymerized, apply a cloth soaked with POLY CLEANER™ to the affected area and let rest for 24 hours at 22°C (72°F).

### STORAGE

Store POLY CLEANER™ on a pallet or shelf at 22°C (72°F) with a relative humidity of less than 60%.



Available in 1L and 4L sizes

Contact

POLYMÈRES TECHNOLOGIES

for more information:

support@polymerestechologies.com

**CHILL EPOXY™**  
By Polymères Technologies

### TYPICAL PROPERTIES (AT 22 °C/72 °F)

VISCOSITY	Brookfield (cps)	45 cps at 22°C (72°F)
CONSISTENCY		Liquid
DENSITY	g/cm <sup>3</sup>	0.99 g/cm <sup>3</sup>
COLOR		Transparent

## PRECAUTIONS

- Consult material safety data sheet prior to use.
- Normal health and safety measures should be observed when handling this product.
- Ensure good ventilation.
- Wear gloves, safety glasses, and protective clothing.
- Once the container is opened, POLYMÈRES TECHNOLOGIES can no longer be held responsible for this product.
- Shelf life of product in original closed containers is one (1) year.

It is recommended to follow provincial and federal safety regulations. In case of eye contact, rinse well with water. In case of skin contact, rinse with soap and water. Keep away from children.

#### GUARANTEE

Having no control over the use and application of this product, the manufacturer and/or distributor cannot guarantee the result obtained. The warranty is therefore limited to the replacement of a product that the user has demonstrated to the satisfaction of the manufacturer and distributor that it is actually defective. Before using this product, the user must ensure that the product is suitable for its intended use. Only the user assumes the risks related to this use. The user must ensure that this product meets his needs by conducting tests in the short, medium and long term to validate the results and in the conditions of use and according to the instructions provided. This limited warranty excludes all liability for consequential, incidental or special damages. Except as described above, the user expressly acknowledges and accepts at the time of the purchase of this product that the manufacturer and / or distributor disclaims any other liability and any other express or implied warranty of quality and an implied warranty of quality of the material are expressly excluded.

[sales@polymerestechnologies.com](mailto:sales@polymerestechnologies.com)

6330 Boulevard Laurier O, Saint-Hyacinthe, QC J2S 9A7

+1 (450) 250-3058

CHILL  
**EPoxy™**