

Certificate of Analysis

Sample:KN30808001-001
Batch#: N/A
Batch Date: 07/20/23
Sample Size Received: 8 gram
Retail Product Size: 20 units
Ordered : 08/02/23
Sampled : 08/02/23
Completed: 08/10/23

PASSED

Page 1 of 1

Aug 10, 2023 | Empire Shopping Network

1601 N. Glenville Dr
Richardson, TX, 75081, US


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
NOT TESTED



Heavy Metals
NOT TESTED



Microbials
NOT TESTED



Mycotoxins
NOT TESTED



Residuals Solvents
NOT TESTED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Potency

PASSED



Total THC
0.2412%
Total THC/Gummy : 48.24 mg



Total CBD
0.859%
Total CBD/Gummy : 171.8 mg



Total Cannabinoids
1.1463%
Total Cannabinoids/Gummy : 229.26 mg

	CBDVA	CBDV	CBDA	CBGA	CBG	CBD	D9-THCV	D8-THCV	CBN	D9-THC	D8-THC	D10-THC	CBC	THCA
%	<0.01	0.0147	<0.01	ND	<0.01	0.859	<0.01	ND	<0.01	0.2412	<0.01	ND	0.0314	ND
mg/g	<0.1	0.147	<0.1	ND	<0.1	8.59	<0.1	ND	<0.1	2.412	<0.1	ND	0.314	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analized by: 2657 Weight: 0.2028g Extraction date: 08/08/23 10:54:37 Extracted by: 2637

Analysis Method : SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100, THCA: ± 0.124, TOTAL THC ± 0.112. These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor k=2 for a normal distribution.

Analytical Batch : KN004025POT **Reviewed On :** 08/10/23 16:54:18

Instrument Used : E-SHI-008 **Batch Date :** 08/07/23 12:29:18

Running on : N/A

Dilution : N/A
Reagent : 051123.02; 100422.02; 072423.R02; 072723.R17; 102722.05; 051123.12
Consumables : 302110210; 22/04/01; 220725; 230105059D; 239146; 947.100; GD220003; 1350331; 6121219; 600054; IP250.100
Pipette : E-VWR-120

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%.

Sue Ferguson

Lab Director

State License # n/a
ISO Accreditation # 17025:2017

Signature

08/10/23

Signed On