

# **Certificate of Analysis NOT FOR RETAIL**

## Kaycha Labs

Beard Balm

Matrix: Derivative



Sample:GA30303002-003

Harvest/Lot ID: 2

Batch#: 2

**Cultivation Facility:** 

**Processing Facility:** 

**Distributor Facility:** 

Source Facility:

Seed to Sale# N/A Batch Date: 03/01/23

Sample Size Received: 60 gram

Total Amount: 60 gram

Retail Product Size: 60 gram Ordered: 03/01/23

Sampled: 03/01/23

Completed: 03/04/23

Sampling Method: SOP.T.20.010.FL

Pages 1 of 1

MISC.

PRODUCT IMAGE

Richardson, TX, 75081, US

SAFETY RESULTS





Mar 04, 2023 | Empire Shopping Network

Heavy Metals



Microbials

Mycotoxins



Residuals Solvents



Filth



Water Activity



Moisture NOT TESTED



Terpenes NOT TESTED

TESTED



### Cannabinoid



LOD

**Total THC** Total THC/Container : 0 mg




Total CBD

Total CBD/Container: 349.2 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 351 mg



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: GA056855POT

Instrument Used : GA-HPLC-001 2030C Plus (Infused)

Running on: 03/03/23 15:16:43

Endudn: 4-0
Reagent: 110520.05; 081822.R45; 010421.44; 011723.02; 011223.R36; 021823.R08
Consumables: 212823; 947.109; 21/05/14; 9291.271; LLS-00-0005; 12543-226CD-226C; R0NB32898; 46610-762A; 944C4 944J; 206639
Pipette: GA-003; GA-005; GA-177; GA-169 (Dispenser); GA-209 Dispenser

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### Miranda **MacDonald** Lab Director

Reviewed On: 03/04/23 14:13:51

Batch Date: 03/02/23 13:45:48

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/04/23

Signed On