

Certificate of Analysis

NOT FOR RETAIL

Kaycha Labs

Matrix: Edible

Hemp Tea Water Soluble N/A

Sample:GA30303002-010

Harvest/Lot ID: 3

Batch#: 3

Cultivation Facility:

Processing Facility:

Distributor Facility:

Source Facility: Seed to Sale# N/A

Batch Date: 03/01/23

Sample Size Received: 8 gram

Total Amount: 12 units Retail Product Size: 12 units

> Ordered: 03/02/23 Sampled: 03/02/23

Completed: 03/04/23

Sampling Method: SOP.T.20.010.FL

Pages 1 of 1

MISC.

PRODUCT IMAGE

SAFETY RESULTS



Richardson, TX, 75081, US

Pesticides





Heavy Metals

Mar 04, 2023 | Empire Shopping Network



Microbials



Mycotoxins





Filth





Water Activity



NOT TESTED



Cannabinoid

TESTED



Total THC 0.019%Total THC/Container: 2.28 mg




Total CBD 0.838%

Total CBD/Container: 100.56 mg



Total Cannabinoids .964%

Total Cannabinoids/Container: 115.68



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : GA056855POT Instrument Used : GA-HPLC-001 2030C Plus (Infused)

Running on: 03/03/23 15:16:43

Reagent: 110520.05; 081822.R45; 010421.44; 011723.02; 011223.R36; 021823.R08

Consumables: 212823: 947.109: 21/05/14: 9291.271: LLS-00-0005: 12543-226CD-226C: RONB32898: 46610-762A: 944C4 944I: 206639

Pipette: GA-003; GA-005; GA-177; GA-169 (Dispenser); GA-209 Dispenser

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Miranda **MacDonald**

Reviewed On: 03/04/23 14:14:16 Batch Date: 03/02/23 13:45:48

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/04/23

Signed On