

Universe	Professional
Type	Verticality
Category	Harnesses
Subcategory	Rope access harnesses



TOP CROLL® L

The TOP CROLL L integrates a CROLL L ventral rope clamp to transform the ASTRO SIT FAST, AVAO SIT, AVAO SIT FAST, FALCON, FALCON ASCENT and SEQUOIA SRT seat harnesses into rope access harnesses. The foam shoulder straps are widely spaced to reduce neck chafing. When the waistbelt is loaded, they help distribute the load over the shoulders.

Short Description	Chest harness for seat harness, with integrated CROLL L ventral rope clamp
Selling Points	<ul style="list-style-type: none">• Integrates a CROLL L ventral rope clamp to transform the ASTRO SIT FAST, AVAO SIT, AVAO SIT FAST, FALCON, FALCON ASCENT and SEQUOIA SRT harnesses into rope access harnesses• Connects to the rear loop and directly to the openable ventral attachment point of the ASTRO SIT FAST harness or with a connector to the AVAO SIT, AVAO SIT FAST, FALCON, FALCON ASCENT and SEQUOIA SRT harnesses• Foam shoulder straps are widely spaced to reduce neck chafing. When the waistbelt is loaded, they help distribute the load over the shoulders.• Shoulder straps equipped with self-locking DOUBLEBACK PLUS buckles for quick and easy adjustment
Specification	<ul style="list-style-type: none">• Sternal attachment point: fall arrest system attachment• Certification(s): CE EN 361 (with ASTRO SIT FAST, AVAO SIT, AVAO SIT FAST, FALCON, FALCON ASCENT, SEQUOIA SRT seat harness), CE EN 12841 type B, UKCA (with ASTRO SIT FAST, AVAO SIT, AVAO SIT FAST, FALCON, FALCON ASCENT, SEQUOIA SRT seat harness), JSFAD (with AVAO SIT, AVAO SIT FAST, FALCON, FALCON MOUNTAIN, SEQUOIA SRT seat harnesses), EAC, GB 6095: Z• Material(s): nylon, polyester, aluminum, steel

Specifications by reference

Reference(s)	C081CA00
Color(s)	black/yellow
Stature	160-200 cm
Weight	600 g
Made in	RO
Guarantee	3 years
Inner Pack Count	1
Quantity Per Box	10
EAN	3342540822689

Related product(s)	ASTRO® SIT FAST AVAO® SIT AVAO® SIT FAST ASAP® LOCK ASAP®SORBER AXESS FALCON FALCON ASCENT SEQUOIA SRT
--------------------	---