



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

X10 Slipstream - Universal Sealant

Version number: GHS 6.0
Replaces version of: 2020-07-22 (GHS 5)

Revision: 2021-02-22

SECTION 1: Identification

1.1 Product identifier

Trade name **X10 Slipstream - Universal Sealant**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
Vehicle spray sealant
Vehicle detail spray

1.3 Details of the supplier of the safety data sheet

HookUp, LLC
1000 Skokie Blvd
Northbrook IL 60062
United States

Telephone: 1.847.387.7000
e-mail: az@x10care.com
Website: x10care.com

e-mail (competent person) **az@x10care.com**

1.4 Emergency telephone number

Emergency information service
USA 1.847.387.7000
24 hr emergency information

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)
This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)
not required

2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

This product does not meet the criteria for classification in any hazard class according to GHS.

Exact percentage of ingredients is withheld as a trade secret.

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

X10 Slipstream - Universal Sealant

Version number: GHS 6.0
Replaces version of: 2020-07-22 (GHS 5)

Revision: 2021-02-22

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

none

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

not required

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

X10 Slipstream - Universal Sealant

Version number: GHS 6.0
Replaces version of: 2020-07-22 (GHS 5)

Revision: 2021-02-22

Other information relating to spills and releases
Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation
Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as
Frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

X10 Slipstream - Universal Sealant

Version number: GHS 6.0
Replaces version of: 2020-07-22 (GHS 5)

Revision: 2021-02-22

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|----------------|--------|
| Physical state | liquid |
| Color | coral |
| Odor | fruity |

Other safety parameters

| | |
|---|---|
| pH (value) | 7 – 8 (25 °C) |
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | 100 °C |
| Flash point | will not flash |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | not relevant, (fluid) |
| Vapor pressure | 32 hPa at 25 °C |
| Density | not determined |
| Vapor density | this information is not available |
| Relative density | Information on this property is not available |
| Solubility(ies) | not determined |

Partition coefficient

| | |
|-----------------------------|-----------------------------------|
| - n-octanol/water (log KOW) | this information is not available |
| Auto-ignition temperature | not determined |
| Viscosity | not determined |
| Explosive properties | none |
| Oxidizing properties | none |

9.2 Other information there is no additional information



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

X10 Slipstream - Universal Sealant

Version number: GHS 6.0
Replaces version of: 2020-07-22 (GHS 5)

Revision: 2021-02-22

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

X10 Slipstream - Universal Sealant

Version number: GHS 6.0
Replaces version of: 2020-07-22 (GHS 5)

Revision: 2021-02-22

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- | | | |
|------|---|---|
| 14.1 | UN number | not subject to transport regulations |
| 14.2 | UN proper shipping name | not assigned |
| 14.3 | Transport hazard class(es) | not assigned |
| 14.4 | Packing group | not assigned |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | Special precautions for user | There is no additional information. |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code | The cargo is not intended to be carried in bulk. |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

X10 Slipstream - Universal Sealant

Version number: GHS 6.0
Replaces version of: 2020-07-22 (GHS 5)

Revision: 2021-02-22

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance | CAS No | Functionality | Authoritative Lists |
|-----------------------------------|------------|------------------|---------------------|
| water | 7732-18-5 | solvent | |
| silicone emulsion NJTS# 946137-01 | | shine agent | |
| amino-alkoxy dimethylsiloxane | 71750-80-6 | surface modifier | |
| 2-(2-butoxyethoxy)ethanol | | co-solvent | CA TACs |
| 1-butoxypropan-2-ol | 5131-66-8 | co-solvent | |

- Hazardous Substances List (MN-ERTK)

none of the ingredients are listed

- Hazardous Substance List (RI-RTK)

none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA) 0.93 %



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

X10 Slipstream - Universal Sealant

Version number: GHS 6.0
Replaces version of: 2020-07-22 (GHS 5)

Revision: 2021-02-22

- Regulated Volatile Organic Compounds (VOC-Cal ARB) 0.93 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | / | none |
| Health | 0 | no significant risk to health |
| Flammability | 0 | material that will not burn under typical fire conditions |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

Chronic: chronic hazard
Flammability: flammability hazard
Health: health hazard
Personal protection: personal protective equipment (PPE) for normal use
Physical hazard: reactivity

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category | Degree of hazard | Description |
|----------------|------------------|---|
| Flammability | 0 | material that will not burn under typical fire conditions |
| Health | 0 | material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| CA | DSL | not all ingredients are listed |
| EU | REACH Reg. | not all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

X10 Slipstream - Universal Sealant

Version number: GHS 6.0
Replaces version of: 2020-07-22 (GHS 5)

Revision: 2021-02-22

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").
Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|--|---|-----------------|
| 2.3 | Other hazards | Other hazards: of no significance | yes |
| 2.3 | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | | yes |
| 3.2 | Mixtures: Exact percentage of ingredients is withheld as a trade secret. This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS. | Mixtures | yes |
| 3.2 | | Description of the mixture: This product does not meet the criteria for classification in any hazard class according to GHS. Exact percentage of ingredients is withheld as a trade secret. This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS. | yes |
| 5.1 | Unsuitable extinguishing media: Water jet | | yes |
| 5.2 | Special hazards arising from the substance or mixture | Special hazards arising from the substance or mixture: none | yes |
| 5.2 | Hazardous combustion products: Nitrogen oxides (NO _x) | | yes |
| 6.4 | Reference to other sections: Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13. | Reference to other sections: Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13. | yes |
| 9.1 | Explosive limits: not determined | | yes |
| 9.1 | Vapor pressure: 31.69 hPa at 25 °C | Vapor pressure: 32 hPa at 25 °C | yes |
| 12.7 | Other adverse effects | Other adverse effects: Data are not available. | yes |
| 15.1 | VOC content: Regulated Volatile Organic Compounds (VOC-EPA): 0.9308 % Regulated Volatile Organic Compounds (VOC-Cal ARB): 0.9308 % | VOC content | yes |
| 15.1 | | Regulated Volatile Organic Compounds (VOC-EPA): 0.93 % | yes |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

X10 Slipstream - Universal Sealant

Version number: GHS 6.0
Replaces version of: 2020-07-22 (GHS 5)

Revision: 2021-02-22

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---------------------------|---|-----------------|
| 15.1 | | Regulated Volatile Organic Compounds (VOC-Cal ARB): 0.93 % | yes |
| 16 | | Indication of changes (revised safety data sheet): Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book"). Restructuring: section 9, section 14 | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|----------------|--|
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation |
| Cal ARB | California Air Resources Board |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EPA | Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA | Occupational Safety and Health Administration (United States) |
| PBT | Persistent, Bioaccumulative and Toxic |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.