

# PRODUCT CATALOG HEATERS & FANS FOR CANADA



# Who is VisionAir<sup>m</sup>

# VisionAir<sup>™</sup> is a joint venture partnership between two TRUSTED suppliers from counter seasonal categories.

We leverage our experience in sourcing, sales, marketing, logistics, and customer service to offer our customers a full line of heaters and fans. With major disruptions in the marketplace, we can offer a **RELIABLE** and **CONSISTENT** source for you to build and grow your home comfort categories.

With VisionAir<sup>™</sup>, you get a combined **50+ YEARS** of market experience, decades of **TRUSTED** partnership with retailers, **FLEXIBLE** shipping and fulfillment options, and **EXCLUSIVE** partnerships with key manufacturing facilities.

We are ready **NOW** to fill your orders and make the world a more comfortable place!





# HEATERS

Residential	4
Garage	6
FANS	
Residential	7
High Velocity	



# **1 YEAR FULL REPLACEMENT WARRANTY**

We stand behind the quality of our products and their performance with a full replacement warranty. The warranty covers all defects in materials or workmanship under normal use and maintenance for 1 year from the date of purchase.

#### **HEATERS**



When the temperature drops and you need supplemental heating to stay cozy, choose a VisionAir<sup>™</sup> electric heater. We offer a variety of heaters including ceramic, wire element fan-forced, infrared quartz radiant, and oil-filled convection. VisionAir<sup>™</sup> electric heaters include built-in safety features to make sure heating is done safely, such as overheat protection, tip-over switches and automatic shut-off as well as bonus features like timers, oscillation for wide-spread coverage and multi-function remote controls.

#### 1VAHW09C

#### **9" WIRE-ELEMENT FAN-FORCED HEATER**

WITH FAN-ONLY MODE

Includes tip-over switch and overheat protection

	10	9	1
	曲	E.	
10	181	乱	
100	118	12	
137	祖王	E.	

HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE
750/1500	2	Mechanical	Yes	No	No	No	8.25×10×5	8×10×5	2.25/2.5	2-prong

1VAHW11C	;								Permitte	-
<b>11" RADIANT WIRE ELEMENT HEATER</b>										
HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
1250/1500	2	Mechanical	Yes	No	No	No	17×11.5×7	19.5×11.25×6	4.75/5.75	2-prong

**1VAHC7C** 

# **7" PERSONAL CERAMIC HEATER**

Includes overheat protection

HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (lbs.)	PLUG Type
400	1	Mechanical	No	No	No	No	4.5×6.5×3.75	5.5×6.75×4	1/1.25	2-prong

#### **1VAHC9C**

# **9" DESKTOP CERAMIC HEATER**

WITH FAN-ONLY MODE

Includes tip-over switch and overheat protection

Includes tip-over switch

and overheat protection



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE
750/1500	2	Mechanical	Yes	No	No	No	6.25×9.5×5	6.5×10×5.5	2/2.5	2-prong

#### 1VAHCT17C

# **17" OSCILLATING CERAMIC TOWER HEATER**

WITH FAN-ONLY MODE

HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE
750/1500	2	Mechanical	Yes	No	Yes	No	6.75×17.75×5.75	7×18.5×6	3.5/3.75	2-prong

#### 2VAHCT23C

#### 23" OSCILLATING CERAMIC TOWER HEATER

WITH DIGITAL CONTROLS, TIMER & REMOTE




HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE
750/1500	2	Digital	Yes	9-hour	Yes	Yes	8×23×8	9×24.5×9	5.5/7	2-prong

#### 1VAHL22MC

#### 22" OIL-FILLED CONVECTION HEATER

WITH MECHANICAL CONTROLS





HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE
600/900/1500	3	Mechanical	Yes	No	No	No	9.5×21.5×12	16.75×23×5.5	15/16.5	2-prong

#### 1VAHQ23C

#### 23" RADIANT INFRARED HEATER

Includes tip-over switch and overheat protection



HEATING POWER (Watts)	HEAT Settings	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
500/1000/1500	3	Mechanical	Yes	No	No	No	12.5×23×9.25	13.75×23.5×9.25	5.25/7	2-prong

#### 1VAHQW24C

# 24" WALL-MOUNT INFRARED RADIANT HEATER

HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
750/1500	2	Mechanical	No	No	No	No	23.75×15.75×3.25	26.5×14.75×5.5	6.75/7.5	3-prong

<b>2</b> V	Ał	łG	50	00	C
			_		

Includes overheat protection

Includes overheat protection

# 5,000W CEILING-MOUNT WIRE ELEMENT UTILITY HEATER

240V HARDWIRED INSTALLATION

HEATING POWER (Watts)	HEAT Settings	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE
5000/4000/3000	3	Mechanical	Yes	No	No	No	14×13×10.75	17.5×14.5×13.75	19.5/22.5	Hardwired

2VAHG750	0 <b>C</b>							Includes overheat protec	ction	
•							UTILITY H	EATER		
HEATING POWER (Watts)     HEAT SETTINGS     CONTROL TYPE     THERMOSTAT     TIMER     OSCILLATION     REMOTE     ITEM DIMENSIONS W×H×D (in.)     PACKING DIMENSIONS W×H×D (in.)										
7500/6250	2	Digital	Yes	12-hour	No	Yes	14×13×10.75	17.5×14.5×13.75	20/23.5	Hardwired



Never lose your cool with fans from VisionAir. We offer a variety of fans for every application, from compact rechargeable personal fans to heavy-duty, high velocity fans. VisionAir residential fans include bonus features such as oscillation, adjustable tilt, adjustable height, and timers. Our high velocity fans are ideal for are ideal for warehouses, factories, barns, garages, construction sites, and include bonus features such as adjustable tilt, adjustable height, oscillation, and easy-roll wheels. No matter your need, VisionAir has a fan to cool your space.

1VAF	D4C										
4"	USB 1	<b>FABLE</b>	FAN					ß	Ż		
FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
1	100	Mechanical	Yes	No	No	No	No	5.75×6×3.5	6.25×6×3.75	0.1/0.2	USB

IVAFDR5C         5" RECHARGEABLE USB TABLE FAN         ITEM PACKING         FAN MAXIMUM CONTROL ADJUSTABLE ADJUSTABLE												
FAN MAXIMUM CONTROL ADJUSTABLE TILT ADJUSTABLE HEIGHT TIMER OSCILLATION REMOTE DIMENSIONS WARHAD (in.) WARKAD (in.) WARKAD (in.)												
3	58	Mechanical	Yes	No	No	No	No	5×5.75×1.75	6.25×8×2	0.6/0.8	USB	

#### **1VAFDR6C**

# **6" RECHARGEABLE OSCILLATING TABLE FAN**



FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE
4	90	Digital	Yes	No	No	Yes	No	7.5×3.75×7.5 (closed) 7.5×10×7.5 (open)	7.75×4.5×7.75	1.5/2	USB

#### **1VAFD6C**


# **6" CONVERTIBLE DESK FAN**

2-IN-ONE CLIP BASE OR TABLETOP OPTION

FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE
2	280	Mechanical	Yes	No	No	Yes	No	7.5×10.25×6.5	6.75×7.5×6.75	1.5/1.75	2-prong

#### 1VAFHV8C

# **8" HIGH VELOCITY TURBO FAN**



#### 1VAFD12WC

# **12" OSCILLATING TABLE FAN**

-

-

FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (lbs.)	PLUG Type
3	700	Mechanical	Yes	No	No	Yes	No	10.75×11.5×6	14×19×5	3.5/4.5	2-prong

	P16WC	ILLATI	NG PE	DESTA		N					
FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	1,050	Mechanical	Yes	Yes	No	Yes	No	28.5×47.25×28.5	17.5×17.5×5	5/6	2-prong





#### 1VAFP18RC

## **18" OSCILLATING PEDESTAL FAN**

WITH REMOTE & TIMER

FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	1,280	Digital	Yes	Yes	7.5 hours	Yes	Yes	19.75×51.25×16.75	20.5×23.75×5	12/13.5	2-prong

#### 1VAFBX20C

#### 20" BOX FAN

WITH RAIN RESISTANT MOTOR HOUSING & COPPER MOTOR

:	FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG Type
	3	2,295	Mechanical	No	No	No	No	No	20.75×21×4.25	21×22×4.75	7/8.5	2-prong

#### 1VAFCR20C

### **20" AIR CIRCULATOR**

WITH WALL OR CEILING MOUNT OPTIONS & COPPER MOTOR

FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE
3	1.765	Mechanical	Yes	No	No	No	No	24.25×24.75×6	24.75×24×6	7.75/9.25	2-prong

1VAFT32C										1	ĵ.	
32" OSCILLATING TOWER FAN												
FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (lbs.)	PLUG TYPE	
3	380	Mechanical	No	No	No	Yes	No	10.75×32×10.75	7×32.75×7	5.5/6.75	2-prong	

1VAFT40C										1	1	
40" OSCILLATING TOWER FAN WITH DIGITAL CONTROLS & REMOTE												
FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE	
3	430	Digital	No	No	Yes	Yes	Yes	12×39.25×12	8×40.75×8	7/8.25	2-prong	

1VAFW92C

# **9" TWIN WINDOW FAN**



FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE
3	750	Mechanical	No	No	No	No	No	22×11×6.25	22.75×11.75×5.75	4.75/5.5	2-prong

#### 1VAFHV14C



FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (Ibs.)	PLUG TYPE
3	1,100	Mechanical	Yes	No	No	No	No	17.25×17.25×7.25	18.25×18.25×7.5	6.5/8	3-prong

411			-	
<b>1V</b>	AF	HΝ	ЖΙ.	
			-	-

# **18" HIGH VELOCITY FLOOR FAN**

WITH ALUMINUM OIL BEARING MOTOR

										•	-
FAN SPEEDS	MAXIMUM CFM	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	2,200	Mechanical	Yes	No	No	No	No	21.75×22×10.25	22×21.25×7.25	9.5/12.25	3-prong

VisionAir<sup>™</sup> is a joint venture of







4560 W. 160th Street Cleveland, OH 44135

€ 833.950.1185
 ⊕ visionairproducts.com
 sales@visionairproducts.com

Find us online at www.visionairproducts.com