SAFETY DATA SHEET

WATERSTOP

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PRODUCT CODES:	LIQUID LOCK ABSORBING POWDER ALL: WATERSTOP
MANUFACTURER: ADDRESS:	ABSORBENT SPECIALTY PRODUCTS, LLC 30 Hamlet St., Pawtucket, RI 02861
EMERGENCY PHONE:	: 401-722-1177
OTHER CALLS:	401-722-1177
FAX PHONE:	401-722-1160
CHEMICAL NAME:	SODIUM POLYACRYLATE
WHMIS SYMBOLS:	NONE
PRODUCT USE:	ABSORBS WATER & WATER BASED FLUIDS.
	AVAILABLE IN BOTTLES, PAILS & CONTAINED WITHIN A VARIETY OF FABRICS
PREPARED BY:	CAROL DANCER

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

ROUTES OF ENTRY:

POTENTIAL HEALTH EFFECTS

EYES:	YES –	DUST MAY CAUSE BURNING, DRYING, ITCHING & OTHER DISCOMFORT, RESULTING IN REDDENING OF THE EYES
SKIN:	YES –	EXPOSURE TO DUST, SUCH AS IN MANUFACTURING, MAY AGGRAVATE EXISTING SKIN CONDITIONS DUE TO DRYING EFFECT.
INGESTION:	YES –	ALTHOUGH NOT A LIKELY SOURCE OF ENTRY, TESTS HAVE SHOWN THAT POLYACRYLATE ABSORBENTS ARE NON-TOXIC IF INGESTED. HOWEVER, AS IN ANY INSTANCE OF NON-FOOD COMSUMPTION, SEEK MEDICAL ATTENTION IN THE EVENT OF ANY ADVERSE SYMPTOMS.
INHALATION:	YES –	EXPOSURE TO RESPIRABLE DUST MAY CAUSE RESPIRATORY TRACT AND LUNG IRRITATION AND MAY AGGRAVATE EXISTING RESPIRATORY CONDITIONS.

!)

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: EXISTING RESPIRATORY CONDITIONS.

SODIUM POLYACRYLATE IS A WHITE, GRANULAR, ODORLESS POLYMER THAT YIELDS A GEL-LIKE MATERIAL WITH THE ADDITION OF WATER. IT IS INSOLUBLE IN WATER AND CAUSES EXTREMELY SLIPPERY CONDITIONS WHEN WET. ALTHOUGH NOT REGULATED AS A HAZARDOUS MATERIAL, THE RESPIRABLE DUST IS A POTENTIAL RESPIRATORY TRACT IRRITANT. THE MANUFACTURER RECOMMENDS AN 8 HOUR EXPOSURE LIMIT OF 0.05mg/m³

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:	SODIUM POLYACRYLATE			
<u>CAS NO.</u> ingredient 9003-04-7	<u>% WT</u>	<u>% VOL</u>	LD ₅₀ of ingredient	<u>LC₅₀ of</u>
	>99		RAT 40mg/kg: ORAL ACUTE TOXICITY	

SECTION 4: FIRST AID MEASURES

EYES:IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTESSKIN:REMOVE DUST ABSORBENT POLYACRYLATE FROM SKIN WITH SOAP & WATERINGESTION:NON-TOXIC BY INGESTION. HOWEVER, IF ADVERSE SYMPTOMS APPEAR, SEEK MEDICAL ATTENTION.INHALATION:IF INHALED, MOVE TO SOURCE OF FRESH AIR. SEEK MEDICAL ATTENTION IF SYMTPOMS PERSIST.

WATERSTOP

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR (% B	BY VOLUME)	UPPER: NE	LOWER: NE				
FLASH POINT:	°F: NONE	°C: NONE					
METHOD USED (oc or cc):							
AUTOIGNITION TEMPERATURE:	°F: NONE	°C: NONE					
NFPA HAZARD CLASSIFICATION	1						
HEALTH: 1	FLAMMABIL	ITY: 0	REACTIVITY:	0	OTHER:		
HMIS HAZARD CLASSIFICATION							
HEALTH:	FLAMMABILITY:	REACT	IVITY:	PROTE	CTION:		
EXTINGUISHING MEDIA:	DRY CHEMICA	L, FOAM, CARBON	DIOXIDE, WATER FO	G. EXTR	EMELY SLIPPERY		
	CONDITIONS A	ARE CREATED IF SP	PILLED PRODUCT CO	MES IN (CONTACT WITH WATER.		
SPECIAL FIRE FIGHTING PROCE	EDURES: EXTR	EMELY SLIPPERY	CONDITIONS ARE CR	EATED I	F SPILLED PRODUCT COMES		
	IN CC	ONTACT WITH WATE	ER				
UNUSUAL FIRE AND EXPLOSION	N HAZARDS:						

HAZARDOUS DECOMPOSITION PRODUCTS:

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

 CONTAINMENT:
 SWEEP OR VACUUM MATERIAL WHEN POSSIBLE & SHOVEL INTO A WASTE CONTAINER.

 CLEAN UP:
 USE CAUTION AFTER CONTACT WITH WATER, AS EXTREMELY SLIPPERY CONDITIONS WILL RESULT.

 RESIDUALS MAY BE FLUSHED WITH WATER INTO THE DRAIN FOR NORMAL WASTEWATER TREATMENT. THIS IS A NON-HAZARDOUS WASTE SUITABLE FOR DISPOSAL IN AN APPROVED SOLID WASTE LANDFILL.

 EVACUATION:
 NONE REQUIRED

 SPECIAL:
 AVOID RESPIRABLE DUST INHALATION DURING CLEAN-UP. WEAR APPROPRIATE RESPIRATOR.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: STORE IN A DRY CLOSED CONTAINER. HANDLE AS AN EYE AND RESPIRATORY TRACT IRRITANT.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: THIS PRODUCT IS NOT REGULATED AS A HAZARDOUS MATERIAL. HOWEVER, THE MANUFACTURER RECOGNIZES THE POTENTIAL FOR RESPIRATORY TRACT IRRITATION AND RECOMMENDS AN 8 HOUR EXPOSURE LIMIT OF 0.5mg/m³

VENTILATION : PROVIDE LOCAL EXHAUST VENTILATION TO MAINTAIN WORKER EXPOSURE TO LESS THAN 0.5mg/m³ OVER AN 8 HOUR PERIOD.

RESPIRATORY PROTECTION: YES – WEAR RESPIRATORY WITH A HIGH EFFICIENCY FILTER IF PARTICULATE CONCENTRATIONS IN THE WORK AREA EXCEED 0.05mg/m³ OVER AN 8 HOUR PERIOD.

- EYE PROTECTION: YES WEAR SAFETY GLASSES WITH SIDE SHIELDS OR GOGGLES
- SKIN PROTECTION: YES USE IMPERVIOUS GLOVES WHEN HANDLING THE PRODUCT IN THE MANUFACTURING ENVIRONMENT.

WORK HYGIENIC PRACTICES:

EXPOSURE GUIDELINES: OBEY REASONABLE SAFETY PRECAUTIONS & PRACTICE GOOD HOUSEKEEPING WASH THOROUGHLY AFTER HANDLING.

SAFETY DATA SHEET

WATERSTOP

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: WHITE GRANULAR POWDER ODOR: NO ODOR PHYSICAL STATE: SOLID pH: 5.5-6.5 (1% IN WATER) **BOILING POINT:** NE >390°F MELTING POINT: FREEZING POINT: VAPOR PRESSURE (mmHg): <10 mmHg VAPOR DENSITY (AIR = 1): NE SPECIFIC GRAVITY (H₂O = 1): 0.4 - 07 g/ml EVAPORATION RATE: <1.0 SOLUBILITY IN WATER: NOT SOLUBLE

SECTION 10: STABILITY AND REACTIVITY

STABLE
YESSTABILITY:YESCONDITIONS TO AVOID (STABILITY):
INCOMPATIBILITY (MATERIAL TO AVOID):NONEHAZARDOUS DECOMPOSITION OR BY-PRODUCTS:NONE KNOWNHAZARDOUS POLYMERIZATION:
CONDITIONS TO AVOID (POLYMERIZATION):NONE

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: ACUTE INHALATION OF RESPIRABLE DUST MAY CAUSE IRRITATION OF THE UPPER RESPIRATORY TRACT AND LUNGS.

UNSTABLE

ACUTE TOXICITY - LD50/LC50 SODIUM POLYACRYLATE, LD50: ORAL LD50 RAT: 40 mg/kg

SECTION 11 NOTES:

CHRONIC INHALATION EXPOSUE TO RATS FOR LIFETIME (2 YEARS) USING SODIUM POLYACRYLATE THAT HAD BEEN MICRONIZED TO A RESPIRABLE PARTICLE SIZE (LESS THAN 10 MICRONS) PRODUCED NON-SPECIFIC INFLAMMATION AND CHRONIC LUNG INJURY AT 0.2mg/m³ AND 0.8mg/m³. ALSO, AT 0.8mg/m³, TUMORS WERE SEEN IN SOME TEST ANIMALS. IN THE ABSENCE OF CHRONIC INFLAMMATION, TUMORS ARE NOT EXPECTED. THERE WERE NO ADVERSE EFFECTS DETECTED AT 0.05mg/m³.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: COMPOSTED POLYACRYLATE ABSORBENTS ARE NON-TOXIC TO AQUATIC OR TERRESTRIAL ORGANISMS AT PREDICTED EXPOSURE LEVELS FROM CURRENT APPLICATION RATES.

SECTION 12 NOTES:

POLYACRYLATE ABSORBENTS ARE RELATIVELY INERT & ANAEROBIC CONDITIONS. THEY ARE IMMOBILE IN LANDFILLS & SOIL SYSTEMS (GREATER THAN 90% RETENTION), WITH THE MOBILE INTERACTION SHOWING BIODEGRADIBILITY. THEY ARE ALSO COMPATIBLE WITH INCINERATION OF MUNICIPAL SOLID WASTE. INDICENTAL DOWN-THE-DRAIN-DISPOSAL OF SMALL QUANTITIES OF POLYACRYLIC ABSORBENTS WILL NOT EFFECT THE PERFORMANCE OF WASTWATER TREATMENT SYSTEMS.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:THIS PRODUCT IS NON-HAZARDOUS WASTE MATERIAL SUITABLE FOR APPROVED SOLID
WASTE LANDFILLS. NO EPA WASTE NUMBERS ARE APPLICABLE FOR THIS PRODUCT.
DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS.

RCRA HAZARD CLASS: NONE

SAFETY DATA SHEET

WATERSTOP

SECTION 14: TRANSPORT INFORMATION

THIS PRODUCT IS NOT TRANSPORT REGULATED.

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS: NO COMPONENTS ARE LISTED IN THE WHMIS IDL TSCA (TOXIC SUBSTANCE CONTROL ACT): CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): 311/312 HAZARD CATEGORIES: 313 REPORTABLE INGREDIENTS: STATE REGULATIONS: INTERNATIONAL REGULATIONS:

SECTION 15 NOTES:

THIS PRODUCT IS NOT STATE OR FEDERALLY REGULATED AS A HAZARDOUS MATERIAL. CFR REFERENCES FOR THE FDA REGULATED COMPONENTS IN THIS PRODUCT ARE LISTED.

SODIUM POLYACRYLATE (9003-04-7) DIRECT FOOD ADDITIVE: 173.73, 173.310 INDIRECT FOOD ADDITIVESL: 175.105

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: THE INFORMATION HEREIN IS PESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE AS OF THE EFFECTIVE DATE GIVEN. HOWEVER, NO WARRANTY, EXPRESSED OR IMPLIED, IS GIVEN. IT IS THE BUYER'S RESPONSIBILITY TO ENSURE THAT ITS ACTIVITIES COMPLY WITH FEDERAL, STATE OR LOCAL LAWS.