Product Information NAK Sealing Solutions for Industrial Power Tools





Introduction

- - Power tools are kinds of equipment actuated by additional power source and mechanism other than the solely manual labor used with hand tools. According to the survey, the global demand of power tools is getting rising year by year. Power tools are used to cut quickly into concrete, stone, cement block, or brick which are used in a wide range of commercial or industrial applications. In addition, they are also used broadly in consumer-related settings, i.e., in do-it-yourself and home remodeling activities for drilling, grinding, shaping and more.
 - Power tool can be generated by various sources, which are mainly sorted into electric motors, rechargeable batteries, gasoline engines, and compressed air motors. They may be corded or cordless, and may involve with variety of motions in the moving parts including side-to-side, up and down, and other complicated combination of movements.



Specification

NAK sealing solutions for industrial power tools include rotary seals and O-rings.


Rotary seals are the sealing elements that have specific interference between the sealing lip and the shaft. The seal lip provides sealing function to retain oil from leaking to the outside while prevents contaminants from entering to the system. When the seal lip is contacting with the shaft, a thin lubricant film is formed along with the seal lip contact area which could reduce friction and wear between the seal lip and the shaft. Moreover, the thin film could be a nature barrier between the air side and the oil side of the seal. Customized design for both single lip and dual-lip seal are available.

O-rings are kind of sealing ring to be installed in grooves. It can be used to seal oil, water, air, gas and other fluids, for both static and dynamic applications.


Additional elastomeric compounds to fit different applications are available upon request. Please contact us for more information.




Applications



NAK Sealing Solutions for Industrial Power Tools







Taiwan (NAK Headquarters)

NAK SEALING TECHNOLOGIES CORPORATION

No.336, Industrial Road, Nankang Industrial Zone, Nantou City 54065, Taiwan

TEL: 886-49-2255011 FAX: 886-49-2250035

E-mail: service@mail.nak.com.tw

www.nak.com.tw



Thailand

NAK SEALING PRODUCTS(THAILAND) CO., LTD.

120/36 Moo 12 Soi 21/2 Kingkaew-Bangplee Road, Tumbul Rachatewa, Ampur Bangplee Samutprakarn 10540, Thailand

TEL: 66-2-750-1988 FAX: 66-2-750-1868

Brazil

E-mail: sales@mail.thainak.com



Russia

www.ksnak.com

China

INDUSTRIAL CO., LTD.

Jiangsu Prov., China 215337

E-mail: sales@nak.com.cn

TEL: 86-512-57666240; 86-512-57665788

FAX: 86-512-57665827; 86-512-57664409

NAK INTERNATIONAL LTD.

Russia, Postal Index 143956, Moscow Region, Balashiha, Mikroraion Nikolsko-Arhangelskiy, Vishnyakovskoe Shosse, 56, "NAK INTERNATIONAL LTD."

KUNSHAN MAOSHUN SEALING PRODUCTS

No.271, Xingpu Road, Zhoushi Town, Kun Shan City,

TEL: 7-495-545-94-00 FAX: 7-495-646-79-29 E-mail: info@naksealing.ru www.naksealing.ru



Australia

NAK TOTAL SEALING SOLUTIONS NAK DO BRASIL INDUSTRIA E COMERCIO DE COMPONENTES DE VEDAÇÃO LTDA **AUSTRALIA**

Rua Soldado Benedito Eliseo Dos Santos, NRO 10 CEP 02177-020, Sao Paulo S.P, Brazil

TEL: 55-11-3807-3001 FAX: 55-11-3807-3002

E-mail: nakbrasil@nakbrasil.com.br comercial@nakbrasil.com.br



Unit 1-17 Buttonwood Place, Willawong QLD 4110, Australia TEL: 61-7-3272-0266

FAX: 61-2-6674-2516 E-mail: sales@sealingtechnologies.net www.naksealingtechnologies.com



Disclaimer

1. NAK products are not intended to be used, installed or applied in or on any areospace related instruments and/or equipment. Any such use, installation, or application is prohibited and shall void all waranties.

KISH NAK OIL SEAL MFG. CO., LTD.

NAK SEALING TECHNOLOGIES (INDIA)

P-1 Phase II Dr Vikram Sarabhai Industrial Estate

Thiruvanmiyur, Chennai - 600 041, Tamilnadu, India.

TEL: 91-44-64586657; 91-44-64586661

E-mail: marketing@nakindia.com

No.67, Eshghyar St. Khorramshahr Ave.,

Tehran 15339, Iran

TEL: 98-21-88761965

FAX: 98-21-88741319

India

PRIVATE LIMITED

FAX: 91-44-24540254

E-mail: kishnak@parsonline.net

- 2. NAK disclaims any and all express or implied warranties if the products
 - 2.1 are modified or tampered with;
- 2.2 are misused, abused or misapplied;
- 2.3 are used in a critical environment or specific equipment without NAK's prior written consent;
- 2.4 are not used in accordance with the printed user instruction materials; or
- 2.5 are damaged due to natural deterioration, decomposition or transformation of chemical structure.
- 3. The products may be applied in critical environment or specific equipment only upon official confirmation of the sample by NAK's technical personnel and the passing of tests conducted by buyer.